Scenario 1 — Search Functionality

Persona:
Act as a Senior QA

Context:
This is an e-commerce application. The login functionality has already been developed and tested. Now, we have built a search feature on the home page of the application. This application contains different categories of products, such as electronics, clothing, and toys.

Instruction:
• [Strict] Create functional test cases.
• [Mandatory] Cover all positive and negative test cases.

Example:
|Test Case Id|Test Case Description|Test Steps|Expected Result|
|TC_001|Test valid data input|1. Login to the application;2. Navigate to the home page.|The username should be displayed as expected.|

Output:
Generate the test cases in an Excel sheet format.

Tone:
Technical standard.

Scenario 2 — File Upload

Persona:
Act as a Test Engineer

Context:
This is a healthcare application built to store policyholder data in a centralized repository. It holds personal details and complete health records. The login feature and the ability to retrieve details using a mobile number and name have already been developed. Now, we have built a feature to upload documents, restricted strictly to PDF format with a maximum file size of 2MB.

Instruction:
• Create test cases for the file upload feature, covering both functional and non-functional test cases.
• [PRIORITY] Create specific test cases to validate the handling of malicious files.

Example:
|Test Case Id|Test Case Description|Test Steps|Expected Result|
|TC_001|Test valid data input|1. Login to the application;2. Navigate to the home page.|The username should be displayed as expected.|

Output:
Generate the test cases in an Excel sheet format.

Tone:
Industry standard.

Scenario 6 — Mobile App (OTP Login)

Persona:
Act as an End User

Context:
This is an entertainment application. The login, customized home page (based on recently viewed items), and download features are already fully built. We have now implemented an OTP (One-Time Password) login mechanism for the mobile application. A 6-digit OTP is valid for 2 minutes. If it is not entered within 120 seconds, the "Resend OTP" link will become enabled.

Instruction:
• Provide the scenarios to test this feature from an end-user perspective.
• Segregate the scenarios into separate sections based on positive and negative flows.
• Extract the conditions from the requirements and create a Requirements Traceability Matrix (RTM) for these scenarios.

Example Scenario Format:
|Scenario Id|Scenario Description|
|SC-01|Log in using a valid OTP|

Example RTM Format:
|Requirement|Scenario Id|
|OTP Validation|SC-01|

Output:
Create the scenarios and RTM in tabular formats.

Tone:
User perspective.