

Student Name: Dhanalakshmi K

Course Name: JAVA

College Name: Chettinad College of Engineering and Technology.

Department: CSE

Year: 3rd year

NO.Of.Days: 32

Year of Study: August 2026

Trainer Name: Mr. Gowthaman K

KALVI EDUCATION KARUR

1)Login Page:

```
package myprgm;
```

```
import javax.swing.*;
```

```
import java.awt.event.*;
```

```
import java.sql.Connection;
```

```
import java.sql.DriverManager;
```

```
import java.sql.ResultSet;
```

```
import java.sql.Statement;
```

```
import java.awt.*;
```

```
public class SimpleGui extends JFrame implements ActionListener{
```

```
JLabel l1,l2;

JTextField t1;

JPasswordField p1;

JButton b1,b2;


public SimpleGui()
{
    setTitle("LoginForm");

    setLayout(null);

    l1 =new JLabel("Enter Your Name");
    l2 =new JLabel("Enter PassWord");


    t1 =new JTextField();
    p1=new JPasswordField();
    b1=new JButton("CLICK ME");
    b2=new JButton("RESET");


    l1.setBounds(100, 100, 100, 30);
    l2.setBounds(100, 200, 100, 30);
    t1.setBounds(250, 100, 150, 30);
    p1.setBounds(250, 200, 200, 30);
    b1.setBounds(250, 300, 100, 30);
    b2.setBounds(400, 300, 100, 30);

    add(l1);
    add(t1);
    add(b1);
    add(b2);
    add(p1);
}
```

```

        add(l2);

        b1.addActionListener(this);

        b2.addActionListener(this);

    }

    public static void main(String[] args) {

        JFrame f1=new SimpleGui();

        f1.setSize(600,400);

        f1.setVisible(true);

        f1.show();

    }

    @Override

    public void actionPerformed(ActionEvent e) {

        // TODO Auto-generated method stub

        if(e.getSource()==b1) {

            String un=t1.getText();

            String pw=p1.getText();

            boolean isavail=false;

            try

            {

                Class.forName("com.mysql.cj.jdbc.Driver");

                Connection

con=DriverManager.getConnection("jdbc:mysql://localhost:3306/ccet","root","12345");

                // System.out.println("Connection Successfully");

                System.out.println("Driver Accepctd");

```

```

        Statement st=con.createStatement();

        ResultSet rs=st.executeQuery("select * from login");

        while(rs.next())
        {
            //System.out.println(rs.getString(1)+" "+rs.getString(2)+"
"+rs.getString(3));

            if(un.equals(rs.getString(1))&& pw.equals(rs.getString(2)))
            {
                isavail=true;
            }
        }

        rs.close();

        st.close();

        con.close();

```

```

if(isavail==true) {

```

```

// JOptionPane.showMessageDialog(null, "Valid User");

```

```

    this.hide();

```

```

    JFrame f1 = new d1();

```

```

    f1.setSize(799, 760);

```

```

    f1.setVisible(true);

```

```

    f1.show();

```

```

}

```

```

else {

```

```

        JOptionPane.showMessageDialog(null,"Invalid User/Password");
        t1.setText("");
        p1.setText("");
        t1.requestFocus();
    }

}

catch (Exception e1)
{
    System.out.println("Error Reason:"+e.toString());
}

}

}
}

```

2)Dashboard:

```

package myprgm;

import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import java.sql.*;

public class d1 extends JFrame implements ActionListener {

    JLabel tit;

    JLabel l1, l2, l3;

    static JTextField t1;

    static JTextField t2;

    static JTextField t3;

```

```
JButton b1, b2, b3, b4;
```

```
public d1() {
```

```
    setLayout(null);
```

```
    setTitle("DashBoard - CRUD operation");
```

```
    tit = new JLabel("CRUD operation");
```

```
    Font font = new Font("Arial", Font.BOLD, 30);
```

```
    l1 = new JLabel("Enter Register number:");
```

```
    l2 = new JLabel("Enter student name :");
```

```
    l3 = new JLabel("Enter student marks :");
```

```
    t1 = new JTextField();
```

```
    t2 = new JTextField();
```

```
    t3 = new JTextField();
```

```
    b1 = new JButton("Insert/save");
```

```
    b2 = new JButton("Delete");
```

```
    b3 = new JButton("Search");
```

```
    b4 = new JButton("Update");
```

```
    l1.setBounds(100, 150, 200, 30);
```

```
    l2.setBounds(100, 250, 200, 30);
```

```
    l3.setBounds(100, 350, 200, 30);
```

```
    t1.setBounds(300, 150, 200, 30);
```

```
    t2.setBounds(300, 250, 200, 30);
```

```
t3.setBounds(300, 350, 200, 30);
```

```
b1.setBounds(100, 450, 100, 30);
```

```
b2.setBounds(300, 450, 100, 30);
```

```
b3.setBounds(500, 450, 100, 30);
```

```
b4.setBounds(700, 450, 100, 30);
```

```
b1.addActionListener(this);
```

```
b2.addActionListener(this);
```

```
b3.addActionListener(this);
```

```
b4.addActionListener(this);
```

```
tit.setBounds(100, 50, 300, 30);
```

```
tit.setFont(font);
```

```
add(tit);
```

```
add(l1);
```

```
add(l2);
```

```
add(l3);
```

```
add(t1);
```

```
add(t2);
```

```
add(t3);
```

```
add(b1);
```

```
add(b2);
```

```
add(b3);
```

```
add(b4);
```

```
}
```

```

public static void main(String[] args) {
    JFrame f1 = new d1();
    f1.setSize(799, 760);
    f1.setVisible(true);
    f1.show();
}

```

@Override

```

public void actionPerformed(ActionEvent e) {

    if (e.getSource() == b1)
        insert();

    if (e.getSource() == b2)
        delete();

    if (e.getSource() == b3)
        search();

    if (e.getSource() == b4)
        update();
}

```

```

static void insert() {
    int regno = Integer.parseInt(t1.getText());
    String sname=t2.getText();
    int mark=Integer.parseInt(t3. getText());
    try {

```



```

Class.forName("com.mysql.cj.jdbc.Driver");
Connection con = DriverManager.getConnection(
    "jdbc:mysql://localhost:3306/ccet",
    "root",
    "12345"
);
Statement st = con.createStatement();
int ans=st.executeUpdate("insert into student
values("+regno+", "+sname+", "+mark+"");
if(ans>0)
    JOptionPane.showMessageDialog(null,"successfully insertwd");
else
    JOptionPane.showMessageDialog(null,"no records inserted");
t1.setText("");t2.setText("");t3.setText("");t1.requestFocus();

st.close();
con.close();

} catch (Exception ex) {
    ex.printStackTrace();
}

}

```

```

static void delete()
{
    int regno = Integer.parseInt(t1.getText());
    try {
        Class.forName("com.mysql.cj.jdbc.Driver");
        Connection con = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/ccet",
            "root",
            "12345"
        );
        Statement st = con.createStatement();
        int ans=st.executeUpdate("delete from student where sno="+regno);
        if(ans>0)
            JOptionPane.showMessageDialog(null,"successfully deleted");
        else
            JOptionPane.showMessageDialog(null,"no records deleted");
        t1.setText("");t2.setText("");t3.setText("");t1.requestFocus();

        st.close();
        con.close();

    } catch (Exception ex) {
        ex.printStackTrace();
    }
}

```

```
//=====delete=====
```

```
static void search() {
```

```
    int regno = Integer.parseInt(t1.getText());
```

```
    boolean isavail = false;
```

```
    try {
```

```
        Class.forName("com.mysql.cj.jdbc.Driver");
```

```
        Connection con = DriverManager.getConnection(
```

```
            "jdbc:mysql://localhost:3306/ccet",
```

```
            "root",
```

```
            "12345"
```

```
        );
```

```
        Statement st = con.createStatement();
```

```
        ResultSet rs = st.executeQuery("select * from student");
```

```
        while (rs.next()) {
```

```
            if (regno == rs.getInt(1)) {
```

```
                isavail = true;
```

```
                t2.setText(rs.getString(2));
```

```
                t3.setText(rs.getString(3));
```

```

    }
}

rs.close();
st.close();
con.close();

if (isavail == true) {

    JOptionPane.showMessageDialog(null, "Valid User");

} else {

    JOptionPane.showMessageDialog(
        null,
        "Invalid User/Password"
    );

    t1.setText("");
    t2.setText("");
    t3.setText("");
    t1.requestFocus();
}

} catch (Exception ex) {
    ex.printStackTrace();
}

```

```
}
```

```
//=====search=====
```

```
static void update() {
```

```
    int regno = Integer.parseInt(t1.getText());
```

```
    String sname=t2.getText();
```

```
    int mark=Integer.parseInt(t3. getText());
```

```
try {
```

```
    Class.forName("com.mysql.cj.jdbc.Driver");
```

```
    Connection con = DriverManager.getConnection(
```

```
        "jdbc:mysql://localhost:3306/ccet",
```

```
        "root",
```

```
        "12345"
```

```
    );
```

```
    Statement st = con.createStatement();
```

```
    int ans=st.executeUpdate("update student set  
sname='"+sname+"',mark='"+mark+" where sno='"+regno);
```

```
    if(ans>0)
```

```
        JOptionPane.showMessageDialog(null,"successfully updated");
```

```
    else
```

```
        JOptionPane.showMessageDialog(null,"no records updated");
```

```
    t1.setText("");t2.setText("");t3.setText("");t1.requestFocus();
```

```
    st.close();
```

```
    con.close();
```

```

    } catch (Exception ex) {
        ex.printStackTrace();
    }
}
}

```

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'ccet' and 'sys' databases. The 'ccet' database is selected, showing tables 'login' and 'student'. The main editor window shows a SQL query in 'SQL File 2*':

```

1 • use ccet;
2 • select *from login;
3


```

The 'Result Grid' shows the following data:

username	pwd
Dhana	12345
Priya	23456
Karthik	34567
Arun	45678

The 'Output' pane at the bottom shows the 'Action Output' log:

#	Time	Action	Message
6	17:16:15	select *from student login LIMIT 0, 1000	Error Code: 1146. Table 'sys
7	17:18:29	select *from student login LIMIT 0, 1000	Error Code: 1146. Table 'sys
8	17:21:26	use login	Error Code: 1049. Unknown
9	17:22:06	use login	Error Code: 1049. Unknown
10	17:22:17	use ccet	0 row(s) affected
11	17:22:17	select *from login LIMIT 0, 1000	4 row(s) returned



CRUD operation

Enter Register number:

Enter student name :

Enter student marks :

CRUD operation

Enter Register number:

1006

Enter student name :

dhana

Enter student marks :

99

Insert/save

Delete

Search

Update

Message



successfully deleted

OK

CRUD operation

Enter Register number:

1006

Enter student name :

dhana

Enter student marks :

99

Insert/save

Delete

Search

Update

Message



successfully inserted

OK

THANK YOU