KITCHEN APP OUTPUT





File Edit Selection View Go Run Terminal Help — Kitchen-app

EXPLORER — KITCHEN-APP

- .github
- api
  - node_modules
  - Dockerfile U
  - package-lock.json M
  - package.json U
  - server.js U
  - server.test.js U
- docs
- k8s
- web-ui
  - Dockerfile 1, U
- docker-compose.yml U

OUTLINE

docker-compose.yml > services > web-ui

```
1  services:
```

PROBLEMS 1 | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS | GITLENS

```
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 55.42MB / 294.7
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 57.52MB / 294.7
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 59.62MB / 294.7
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 61.72MB / 294.7
[+] up 9/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 63.99MB / 294.7
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 65.04MB / 294.7
[+] up 8/11.. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 67.14MB / 294.7
[+] up 11/11. [⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿⠿] 68.18MB / 294.7
 ✔ Image mongo:7.0 Pulled                                                31.9s
#1 [internal] load local bake definitions
#1 reading from stdin 940B done
#1 DONE 0.0s

#2 [api internal] load build definition from Dockerfile
#2 transferring dockerfile:
#2 ...

#3 [web-ui internal] load build definition from Dockerfile
#3 transferring dockerfile: 31B 0.0s done
#3 DONE 0.3s

#2 [api internal] load build definition from Dockerfile
#2 transferring dockerfile: 700B 0.0s done
#2 DONE 0.3s

[+] up 11/13rnal] load metadata for docker.io/library/node:20-alpine
 ✔ Image mongo:7.0                Pulled                                 31.9s
 - Image kitchen-api:local Building                                       2.8s
 - Image kitchen-web:local Building                                       2.8s
target web-ui: failed to solve: the Dockerfile cannot be empty


View build details: docker-desktop://dashboard/build/default/default/pmbodwvvllg50ftg9eysqodst
PS D:\Kitchen-app>
```

File Edit Selection View Go Run Terminal Help — Kitchen-app

Dockerfile api U | package.json U | server.test.js U | docker-compose.yml U | namespace.yaml U | Dockerfile web-ui U | deployment.yaml ...\web-ui U | deployment

api > Dockerfile > ...

```
1  FROM node:20-alpine AS builder
2  WORKDIR /build
3  COPY package*.json ./
4  RUN npm ci && npm cache clean --force
5  COPY . .
```

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS | GITLENS

```
PS D:\Kitchen-app> docker compose up --build -d
#23 CACHED

#24 [api production 5/5] COPY --chown=nodeuser:nodejs server.js package.json ./
#24 CACHED

#25 [api] exporting to image
#25 exporting layers done
#25 exporting manifest sha256:a51d180901fb6ffbdaae5d62b11f7f1e3aea24b49c2ee58fb3c93ca7e752147b done
#25 exporting config sha256:45da8eb91db8882e204f0864530146014e51da140bb81d15b6117bf8de1047ea done
#25 exporting attestation manifest sha256:39233ea1cb1675765efbdb3cfe5757245f10c41af7dc8110ed6a0934a73c1db6 0.0s done
#25 exporting manifest list sha256:cb5e922e7b437e876d1051570283267933 77b3dfd98baec2bdf2b46602ea7731 0.0s done
#25 naming to docker.io/library/kitchen-api:local
#25 naming to docker.io/library/kitchen-api:local done
#25 unpacking to docker.io/library/kitchen-api:local 0.0s done
#25 DONE 0.2s

#26 [api] resolving provenance for metadata file
#26 DONE 0.0s
[+] up 6/6
 ✔ Image kitchen-api:local        Built                                   4.2s
 ✔ Image kitchen-web:local        Built                                   4.2s
 ✔ Network kitchen-app_default    Created                                 0.1s
 ✔ Container kitchen-db           Healthy                                 7.3s
 ✔ Container kitchen-app-api-1    Healthy                                 13.4s
 ✔ Container kitchen-app-web-ui-1 Started                                 13.3s
PS D:\Kitchen-app>
```

File Edit Selection View Go Run Terminal Help — Kitchen-app

Dockerfile api U | package.json U | server.test.js U | docker-compose.yml U | namespace.yaml U | Dockerfile web-ui U | deployment.yaml ...\web-ui U | deployment

api > Dockerfile > ...

```
1  FROM node:20-alpine AS builder
2  WORKDIR /build
3  COPY package*.json ./
4  RUN npm ci && npm cache clean --force
5  COPY . .
```

PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL | PORTS | GITLENS

```
#26 [api] resolving provenance for metadata file
#26 DONE 0.0s
[+] up 6/6
 ✔ Image kitchen-api:local        Built                                   4.2s
 ✔ Image kitchen-web:local        Built                                   4.2s
 ✔ Network kitchen-app_default    Created                                 0.1s
 ✔ Container kitchen-db           Healthy                                 7.3s
 ✔ Container kitchen-app-api-1    Healthy                                 13.4s
 ✔ Container kitchen-app-web-ui-1 Started                                 13.3s
PS D:\Kitchen-app> docker compose ps
NAME                  IMAGE                COMMAND                  SERVICE   CREATED                 STATUS                    PORTS
kitchen-app-api-1     kitchen-api:local    "docker-entrypoint.s…"   api       Less than a second ago  Up 25 seconds (healthy)   0.0.0.0:3000->3000/tcp, [::]:3000->3000/tcp
kitchen-app-web-ui-1  kitchen-web:local    "/docker-entrypoint.…"   web-ui    Less than a second ago  Up 18 seconds             0.0.0.0:8080->80/tcp, [::]:8080->80/tcp
kitchen-db            mongo:7.0            "docker-entrypoint.s…"   db        Less than a second ago  Up 31 seconds (healthy)   0.0.0.0:27017->27017/tcp, [::]:27017->27017/tcp
PS D:\Kitchen-app>
```

Administrator: Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\WINDOWS\system32> kubectl config use-context docker-desktop
Switched to context "docker-desktop".
PS C:\WINDOWS\system32> kubectl get nodes
NAME                   STATUS   ROLES           AGE   VERSION
desktop-control-plane  Ready    control-plane   29m   v1.34.3
desktop-worker         Ready    <none>          28m   v1.34.3
desktop-worker2        Ready    <none>          28m   v1.34.3
PS C:\WINDOWS\system32> netstat -ano | findstr :3000
  TCP    0.0.0.0:3000           0.0.0.0:0              LISTENING       24704
  TCP    [::]:3000              [::]:0                 LISTENING       24704
PS C:\WINDOWS\system32> taskkill /PID 24704 /F
SUCCESS: The process with PID 24704 has been terminated.
PS C:\WINDOWS\system32> netstat -ano | findstr :3000
```

Administrator: Windows PowerShell

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\WINDOWS\system32> kubectl config use-context docker-desktop
Switched to context "docker-desktop".
PS C:\WINDOWS\system32> kubectl get nodes
NAME                   STATUS   ROLES           AGE   VERSION
desktop-control-plane  Ready    control-plane   29m   v1.34.3
desktop-worker         Ready    <none>          28m   v1.34.3
desktop-worker2        Ready    <none>          28m   v1.34.3
PS C:\WINDOWS\system32> netstat -ano | findstr :3000
  TCP    0.0.0.0:3000           0.0.0.0:0              LISTENING       24704
  TCP    [::]:3000              [::]:0                 LISTENING       24704
PS C:\WINDOWS\system32> taskkill /PID 24704 /F
SUCCESS: The process with PID 24704 has been terminated.
PS C:\WINDOWS\system32> netstat -ano | findstr :3000
PS C:\WINDOWS\system32>
```

```
PS D:\Kitchen-app> Invoke-RestMethod -Method Get -Uri "http://localhost:3000/health"
>> Invoke-RestMethod -Method Post -Uri "http://localhost:3000/orders" -ContentType "application/json" -Body (@{ dish = "Compose Biryani" } | ConvertTo-Json)
>> Invoke-RestMethod -Method Get -Uri "http://localhost:3000/orders"
>> Invoke-WebRequest -Uri "http://localhost:8080" | Select-Object StatusCode
ok
        connected
pending
pending


PS D:\Kitchen-app> docker compose logs api --tail=100
api-1  | Kitchen API listening on port 3000
PS D:\Kitchen-app> kubectl apply -f k8s/namespace.yaml
error: error validating "k8s/namespace.yaml": error validating data: failed to download openapi: the server could not find the requested resource; if you choose to i
gnore these errors, turn validation off with --validate=false
PS D:\Kitchen-app> docker compose down
[+] down 4/4
 ✓ Container kitchen-app-web-ui-1 Removed
        0.3s
 ✓ Container kitchen-app-api-1    Removed
        1.4s
 ✓ Container kitchen-db           Removed
        0.3s
 ✓ Network kitchen-app_default    Removed
        0.2s
PS D:\Kitchen-app> kubectl apply -f k8s/namespace.yaml
error: error validating "k8s/namespace.yaml": error validating data: failed to download openapi: Get "http://localhost:8080/openapi/v2?timeout=32s": dial tcp [::1]:8
080: connectex: No connection could be made because the target machine actively refused it.; if you choose to ignore these errors, turn validation off with --validat
e=false
PS D:\Kitchen-app>
```


127.0.0.1:8080
Kitchen Orders
Create orders and watch them show up in MongoDB. This UI calls the API through a same-origin proxy at /api.
API status: ok (db: connected)
/metrics /health
Dish name (e.g. Masala Dosa)
Create order
Orders: 0
Refresh
Dish
Status
Created
ID
No orders yet. Create one on the left.
Tip: keep this page open, then hit Prometheus/Grafana to see http_requests_total increase.


Summary
All jobs
build-and-test
docker-build
k8s-smoke-test
Run details
Usage
Workflow file
Triggered via pull request 2 minutes ago
Dhanalakshmiv7213 opened #3 student/setup-ci
Status
Success
Total duration
42s
Artifacts
–
ci-cd.yml
on: pull_request
build-and-test 11s
docker-build 19s
k8s-smoke-test 5s
Annotations
3 warnings
build-and-test
Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v3, actions/setup-node@v3. Actio…
Show more
docker-build
Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v3. Actions will be forced to ru…
Show more
k8s-smoke-test
Node.js 20 actions are deprecated. The following actions are running on Node.js 20 and may not work as expected: actions/checkout@v3. Actions will be forced to ru…
Show more
https://github.com/Dhanalakshmiv7213/Kitchen-app/actions/runs/23424733082/job/68137042966


Prometheus
Query
Alerts
Status
Enter expression (press Shift+Enter for newlines)
Execute
Table
Graph
Explain
Evaluation time
No data queried yet
Add query


Prometheus
Query
Alerts
Status > Target health
Select scrape pool
Filter by target health
Filter by endpoint or labels
kitchen-api
1 / 1 up
Endpoint
Labels
Last scrape
State
http://api:3000/metrics
instance="api:3000"
job="kitchen-api"
2.627s ago
5ms
UP


localhost:3001/?orgId=1&from=now-6h&to=now&timezone=browser
Grafana
Dashboards › Home
Search...
Home
Bookmarks
Starred
Dashboards
Explore
Drilldown
Alerting
Connections
Administration
Welcome to Grafana
Need help? Documentation Tutorials Community Public Slack
Remove this panel
Basic
The steps below will guide you to quickly finish setting up your Grafana installation.
TUTORIAL
DATA SOURCE AND DASHBOARDS
Grafana fundamentals
Set up and understand Grafana if you have no prior experience. This tutorial guides you through the entire process and covers the "Data source" and "Dashboards" steps to the right.
COMPLETE
Add your first data source
Learn how in the docs
COMPLETE
Create your first dashboard
Dashboards
Starred dashboards
Recently viewed dashboards
Latest from the blog
AI observability in Grafana Cloud


Grafana
Dashboards › Kitchen › Kitchen App — Overview
Search...
Edit
Export
Share
DS_PROMETHEUS
Prometheus
Last 15 minutes
Refresh
10s
Orders created (total)
1
HTTP requests / sec (by route)
0.2
0.15
0.1
0.05
0
12:40
12:45
12:50
/health
/metrics
/orders
5xx error rate (5m)
No data
Orders created / sec (5m rate)
0.003
0.002
0.001
0
12:40
12:45
12:50
orders/sec
p95 latency (seconds) by route
0.08
0.06


Grafana
Dashboards › Kitchen › Kitchen App — Overview
Search...
Home
Bookmarks
Starred
Dashboards
Explore
Drilldown
Alerting
Connections
Administration
DS_PROMETHEUS
Prometheus
0.08
0.06
0.04
0.02
0
12:45
12:50
12:55
/health
/metrics
/orders
0.001
0
orders/sec
API CPU (seconds/sec)
0.016
0.014
0.012
0.01
cpu
API RSS memory (bytes)
63000000
62500000
62000000
61500000
61000000
12:45
12:50
12:55


Compass
My Queries
Data Modeling
CONNECTIONS (1)
Search connections
localhost:27017
admin
attendance_db
backend
busdb
config
face_attendance
growguide_db
kitchen
orders
local
mydatabase
shiftlog
user_db
orders
localhost:27017 > kitchen > orders
Open MongoDB shell
Documents 2
Aggregations
Schema
Indexes 1
Validation
Type a query: { field: 'value' } or Generate query
Explain
Reset
Find
Options
ADD DATA
UPDATE
DELETE
EXPORT DATA
EXPORT CODE
25
1 - 2 of 2
_id: ObjectId('69b51eb5d5918a5f87b87b55')
dish : "PowerShell Paneer Tikka"
status : "served"
createdAt : 2026-03-14T08:39:17.066+00:00
statusUpdatedAt : 2026-03-14T08:39:33.074+00:00
_id: ObjectId('69b52f96d5918a5f87b87b56')
dish : "Compose Biryani"
status : "served"
createdAt : 2026-03-14T09:51:18.304+00:00
statusUpdatedAt : 2026-03-14T09:51:34.000+00:00