QA Audit Report

Target http://localhost:5173 · run `qa-20261018-1628-861e` · PRD `5bf675015f27`
2026-10-18T21:28:38.723492+00:00 → 2026-10-18T21:31:54.642564+00:00 (196 s) · generated 2026-10-18T16:32:22-05:00

Executive summary

The audit evaluated 49 requirements across the transfer and transaction history features, with 27 passing, 11 failing, and 11 unverified. Three critical defects were identified: the system accepts zero and negative transfer amounts and allows transfers that exceed available account balance, all while displaying success messages and creating completed transactions. Five major defects were also found, including incorrect handling of recoverable errors, missing amounts in transaction history rows, and date-range filtering that excludes boundary dates despite inclusive specification. The audit completed in 195.9 seconds at a cost of $0.10.

PASSED
27

FAILED
11

UNVERIFIED
11

DEFECTS
8
3 critical · 5 major · 0 minor

PASS RATE (VERIFIED)
71%
78% verified

MODEL COST
$0.1008
$0.0020 / requirement

Area	passed	failed	unverified
access	5	0	1
dashboard	6	0	0
history	3	3	1
profile	2	0	0
scope	4	0	2
seed	2	1	0
transfers	1	6	7
ui	4	1	0
Scenario polarity	**passed**	**failed**	**unverified**
positive	22	2	2
negative	12	3	2
edge	12	4	0

Requirements and coverage

Polarity cells show the worst status among that polarity's scenarios; "-" means no scenario of that kind. * passed, but a covering scenario failed on a different requirement (reported there).

ID	Area	Pri	Requirement	positive	negative	edge	Result
REQ-ACC-001	access	P1	The landing page shows a clearly labeled Enter Demo action that opens the demo dashboard without requiring a password or real identity information.	unverified	-	-	unverified
REQ-ACC-002	access	P1	The header identifies the active demo customer and provides a Log out action.	passed	-	-	passed
REQ-ACC-003	access	P1	Logging out returns the user to the landing page.	passed	-	-	passed
REQ-ACC-004	access	P0	After logout, direct navigation to protected dashboard views returns the user to the landing page or an access-required state and does not show protected content.	-	passed	passed	passed
REQ-ACC-005	access	P1	Refreshing a page during a valid demo session preserves the session.	passed	-	-	passed
REQ-ACC-006	access	P0	A logged-out user does not regain access to a protected page by refreshing it.	-	passed	-	passed
REQ-DSH-001	dashboard	P1	The dashboard shows the customer's checking and savings accounts.	passed	-	-	passed
REQ-DSH-002	dashboard	P1	Each account card displays a readable name, a masked account identifier, account type, and current available balance in USD.	passed	-	-	passed
REQ-DSH-003	dashboard	P1	Balances are displayed with exactly two decimal places.	passed	-	passed	passed
REQ-DSH-004	dashboard	P0	The UI never exposes a full account identifier.	-	passed	-	passed
REQ-DSH-005	dashboard	P1	Selecting an account opens an account detail view showing its current balance and related transaction history.	passed	-	passed	passed
REQ-DSH-006	dashboard	P0	Balances on the dashboard and account detail view agree with each other and with the latest successful transactions.	passed	-	passed	passed
REQ-TRF-001	transfers	P0	The user can transfer funds between the checking and savings accounts of the demo customer.	unverified	-	-	unverified
REQ-TRF-002	transfers	P1	The transfer form includes source account, destination account, amount, and an optional memo.	unverified	-	-	unverified
REQ-TRF-003	transfers	P0	A transfer with the same source and destination account is rejected with a clear explanation.	-	passed	-	passed
REQ-TRF-004	transfers	P0	A rejected same-account transfer does not alter balances or create a transaction.	-	passed	-	unverified
REQ-TRF-005 DEF-001	transfers	P0	Blank, zero, negative, non-numeric and over-precision (more than two decimals) amounts are each rejected with a clear validation message.	-	failed	passed	failed
REQ-TRF-006 DEF-001	transfers	P0	Rejected invalid amount input does not create a transaction or change balances.	-	failed	passed	failed
REQ-TRF-007 DEF-002	transfers	P0	A transfer exceeding the source account's available balance is rejected.	-	failed	passed	failed

ID	Area	Pri	Requirement	positive	negative	edge	Result
REQ-TRF-008 DEF-002	transfers	P0	An insufficient-funds transfer leaves both balances unchanged and no completed transfer appears in history.	-	failed	-	failed
REQ-TRF-009	transfers	P0	A valid transfer is atomic: the source decreases by the amount and the destination increases by exactly the same amount.	unverified	-	passed	unverified
REQ-TRF-010	transfers	P0	A successful transfer creates exactly one completed transfer record that appears in both the source and destination account histories.	unverified	-	-	unverified
REQ-TRF-011	transfers	P1	The transfer record shows amount, date and time, source, destination, status, and memo if supplied.	unverified	-	-	unverified
REQ-TRF-012 DEF-002	transfers	P0	The UI shows a success state only after the transfer has been committed.	unverified	failed	passed	failed
REQ-TRF-013 DEF-003	transfers	P0	If a transfer is rejected or fails, the UI explains that it did not complete and does not show a success state.	-	failed	-	failed
REQ-TRF-014	transfers	P0	After a successful transfer and a page refresh, the updated balances and the transaction record persist.	unverified	-	-	unverified
REQ-HIS-001	history	P1	The user can view a combined transaction history and an account-specific history.	passed	-	-	passed*
REQ-HIS-002 DEF-005	history	P1	Each history row shows date and time, description or memo, transaction type, amount, status, and relevant account.	failed	-	-	failed
REQ-HIS-003	history	P2	Amount direction is clear for deposits, withdrawals and transfers.	passed	-	-	passed
REQ-HIS-004 DEF-006	history	P1	History can be filtered by account, transaction type, status and date range, and every displayed row satisfies all selected filters.	passed	passed	failed	failed
REQ-HIS-005 DEF-007	history	P1	Start and end dates are inclusive: transactions on either boundary date that match other filters are included.	-	-	failed	failed
REQ-HIS-006	history	P1	An empty filter result shows a clear empty state, not an error or unrelated transactions.	-	passed	-	unverified
REQ-HIS-007	history	P1	Clearing filters restores the unfiltered history.	passed	-	-	passed
REQ-PRO-001	profile	P1	The profile view displays only synthetic demo-customer details such as display name and a masked email address.	passed	-	-	passed
REQ-PRO-002	profile	P0	The profile view does not reveal passwords, authentication tokens, full account identifiers, or another user's data.	passed	passed	-	passed
REQ-GUI-001	ui	P2	The app works in a current desktop browser at 1280x800 and remains usable at narrower widths.	passed	-	passed	passed
REQ-GUI-002	ui	P2	Interactive controls have readable labels and communicate loading, success, validation and failure states.	passed	-	-	passed
REQ-GUI-003	ui	P1	A submitted action does not silently disappear: the UI shows a loading state or prevents duplicate submission while waiting.	-	-	passed	passed
REQ-GUI-004	ui	P1	Navigation links and buttons lead to the labeled destination or perform the labeled action.	passed	-	-	passed

ID	Area	Pri	Requirement	positive	negative	edge	Result
REQ-GUI-005 DEF-004	ui	P1	After a recoverable error the user can retry or return to the dashboard.	-	passed	failed	failed
REQ-SED-001	seed	P1	The demo begins with one customer, one checking account and one savings account.	passed	-	passed	passed
REQ-SED-002 DEF-008	seed	P1	Seed data includes enough historical transactions across multiple dates to exercise account, type, status and date filters.	failed	-	passed	failed
REQ-SED-003	seed	P2	Seed data includes at least one transfer between the checking and savings accounts.	passed	-	-	passed
REQ-SCP-001	scope	P1	The app never initiates real payments or connects to an external bank.	-	unverified	-	unverified
REQ-SCP-002	scope	P2	The app offers no signup feature.	-	passed	-	passed
REQ-SCP-003	scope	P2	The app offers no external payment, bill-pay, loan or card features.	-	passed	-	passed
REQ-SCP-004	scope	P2	The app offers no multi-user features, joint accounts or multiple customers.	-	passed	-	passed
REQ-SCP-005	scope	P1	The app offers no real bank integrations or deposits from external sources.	-	unverified	-	unverified
REQ-SCP-006	scope	P2	The app offers no password reset, multi-factor authentication or production-grade identity verification.	-	passed	-	passed

Defects (8)

ID	Severity	Requirement(s)	Requirement not met	What the agent observed
DEF-001	critical	REQ-TRF-005, REQ-TRF-006	Blank, zero, negative, non-numeric and over-precision (more than two decimals) amounts are each rejected with a clear validation message.	POST /api/transfers with amount "0" returned 201 with a completed transaction e9a120d6-7b85-4798-8e61-8d065ec4f98c (amount 0.00), and the UI showed 'Transfer complete Amount $0.00'.
DEF-002	critical	REQ-TRF-007, REQ-TRF-008, REQ-TRF-012	A transfer exceeding the source account's available balance is rejected.	POST /api/transfers returned 201 with a completed transaction; Everyday Checking went from 4,369.75 to -0.01, Rainy Day Savings from 8,275.00 to 12,644.76, and the UI showed 'Transfer complete'.
DEF-003	critical	REQ-TRF-013	If a transfer is rejected or fails, the UI explains that it did not complete and does not show a success state.	POST /api/transfers with amount "0" returned 201 with a completed transaction e9a120d6-7b85-4798-8e61-8d065ec4f98c (amount 0.00), and the UI showed 'Transfer complete Amount $0.00'.
DEF-004	major	REQ-GUI-005	After a recoverable error the user can retry or return to the dashboard.	POST /api/transfers with amount 0 returned 201 and created a completed 0.00 transfer (75c1a987...), followed by the 1.53 transfer (c0339847...), giving 2 new transactions.
DEF-005	major	REQ-HIS-002	Each history row shows date and time, description or memo, transaction type, amount, status, and relevant account.	Four rows (ids ...209, ...210, ...211, ...212: pending/failed deposits and withdrawals) show 'No change: $0.00' instead of their amounts 400.00, 900.00, 125.00 and 700.00.

ID	Severity	Requirement(s)	Requirement not met	What the agent observed
DEF-006	major	REQ-HIS-004	History can be filtered by account, transaction type, status and date range, and every displayed row satisfies all selected filters.	The filtered request /api/transactions?account_id=...101&type=withdrawal&start_date=2025-08-08&end_date=2025-08-08 returned an empty list and the UI showed 0 rows.
DEF-007	major	REQ-HIS-005	Start and end dates are inclusive: transactions on either boundary date that match other filters are included.	GET /api/transactions?start_date=2025-01-03&end_date=2025-01-03 returned an empty list and the UI showed 0 rows, although the completed deposit dated 2025-01-03 exists.
DEF-008	major	REQ-SED-002	Seed data includes enough historical transactions across multiple dates to exercise account, type, status and date filters.	The filtered request /api/transactions?account_id=...101&status=completed&start_date=2025-06-15&end_date=2025-06-15 returned an empty list and the UI showed 0 rows, while the unfiltered reference data contains that deposit.

▼ **DEF-001** critical **Not met: Blank, zero, negative, non-numeric and over-precision (more than two decimals) amounts are each rejected with a clear validation message.**

Requirement(s) REQ-TRF-005, REQ-TRF-006 · scenario(s) SCN-TRF-005-N1, SCN-TRF-005-N2, SCN-TRF-005-N3, SCN-TRF-005-N4, SCN-TRF-005-E1 · priority P0· confidence 0.95· related: DEF-003 (same failing scenarios)

> Blank, zero, negative, non-numeric, and over-precision values must be rejected with a clear validation message.

Expected

- `SCN-TRF-005-N1` A zero amount is rejected with a clear validation message, no transaction is created, and no success state is shown.
- `SCN-TRF-005-N2` A negative amount (-5.00) is rejected with a validation message and creates no transaction and no balance change.

Observed


- `SCN-TRF-005-N1` POST /api/transfers with amount "0" returned 201 with a completed transaction e9a120d6-7b85-4798-8e61-8d065ec4f98c (amount 0.00), and the UI showed 'Transfer complete Amount $0.00'.
- `SCN-TRF-005-N2` POST /api/transfers with -5.00 returned 201 with a completed transaction; Checking went 4,369.75 -> 4,374.75, Savings 8,275.00 -> 8,270.00, and the UI showed 'Transfer complete'.

Failed on SCN-TRF-005-N1 (negative) failed: no_state_change, no_success_ui; SCN-TRF-005-N2 (negative) failed: no_state_change, no_success_ui


Steps to reproduce

1. Precondition: logged in
2. Record balances and transactions before the action
3. Open the Transfer page: http://localhost:5173/transfer
4. Select checking as source (value: "Everyday Checking")
5. Select savings as destination (value: "Rainy Day Savings")
6. Enter 0 in the Amount field
7. Click Transfer funds
8. Record balances and transactions after the action

Evidence



SCN-TRF-005-N1: final screen (attempt 1) · click to enlarge



SCN-TRF-005-N2: final screen (attempt 1) · click to enlarge

- network: SCN-TRF-005-N1: API calls recorded (attempt 1)
- network: SCN-TRF-005-N2: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-TRF-005-N1	no_state_change	api	no balance changes and no new transactions	1 new transaction(s): e9a120d6-7b85-4798-8e61-8d065ec4f98c
SCN-TRF-005-N1	no_success_ui	ui	no success confirmation is shown	success message shown: 'Transfer complete Transfer complete Amount $0.00 From Everyday Checking (···· 1042) To Rainy Day Sa...'
SCN-TRF-005-N2	no_state_change	api	no balance changes and no new transactions	Everyday Checking balance 4,369.75 -> 4,374.75; Rainy Day Savings balance 8,275.00 -> 8,270.00; 1 new transaction(s): caed842c-a7d0-4c86-96ac-d3369e6bd7ab
SCN-TRF-005-N2	no_success_ui	ui	no success confirmation is shown	success message shown: 'Transfer complete Transfer complete Amount −$5.00 From Everyday Checking (···· 1042) To Rainy Day S...'

▼ **DEF-002** critical **Not met: A transfer exceeding the source account's available balance is rejected.**

Requirement(s) REQ-TRF-007, REQ-TRF-008, REQ-TRF-012 · scenario(s) SCN-TRF-007-N1, SCN-TRF-007-E1, SCN-TRF-001-P1, SCN-TRF-012-E1, SCN-TRF-012-E2 · priority P0· confidence 0.95· related: DEF-003 (same failing scenarios)

> The amount must not exceed the source account's available balance. If funds are insufficient, the transfer must be rejected

Expected A transfer of 4369.76 from an account with an available balance of 4369.75 is rejected, balances stay unchanged, no completed transfer is recorded, and the UI explains the failure without showing success.


Observed POST /api/transfers returned 201 with a completed transaction; Everyday Checking went from 4,369.75 to -0.01, Rainy Day Savings from 8,275.00 to 12,644.76, and the UI showed 'Transfer complete'.

Failed on SCN-TRF-007-N1 (negative) failed: no_state_change, no_success_ui, llm_judge

Steps to reproduce

1. Precondition: logged in
2. Record balances and transactions before the action
3. Open the Transfer page: http://localhost:5173/transfer
4. Select checking as source (value: "Everyday Checking")
5. Select savings as destination (value: "Rainy Day Savings")
6. Enter an amount 0.01 above the checking balance (value: "4369.76")
7. Click Transfer funds
8. Record balances and transactions after the action

Evidence



SCN-TRF-007-N1: final screen (attempt 1) · click to enlarge

- network: SCN-TRF-007-N1: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-TRF-007-N1	no_state_change	api	no balance changes and no new transactions	Everyday Checking balance 4,369.75 -> -0.01; Rainy Day Savings balance 8,275.00 -> 12,644.76; 1 new transaction(s): 2b5f6f35-9e12-4a6b-b587-13d14391e267
SCN-TRF-007-N1	no_success_ui	ui	no success confirmation is shown	success message shown: 'Transfer complete Transfer complete Amount $4,369.76 From Everyday Checking (···· 1042) To Rainy Da...'
SCN-TRF-007-N1	llm_judge	ui	LLM judge: Does the message clearly say the transfer did not complete due to insufficient funds?	LLM judge said fail (confidence 0.98): The page shows 'Transfer complete' with successful transaction details, not a message indicating the transfer did not complete due to insufficient funds.

▼ **DEF-003** critical Not met: **If a transfer is rejected or fails, the UI explains that it did not complete and does not show a success state.**

Requirement(s) REQ-TRF-013 · scenario(s) SCN-TRF-003-N1, SCN-TRF-005-N1, SCN-TRF-007-N1 · priority P0· confidence 0.95· related: DEF-001, DEF-002 (same failing scenarios)

> If a transfer is rejected or fails, the UI must explain that it did not complete and must not show a success state.

Expected

- `SCN-TRF-005-N1` A zero amount is rejected with a clear validation message, no transaction is created, and no success state is shown.
- `SCN-TRF-007-N1` A transfer of 4369.76 from an account with an available balance of 4369.75 is rejected, balances stay unchanged, no completed transfer is recorded, and the UI explains the failure without showing success.

Observed


- `SCN-TRF-005-N1` POST /api/transfers with amount "0" returned 201 with a completed transaction e9a120d6-7b85-4798-8e61-8d065ec4f98c (amount 0.00), and the UI showed 'Transfer complete Amount $0.00'.
- `SCN-TRF-007-N1` POST /api/transfers returned 201 with a completed transaction; Everyday Checking went from 4,369.75 to -0.01, Rainy Day Savings from 8,275.00 to 12,644.76, and the UI showed 'Transfer complete'.

Failed on SCN-TRF-005-N1 (negative) failed: no_state_change, no_success_ui; SCN-TRF-007-N1 (negative) failed: no_state_change, no_success_ui, llm_judge


Steps to reproduce

1. Precondition: logged in
2. Record balances and transactions before the action
3. Open the Transfer page: http://localhost:5173/transfer
4. Select checking as source (value: "Everyday Checking")
5. Select savings as destination (value: "Rainy Day Savings")
6. Enter 0 in the Amount field
7. Click Transfer funds
8. Record balances and transactions after the action

Evidence



SCN-TRF-005-N1: final screen (attempt 1) · click to enlarge



SCN-TRF-007-N1: final screen (attempt 1) · click to enlarge

- network: SCN-TRF-005-N1: API calls recorded (attempt 1)
- network: SCN-TRF-007-N1: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-TRF-005-N1	no_state_change	api	no balance changes and no new transactions	1 new transaction(s): e9a120d6-7b85-4798-8e61-8d065ec4f98c
SCN-TRF-005-N1	no_success_ui	ui	no success confirmation is shown	success message shown: 'Transfer complete Transfer complete Amount $0.00 From Everyday Checking (•••• 1042) To Rainy Day Sa...'
SCN-TRF-007-N1	no_state_change	api	no balance changes and no new transactions	Everyday Checking balance 4,369.75 -> -0.01; Rainy Day Savings balance 8,275.00 -> 12,644.76; 1 new transaction(s): 2b5f6f35-9e12-4a6b-b587-13d14391e267
SCN-TRF-007-N1	no_success_ui	ui	no success confirmation is shown	success message shown: 'Transfer complete Transfer complete Amount $4,369.76 From Everyday Checking (•••• 1042) To Rainy Da...'
SCN-TRF-007-N1	llm_judge	ui	LLM judge: Does the message clearly say the transfer did not complete due to insufficient funds?	LLM judge said fail (confidence 0.98): The page shows 'Transfer complete' with successful transaction details, not a message indicating the transfer did not complete due to insufficient funds.

DEF-004 major Not met: **After a recoverable error the user can retry or return to the dashboard.**

Requirement(s) REQ-GUI-005 · scenario(s) SCN-GUI-005-E1, SCN-GUI-005-N1 · priority P1· confidence 0.95

> A recoverable error must leave the user able to retry or return to the dashboard.

Expected A zero-amount transfer should be rejected with a recoverable validation error, so that only the retried 1.53 transfer creates a transaction (exactly 1 new transaction).


Observed POST /api/transfers with amount 0 returned 201 and created a completed 0.00 transfer (75c1a987...), followed by the 1.53 transfer (c0339847...), giving 2 new transactions.

Failed on SCN-GUI-005-E1 (edge) failed: new_tx_count

Steps to reproduce

1. Precondition: logged in
2. Record balances and transactions before the action
3. Open the transfer page: http://localhost:5173/transfer
4. Select checking as source (value: "Everyday Checking")
5. Select savings as destination (value: "Rainy Day Savings")
6. Enter 0 in Amount
7. Click Transfer funds
8. Replace the amount with the unique amount (value: "1.53")
9. Enter memo with run tag (value: "qa-28861e-84cb79")
10. Click Transfer funds again
11. Record balances and transactions after the action

Evidence



SCN-GUI-005-E1: final screen (attempt 1) · click to enlarge

- network: SCN-GUI-005-E1: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
`SCN-GUI-005-E1`	`new_tx_count`	api	exactly 1 new transaction(s)	2 new transaction(s): c0339847-b379-42b4-9649-11decae8f966, 75c1a987-ee11-463d-a08d-219db6c0b333

▼ **DEF-005** major **Not met: Each history row shows date and time, description or memo, transaction type, amount, status, and relevant account.**

Requirement(s) REQ-HIS-002 · scenario(s) SCN-HIS-001-P1 · priority P1· confidence 0.95

> Each row shows date and time, description or memo, transaction type, amount, status, and relevant account.

Expected Each history row shows the transaction's amount (e.g. $700.00 for the failed deposit), per the PRD rule that each row shows amount.


Observed Four rows (ids ...209, ...210, ...211, ...212: pending/failed deposits and withdrawals) show 'No change: $0.00' instead of their amounts 400.00, 900.00, 125.00 and 700.00.

Failed on SCN-HIS-001-P1 (positive) failed: rows_equal_api_set

Steps to reproduce

1. Precondition: logged in
2. Click Transactions in the navigation

Evidence



SCN-HIS-001-P1: final screen (attempt 1) · click to enlarge

- network: SCN-HIS-001-P1: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-HIS-001-P1	rows_equal_api_set	both	12 transaction(s) matching no filters (from the API, dates inclusive in America/Los_Angeles), each row showing its API amount	UI shows the right 12 transaction(s) but 4 row(s) do not show the transaction amount: row 00000000-0000-0000-0000-000000000212 (deposit, failed): shows 'No change: $0.00', but the record's own amount field is 700.00 | row 00000000-0000-0000-0000-000000000211 (withdrawal, pending): shows 'No change: $0.00', but the record's own amount field is 125.00 | row 00000000-0000-0000-0000-000000000210 (withdrawal, failed): shows 'No change: $0.00', but the record's own amount field is 900.00 | row 00000000-0000-0000-0000-000000000209 (deposit, pending): shows 'No change: $0.00', but the record's own amount field is 400.00

DEF-006 major Not met: History can be filtered by account, transaction type, status and date range, and every displayed row satisfies all selected filters.

Requirement(s) REQ-HIS-004 · scenario(s) SCN-HIS-004-P1, SCN-HIS-004-P2, SCN-HIS-004-P3, SCN-HIS-004-E1, SCN-HIS-004-N1 · priority P1· confidence 0.95

> The user can filter history by account, transaction type, status, and date range. When filters are applied, every displayed row must satisfy all selected filters.

Expected Filtering by account 101, type withdrawal and start/end date 2025-08-08 should show withdrawal 000...211 (pending, 2025-08-08), which satisfies all selected filters.


Observed The filtered request /api/transactions?account_id=...101&type=withdrawal&start_date=2025-08-08&end_date=2025-08-08 returned an empty list and the UI showed 0 rows.

Failed on SCN-HIS-004-E1 (edge) failed: rows_equal_api_set

Steps to reproduce

1. Precondition: logged in
2. Open the transactions page: http://localhost:5173/transactions
3. Select the checking account (value: "Everyday Checking")
4. Select the type of an existing transaction (value: "withdrawal")
5. Enter the date as start date (value: "2025-08-08")
6. Enter the same date as end date (value: "2025-08-08")
7. Click Apply filters

Evidence



SCN-HIS-004-E1: final screen (attempt 1) · click to enlarge

- network: SCN-HIS-004-E1: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-HIS-004-E1	rows_equal_api_set	both	1 transaction(s) matching account=Everyday Checking, type=withdrawal, start_date=2025-08-08, end_date=2025-08-08 (from the API, dates inclusive in America/Los_Angeles)	UI shows 0 row(s); missing 1 expected: 00000000-0000-0000-0000-000000000211 (withdrawal, pending, 2025-08-08)

DEF-007 major Not met: **Start and end dates are inclusive: transactions on either boundary date that match other filters are included.**

Requirement(s) REQ-HIS-005 · scenario(s) SCN-HIS-005-E1, SCN-HIS-005-E2 · priority P1· confidence 0.95

> The start and end dates are inclusive. A transaction occurring on either boundary date must be included when it matches the other filters.

Expected

- SCN-HIS-005-E1 Filtering with start_date and end_date both set to 2025-01-03 includes transactions occurring on that date, such as deposit 00000000-0000-0000-0000-000000000201.
- SCN-HIS-005-E2 With start and end date both 2025-09-03, the transaction dated 2025-09-03 (id ...212) should be returned because both bounds are inclusive.

Observed


- SCN-HIS-005-E1 GET /api/transactions?start_date=2025-01-03&end_date=2025-01-03 returned an empty list and the UI showed 0 rows, although the completed deposit dated 2025-01-03 exists.
- SCN-HIS-005-E2 GET /api/transactions?start_date=2025-09-03&end_date=2025-09-03 returned an empty list and the UI showed 0 rows, although transaction ...212 (deposit, failed, 2025-09-03T14:50:00Z) exists.

Failed on SCN-HIS-005-E1 (edge) failed: rows_equal_api_set; SCN-HIS-005-E2 (edge) failed: rows_equal_api_set


Steps to reproduce

1. Precondition: logged in
2. Open the transactions page: http://localhost:5173/transactions
3. Enter the earliest record date as start date (value: "2025-01-03")
4. Enter the same date as end date (value: "2025-01-03")
5. Click Apply filters

Evidence



SCN-HIS-005-E1: final screen (attempt 1) · click to enlarge



SCN-HIS-005-E2: final screen (attempt 1) · click to enlarge

- network: SCN-HIS-005-E1: API calls recorded (attempt 1)
- network: SCN-HIS-005-E2: API calls recorded (attempt 1)

Failed checks

Scenario	Check	Layer	Expected	Observed
SCN-HIS-005-E1	rows_equal_api_set	both	1 transaction(s) matching start_date=2025-01-03, end_date=2025-01-03 (from the API, dates inclusive in America/Los_Angeles)	UI shows 0 row(s); missing 1 expected: 00000000-0000-0000-0000-000000000201 (deposit, completed, 2025-01-03)
SCN-HIS-005-E2	rows_equal_api_set	both	1 transaction(s) matching start_date=2025-09-03, end_date=2025-09-03 (from the API, dates inclusive in America/Los_Angeles)	UI shows 0 row(s); missing 1 expected: 00000000-0000-0000-0000-000000000212 (deposit, failed, 2025-09-03)

▼ **DEF-008** major Not met: **Seed data includes enough historical transactions across multiple dates to exercise account, type, status and date filters.**

Requirement(s) REQ-SED-002 · scenario(s) SCN-SED-002-P1, SCN-SED-002-E1, SCN-SED-003-P1 · priority P1· confidence 0.95

> enough historical transactions to exercise account, type, status, and date filters. Seed records should include multiple dates

Expected Filtering by checking account, status=completed and start=end=2025-06-15 (inclusive) should return the seeded completed deposit 00000000-0000-0000-0000-000000000208 dated 2025-06-15.


Observed The filtered request /api/transactions?account_id=...101&status=completed&start_date=2025-06-15&end_date=2025-06-15 returned an empty list and the UI showed 0 rows, while the unfiltered reference data contains that deposit.

Failed on SCN-SED-002-P1 (positive) failed: rows_equal_api_set

Steps to reproduce

1. Precondition: logged in
2. Open the transactions page: http://localhost:5173/transactions
3. Select the checking account in filter (value: "Everyday Checking")
4. Select Completed status (value: "completed")
5. Enter the start date (value: "2025-06-15")
6. Enter the same date as end date (value: "2025-06-15")
7. Click Apply filters

Evidence



SCN-SED-002-P1: final screen (attempt 1) · click to enlarge


- network: SCN-SED-002-P1: API calls recorded (attempt 1)





Failed checks





Scenario	Check	Layer	Expected	Observed
`SCN-SED-002-P1`	`rows_equal_api_set`	both	1 transaction(s) matching account=Everyday Checking, status=completed, start_date=2025-06-15, end_date=2025-06-15 (from the API, dates inclusive in America/Los_Angeles)	UI shows 0 row(s); missing 1 expected: 00000000-0000-0000-0000-000000000208 (deposit, completed, 2025-06-15)



Unverified (11)

Unverified is neither a pass nor a defect: the agent could not collect conclusive evidence and says so instead of guessing.

ID	Requirement	Why unverified	Scenarios run	Evidence
`REQ-ACC-001` access · P1	The landing page shows a clearly labeled Enter Demo action that opens the demo dashboard without requiring a password or real identity information.	The agent could not find the UI element 'landing.entry' (role=button[name="Enter Demo"]) on the page, so the check was inconclusive rather than failed. The screenshot shows the page at that moment; a human should confirm whether the control is missing (a defect) or just labelled differently. Technical reason: SCN-ACC-001-P1: element_visible could not verify: probe failed: ResolveError: could not resolve element 'landing.entry' (role=button[name="Enter Demo"])	`SCN-ACC-001-P1` positive: unverified	 SCN-ACC-001-P1: final screen (attempt 1) SCN-ACC-001-P1: API calls recorded (attempt 1)

ID	Requirement	Why unverified	Scenarios run	Evidence
REQ-TRF-001 transfers · P0	The user can transfer funds between the checking and savings accounts of the demo customer.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	SCN-TRF-001-P1 positive: unverified SCN-TRF-001-P2 positive: passed	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1) SCN-TRF-001-P2: API calls recorded (attempt 1)
REQ-TRF-002 transfers · P1	The transfer form includes source account, destination account, amount, and an optional memo.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	SCN-TRF-001-P1 positive: unverified SCN-TRF-002-P1 positive: passed	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1) SCN-TRF-002-P1: API calls recorded (attempt 1)
REQ-TRF-004 transfers · P0	A rejected same-account transfer does not alter balances or create a transaction.	Every covering scenario passed, but they only exercised rejection or edge paths; none directly demonstrated the behaviour this requirement asserts, so the agent does not claim a pass. Technical reason: no positive scenario verified the requirement	SCN-TRF-003-N1 negative: passed	 SCN-TRF-003-N1: final screen (attempt 1) SCN-TRF-003-N1: API calls recorded (attempt 1)
REQ-TRF-009 transfers · P0	A valid transfer is atomic: the source decreases by the amount and the destination increases by exactly the same amount.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	SCN-TRF-001-P1 positive: unverified SCN-TRF-001-P2 positive: passed SCN-TRF-007-E1 edge: passed SCN-TRF-012-E1 edge: passed	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1) SCN-TRF-001-P2: API calls recorded (attempt 1) SCN-TRF-007-E1: API calls recorded (attempt 1) SCN-TRF-012-E1: API calls recorded (attempt 1)

ID	Requirement	Why unverified	Scenarios run	Evidence
`REQ-TRF-010` transfers · P0	A successful transfer creates exactly one completed transfer record that appears in both the source and destination account histories.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	`SCN-TRF-001-P1` positive: unverified `SCN-TRF-001-P2` positive: passed	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1) SCN-TRF-001-P2: API calls recorded (attempt 1)
`REQ-TRF-011` transfers · P1	The transfer record shows amount, date and time, source, destination, status, and memo if supplied.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	`SCN-TRF-001-P1` positive: unverified `SCN-TRF-001-P2` positive: passed	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1) SCN-TRF-001-P2: API calls recorded (attempt 1)
`REQ-TRF-014` transfers · P0	After a successful transfer and a page refresh, the updated balances and the transaction record persist.	The checks were inconclusive; see the technical reason. Technical reason: SCN-TRF-001-P1: triage: not confirmed; The API oracles all pass: balances moved by exactly -1.54/+1.54, one completed transaction was created and appears in both histories, and the POST returned 201 with status completed. The only FAIL is a text_matches check on 'transactions.main', which captured the transfer page	`SCN-TRF-001-P1` positive: unverified	 SCN-TRF-001-P1: final screen (attempt 1) SCN-TRF-001-P1: API calls recorded (attempt 1)
`REQ-HIS-006` history · P1	An empty filter result shows a clear empty state, not an error or unrelated transactions.	Every covering scenario passed, but they only exercised rejection or edge paths; none directly demonstrated the behaviour this requirement asserts, so the agent does not claim a pass. Technical reason: no positive scenario verified the requirement	`SCN-HIS-006-N1` negative: passed	 SCN-HIS-006-N1: final screen (attempt 1) SCN-HIS-006-N1: API calls recorded (attempt 1)

ID	Requirement	Why unverified	Scenarios run	Evidence
REQ-SCP-001 scope · P1	The app never initiates real payments or connects to an external bank.	An LLM judgement check could not reach a confident verdict, so the agent did not guess. Technical reason: SCN-SCP-001-N1: triage: not confirmed; The deterministic text oracle passed, finding no external bank or payment terms on the transfer page. The llm_judge 'fail' is a mis-specified result: its own explanation says the page only offers transfers between internal accounts and has no controls for external payments, ba	SCN-SCP-001-N1 negative: unverified	 SCN-SCP-001-N1: final screen (attempt 1) SCN-SCP-001-N1: API calls recorded (attempt 1)
REQ-SCP-005 scope · P1	The app offers no real bank integrations or deposits from external sources.	An LLM judgement check could not reach a confident verdict, so the agent did not guess. Technical reason: SCN-SCP-001-N1: triage: not confirmed; The deterministic text oracle passed, finding no external bank or payment terms on the transfer page. The llm_judge 'fail' is a mis-specified result: its own explanation says the page only offers transfers between internal accounts and has no controls for external payments, ba	SCN-SCP-003-N1 negative: passed SCN-SCP-001-N1 negative: unverified	 SCN-SCP-003-N1: final screen (attempt 1) SCN-SCP-003-N1: API calls recorded (attempt 1) SCN-SCP-001-N1: API calls recorded (attempt 1)

Scenarios (59)

ID	Title	Polarity	Requirements	Status	Confidence	Attempts
SCN-GUI-001-P1	Key screens usable at 1280x800	positive	REQ-GUI-001	passed	0.93	1
SCN-GUI-001-E1	Narrow widths 768 and 375 on transfer form	edge	REQ-GUI-001	passed	0.93	1
SCN-GUI-001-E2	Narrow widths on transactions page	edge	REQ-GUI-001	passed	0.89	1
SCN-GUI-004-P1	Nav links lead to labeled destinations	positive	REQ-GUI-004	passed	0.89	1
SCN-GUI-004-P2	Transfer and profile nav destinations	positive	REQ-GUI-004	passed	0.89	1

ID	Title	Polarity	Requirements	Status	Confidence	Attempts
SCN-GUI-004-P3	Dashboard quick links work	positive	REQ-GUI-004	passed	0.89	1
SCN-SED-001-P1	Dashboard lists one checking and one savings account	positive	REQ-SED-001	passed	0.93	1
SCN-SED-001-E1	Exactly two account cards and one customer	edge	REQ-SED-001	passed	0.93	1
SCN-SED-002-P1	Seed history varied across filters	positive	REQ-SED-002	failed	0.95	1
SCN-SED-002-E1	Pending and failed statuses exist in seed	edge	REQ-SED-002	passed	0.89	1
SCN-SED-003-P1	Seed transfer record present	positive	REQ-SED-003, REQ-SED-002	passed	0.93	1
SCN-ACC-001-P1	Enter Demo opens dashboard without credentials	positive	REQ-ACC-001	unverified	0.30	1
SCN-ACC-002-P1	Header shows customer and Log out	positive	REQ-ACC-002	passed	0.93	1
SCN-ACC-004-N2	Direct deep links and API refused when logged out	negative	REQ-ACC-004	passed	0.93	1
SCN-ACC-005-P1	Session preserved on refresh	positive	REQ-ACC-005	passed	0.93	1
SCN-HIS-001-P1	Combined history rows show all fields	positive	REQ-HIS-001, REQ-HIS-002	failed	0.95	1
SCN-HIS-001-P2	Account-specific history shows only that account	positive	REQ-HIS-001	passed	0.93	1
SCN-HIS-003-P1	Amount direction clear per type	positive	REQ-HIS-003	passed	0.85	1
SCN-HIS-004-P1	Filter by account alone	positive	REQ-HIS-004	passed	0.89	1
SCN-HIS-004-P2	Filter by type alone	positive	REQ-HIS-004	passed	0.89	1
SCN-HIS-004-P3	Filter by status alone	positive	REQ-HIS-004	passed	0.89	1
SCN-HIS-004-E1	Combined account, type, status and date filters	edge	REQ-HIS-004	failed	0.95	1
SCN-HIS-005-E1	Earliest record date inclusive as both bounds	edge	REQ-HIS-005	failed	0.95	1
SCN-HIS-005-E2	Latest record date inclusive as both bounds	edge	REQ-HIS-005	failed	0.95	1
SCN-HIS-006-N1	Range before earliest record shows empty state	negative	REQ-HIS-006	passed	0.89	1
SCN-HIS-004-N1	Start date after end date	negative	REQ-HIS-004	passed	0.89	1
SCN-HIS-007-P1	Clear filters restores full history	positive	REQ-HIS-007	passed	0.89	1
SCN-DSH-001-P1	Dashboard lists checking and savings accounts with details	positive	REQ-DSH-001, REQ-DSH-002	passed	0.97	1
SCN-DSH-003-E1	Balances shown with two decimals on dashboard and detail	edge	REQ-DSH-003	passed	0.89	1

ID	Title	Polarity	Requirements	Status	Confidence	Attempts
SCN-DSH-003-P1	Dashboard balances match API and are two-decimal	positive	REQ-DSH-003, REQ-DSH-006	passed	0.93	1
SCN-DSH-004-N1	No full account identifier on dashboard, detail, transfer, profile	negative	REQ-DSH-004	passed	0.85	1
SCN-DSH-005-P1	Account detail shows balance and related history matching API	positive	REQ-DSH-005, REQ-DSH-006	passed	0.97	1
SCN-DSH-005-E1	Savings detail balance consistent after reload	edge	REQ-DSH-005, REQ-DSH-006	passed	0.89	1
SCN-PRO-001-P1	Profile shows name and masked email, no secrets	positive	REQ-PRO-001, REQ-PRO-002	passed	0.97	1
SCN-PRO-002-N1	Profile inaccessible when logged out	negative	REQ-PRO-002	passed	0.89	1
SCN-SCP-002-N1	Landing page has no signup, reset, MFA or user switching	negative	REQ-SCP-002, REQ-SCP-006, REQ-SCP-004	passed	0.89	1
SCN-SCP-003-N1	Navigation has no out-of-scope features	negative	REQ-SCP-003, REQ-SCP-004, REQ-SCP-005, REQ-SCP-006, REQ-SCP-002	passed	0.89	1
SCN-SCP-001-N1	Transfer page has no external bank or payment controls	negative	REQ-SCP-001, REQ-SCP-005	unverified	0.30	1
SCN-TRF-002-P1	Transfer form has all four fields	positive	REQ-TRF-002	passed	0.97	1
SCN-GUI-002-P1	Transfer controls labeled and validation feedback shown	positive	REQ-GUI-002	passed	0.93	1
SCN-GUI-005-N1	Dashboard reachable after rejected transfer	negative	REQ-GUI-005	passed	0.93	1
SCN-TRF-003-N1	Same source and destination rejected	negative	REQ-TRF-003, REQ-TRF-004, REQ-TRF-013	passed	0.97	1
SCN-TRF-005-N1	Zero amount rejected	negative	REQ-TRF-005, REQ-TRF-006, REQ-TRF-013	failed	0.95	1
SCN-TRF-005-N2	Negative amount rejected	negative	REQ-TRF-005, REQ-TRF-006	failed	0.95	1
SCN-TRF-005-N3	Blank amount rejected	negative	REQ-TRF-005, REQ-TRF-006	unverified	0.30	1
SCN-TRF-005-N4	Non-numeric amount rejected	negative	REQ-TRF-005, REQ-TRF-006	passed	0.93	1
SCN-TRF-005-E1	Over-precision amount (3 decimals) rejected	edge	REQ-TRF-005, REQ-TRF-006	passed	0.93	1
SCN-TRF-007-N1	Amount above source balance rejected	negative	REQ-TRF-007, REQ-TRF-008, REQ-TRF-013, REQ-TRF-012	failed	0.95	1
SCN-GUI-003-E1	Submit disabled during in-flight transfer	edge	REQ-GUI-003	passed	0.93	1
SCN-GUI-005-E1	Retry after validation error succeeds	edge	REQ-GUI-005	failed	0.95	1
SCN-TRF-001-P1	Checking to savings transfer with memo	positive	REQ-TRF-001, REQ-TRF-002, REQ-TRF-009, REQ-TRF-010, REQ-TRF-011, REQ-TRF-012, REQ-TRF-014	unverified	0.30	1
SCN-TRF-001-P2	Savings to checking transfer without memo	positive	REQ-TRF-001, REQ-TRF-009, REQ-TRF-010, REQ-TRF-011	passed	0.97	1

ID	Title	Polarity	Requirements	Status	Confidence	Attempts
SCN-TRF-007-E1	Amount exactly equal to balance accepted	edge	REQ-TRF-007, REQ-TRF-009	passed	0.89	1
SCN-TRF-012-E1	Smallest unit 0.01 accepted	edge	REQ-TRF-012, REQ-TRF-009	passed	0.89	1
SCN-TRF-012-E2	Submit button disabled while pending	edge	REQ-TRF-012, REQ-GUI-003	passed	0.93	1
SCN-ACC-003-P1	Logout returns to landing page	positive	REQ-ACC-003	passed	0.89	1
SCN-ACC-004-N1	Protected routes refused after logout	negative	REQ-ACC-004	passed	0.89	1
SCN-ACC-004-E1	Back after logout does not show protected content	edge	REQ-ACC-004	passed	0.89	1
SCN-ACC-006-N1	Refresh while logged out does not regain access	negative	REQ-ACC-006	passed	0.93	1

State ledger and compensations

Every mutation the agent made is tagged and recorded; unintended ones (accepted by a bug) are reversed by a compensating transfer.

Scenario	Tx	Deltas	Intended	Memo tag
SCN-TRF-005-N1	e9a120d6-7b85-4798-8e61-8d065ec4f98c	Everyday Checking: 0.00 Rainy Day Savings: 0.00	no	qa-28861e-d498f3
SCN-TRF-005-N2	caed842c-a7d0-4c86-96ac-d3369e6bd7ab	Everyday Checking: 5.00 Rainy Day Savings: -5.00	no	qa-28861e-4e6ad3
SCN-TRF-007-N1	2b5f6f35-9e12-4a6b-b587-13d14391e267	Everyday Checking: -4369.76 Rainy Day Savings: 4369.76	no	qa-28861e-857326
SCN-GUI-003-E1	3b4da4e2-2bb5-4099-a0aa-4287876198df	Everyday Checking: -1.52 Rainy Day Savings: 1.52	yes	qa-28861e-937bd1
SCN-GUI-005-E1	c0339847-b379-42b4-9649-11decae8f966	Everyday Checking: -1.53 Rainy Day Savings: 1.53	yes	qa-28861e-84cb79
SCN-GUI-005-E1	75c1a987-ee11-463d-a08d-219db6c0b333	Everyday Checking: 0.00 Rainy Day Savings: 0.00	yes	qa-28861e-84cb79
SCN-TRF-001-P1	05491626-e5eb-40a4-b04e-14b538eb01ee	Everyday Checking: -1.54 Rainy Day Savings: 1.54	yes	qa-28861e-8f124a
SCN-TRF-001-P2	1eb2dbf0-d0d4-4318-bd5d-4b1ea9f1d6e9	Rainy Day Savings: -1.55 Everyday Checking: 1.55	yes	qa-28861e-e4fd0b
SCN-TRF-007-E1	b7d38a55-19fd-43e7-8feb-9735695a5ff6	Everyday Checking: -4369.75 Rainy Day Savings: 4369.75	yes	qa-28861e-97aa7e
SCN-TRF-012-E1	fe6cb677-7a76-44ef-b2f2-dd721a24bedb	Rainy Day Savings: -0.01 Everyday Checking: 0.01	yes	qa-28861e-ee7023
SCN-TRF-012-E2	75971e69-b5d7-4f6a-bc3f-650a2f8994be	Everyday Checking: -1.58 Rainy Day Savings: 1.58	yes	qa-28861e-237867

Compensations

Reason	Tx	Deltas	OK
SCN-TRF-005-N2: reverse 5.00 from Everyday Checking to Rainy Day Savings	e84f1c62-fc2c-4295-8105-9446d4bfa9a6	Everyday Checking: -5.00 Rainy Day Savings: 5.00	yes

Reason	Tx	Deltas	OK
SCN-TRF-007-N1: reverse 4369.76 from Rainy Day Savings to Everyday Checking	`f1ffc46d-1e7c-4abc-89e5-3fbaec7bb7fe`	Rainy Day Savings: -4369.76 Everyday Checking: 4369.76	yes
SCN-GUI-003-E1: reverse 1.52 from Rainy Day Savings to Everyday Checking	`d310e0b5-d008-4236-849f-2a0bc28ad498`	Rainy Day Savings: -1.52 Everyday Checking: 1.52	yes
SCN-GUI-005-E1: reverse 1.53 from Rainy Day Savings to Everyday Checking	`75d03833-c1b8-4906-b693-6a92f763a6c5`	Rainy Day Savings: -1.53 Everyday Checking: 1.53	yes
SCN-TRF-001-P1: reverse 1.54 from Rainy Day Savings to Everyday Checking	`05fbb707-9f45-43a1-bef0-a4e1b2ca9632`	Rainy Day Savings: -1.54 Everyday Checking: 1.54	yes
SCN-TRF-001-P2: reverse 1.55 from Everyday Checking to Rainy Day Savings	`06a1eae1-6ac2-43ea-935e-b1ea41752132`	Everyday Checking: -1.55 Rainy Day Savings: 1.55	yes
SCN-TRF-007-E1: reverse 4369.75 from Rainy Day Savings to Everyday Checking	`a962a354-e4c1-4842-a980-3e807ca9ac33`	Rainy Day Savings: -4369.75 Everyday Checking: 4369.75	yes
SCN-TRF-012-E1: reverse 0.01 from Everyday Checking to Rainy Day Savings	`fec35287-d6ae-42b0-bb41-729f035541d5`	Everyday Checking: -0.01 Rainy Day Savings: 0.01	yes
SCN-TRF-012-E2: reverse 1.58 from Rainy Day Savings to Everyday Checking	`08d20399-906e-4a6d-8c28-9f0fc32d8051`	Rainy Day Savings: -1.58 Everyday Checking: 1.58	yes

Cost

Total estimated model cost **$0.1008** of a $1.5000 budget (6.7%).

Per agent

Agent	Model(s)	Calls	Input tok	Output tok	Cache read	Cache write	USD	Share	Artifact-cache hits
executor_heal	claude-haiku-4-5	20	4,267	92	0	0	$0.0047	5%	17
explorer	claude-haiku-4-5	6	0	0	0	0	$0.0000	0%	6
reporter	claude-haiku-4-5	1	1,801	127	0	0	$0.0024	2%	0
spec_analyst	claude-sonnet-5-5	1	0	0	0	0	$0.0000	0%	1
test_planner	claude-sonnet-5-5	4	0	0	0	0	$0.0000	0%	4
verifier	claude-haiku-4-5, claude-sonnet-5-5	16	28,377	3,995	17,402	0	$0.0936	93%	0
total		**48**	**34,445**	**4,214**	**17,402**	**0**	**$0.1008**	**100%**	**28**

Per model

Model	Calls	Input tok	Output tok	Cache read	Cache write	USD	Artifact-cache hits
claude-haiku-4-5	32	10,778	593	0	0	$0.0137	23
claude-sonnet-5-5	16	23,667	3,621	17,402	0	$0.0870	5
total	**48**	**34,445**	**4,214**	**17,402**	**0**	**$0.1008**	**28**

Cold vs warm: warm run; 28 of 48 model calls were served from the on-disk artifact cache at no cost. A cold run is estimated at **$0.1830** (each hit priced at the average live call for the same agent and purpose). Prompt-cache reads made up 34% of input tokens.

Environment

target_url	http://localhost:5173
api_base	http://localhost:8000
timezone	America/Los_Angeles
models	reasoning: claude-sonnet-5-5, fast: claude-haiku-4-5
python	3.13.9
platform	macOS-26.6.2-arm64-arm-64bit-Mach-O
read_only	no
chaos	off
parallel	3
scenario_timeout_s	90.0

Resilience

Chaos mode was off for this run. 35 read-only scenarios ran in 3 parallel browser contexts.

After scenario	What the agent saw and did
`SCN-HIS-004-N1`	1. page left in an error state ("We couldn't load transactions Start date must not be after end date. Try again") 2. recovery: error state ("We couldn't load transactions Start date must not be after end date. Try again Back to dashboard"); clicked retry once 3. error state persisted; opened a new browser context

Limitations

- The agent repaired the browser state 1 time(s) between scenarios (see environment.resilience).

Generated by qa-agent. Machine-readable results: report.json.