

Source Code

```
#include <stdio.h>
#include <string.h>

char username[15], password[15];

int page();
int login();
int mainmenu();
int title();

int page()
{
    printf("=====
=====\\n");
    printf("|                                GANPAT
UNIVERTSITY                                |\\n");
    printf("|                                BRANCH - COMPUTER SCIENCE
AND ENGINEERING (CBA)                                |\\n");
    printf("|                                BATCH
- 11                                |\\n");
    printf("|                                ENROLLMENT
NO. - CBA14                                |\\n");
    printf("|                                PROJECT TITLE - PID593
NARI - Women Safety                                |\\n");
    printf("|                                ESFP-I
PROJECT                                |\\n");
    printf("=====
=====\\n");
}

int title()
{
    printf("\\n\\n*****
*****");
}
```

```

        printf("\n                                N A R
I    -    W O M E N    S A F E T Y");
        printf("\n*****
*****");
    }

int features();
int features(){
    char ch;
    FILE *fp;
    fp = fopen("Features.txt", "r");
    while ((ch = getc(fp)) != EOF)
    {
        printf("%c", ch);
    }
    fclose(fp);
}

int aboutus();
int aboutus(){
    char ch1;
    FILE *fp1;
    fp1 = fopen("About Us.txt", "r");
    while ((ch1 = getc(fp1)) != EOF)
    {
        printf("%c", ch1);
    }
    fclose(fp1);
}

int mainmenu()
{
    printf("-----Main
Menu-----");

```

```

printf("\n\n1. About Us\n");
printf("\n2. Contact Us\n");
printf("\n3. Features\n");
printf("\n0. Exit");
int choice1;
printf("\n\nEnter your choice: ");
scanf("%d", &choice1);
printf("\n-----
-----");

switch (choice1)
{
case 1:
    printf("\n\n-----
About Us-----
\n\n");
    aboutus();
    printf("\n\n-----
\n\n");
    mainmenu();
    break;

case 2:
    printf("\n\nContact Us on: ");
    printf("\n\n24/7 Toll-free Number: 1234567890");
    printf("\n\nEmail: nariwsapp@gmail.com\n\n");
    mainmenu();
    break;

case 3:
    printf("\n\n-----
Features-----
\n\n");
    features();
    printf("\n\n-----
\n\n");
    mainmenu();

```

```

    }
}
int login()
{
    printf("\n\n-----
-----");

    printf("\n\nEnter Username: ");
    scanf("%s", &username);

    printf("\nEnter Password: ");
    scanf("%s", &password);

    if (strcmp(username, "username") == 0 &&
strcmp(password, "password") == 0)
    {
        printf("\nLogin Successful....\n\n");
        printf("\n-----
-----\n\n");
        mainmenu();
    }
    else
    {
        printf("\nWrong username or password....\n\n");
        printf("\n-----
-----\n\n");
        login();
    }
}

int main()
{
    page();
    title();
    login();

    return 0;
}

```