



Configure

- General
- Advanced Project Options
- Pipeline

General

Enabled ☒

Description

This pipeline downloads the modules from the Nexus repository to the target instance

Plain text [Preview](#)

☒ Enable project-based security

Inheritance Strategy

Inherit permissions from parent ACL

This item will inherit its parent item's permissions (in addition to any permissions granted here). If this item is at the top level in Jenkins, it will inherit the [global security security settings](#).

User/group	Credentials		Job							Run		SCM				
	ManageDomains	Update	View	Build	Cancel	Configure	Delete	Discover	Move	Read	Workspace	Delete	Replay	Update	Tag	
	Delete	Create														

Add group...

- ☐ Discard old builds ☐
- ☐ Do not allow concurrent builds
- ☐ Do not allow the pipeline to resume if the controller restarts
- ☐ GitHub project
- ☐ Pipeline speed/durability override ☐
- ☐ Preserve stashes from completed builds ☐
- ☐ This project is parameterised ☐

Save

Apply

✕

Name

Environment

Choices

agent-container
testing-container
Testing-Dev
Testing-QA

Description

Specify the environment: agent-container, testing-container, or redhat-VM

Plain text

[Preview](#)

Add Parameter ▾

☐ Throttle builds ☐

Build Triggers

☐ Build after other projects are built ☐

☐ Build periodically ☐

☐ Generic Webhook Trigger ☐

☐ GitHub hook trigger for GITScm polling ☐

☐ Poll SCM ☐

☐ Quiet period ☐

☐ Trigger builds remotely (e.g., from scripts) ☐

Advanced Project Options

Advanced ▾

Pipeline

Definition

Pipeline script from SCM

SCM ☐

Git ☐

Repositories ☐

Repository URL ☐

https://github.com/ProGReC-APPS/jenkins-shared-library.git

Credentials ☐

AdminProGReC/***** (Github-ProGReC-APPS)

+ Add ▾

Advanced ▾

Add Repository

Branches to build ☐Branch Specifier (blank for 'any') ☐

*/main

Add Branch

Repository browser ☐

(Auto)

Additional Behaviours

Add ▾

Script Path ☐

Module-Deployment-Run-jar-v4.0

Lightweight checkout ☐[Pipeline Syntax](#)

