Name: Dhanashree Borkar

Roll no. 410. Batch: D1

PRN: 202201070088

ASSINGMENT 3

```
import numpy as np
array1=np.array([[1,2,3],[4,5,6],[7,8,9]])
array1
OUTPUT:
array([[1, 2, 3],
     [4, 5, 6],
     [7, 8, 9]])
array2=np.array([[11,12,13],[14,15,16],[17,18,19]])
array2
OUTPUT:
array([[11, 12, 13],
     [14, 15, 16],
     [17, 18, 19]])
1. MATRIX OPERATION
1.1 ADDITION
resultarray=array1+array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.add(array1,array2)
print("\nUsing Numpy Function:\n", resultarray)
OUTPUT:
Using Operator:
 [[12 14 16]
 [18 20 22]
Using Numpy Function:
[[12 14 16]
 [18 20 22]
1.2 SUBTRACTION
```

```
resultarray=array1-array2
print("\nusing Operator:\n",resultarray)
resultarray=np.subtract(array1,array2)
print("\nUsing Numpy Fucntion:\n",resultarray)
```

```
OUTPUT:
using Operator:
  [[-10 -10 -10]
  [-10 -10 -10]]

Using Numpy Fucntion:
  [[-10 -10 -10]
  [-10 -10 -10]

  [-10 -10 -10]
```

1.3 MULTIPLICATION

```
resultarray=array1*array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.multiply(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
OUTPUT:
Using Operator:
[[ 11 24 39]
[ 56 75 96]
[119 144 171]]
```

```
Using Numpy Function:

[[ 11  24  39]

[ 56  75  96]

[119  144  171]]
```

 $[0.41176471 \ 0.44444444 \ 0.47368421]$

1.4 DIVISION

```
resultarray=array1/array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.divide(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)

OUTPUT:
Using Operator:
   [[0.09090909 0.166666667 0.23076923]
   [0.28571429 0.33333333 0.375 ]
   [0.41176471 0.44444444 0.47368421]]

Using Numpy Function:
   [[0.09090909 0.166666667 0.23076923]
   [0.28571429 0.33333333 0.375 ]
```

1.5 MOD

```
resultarray=array1%array2
print("\nUsing Operator:\n",resultarray)
resultarray=np.mod(array1,array2)
print("\nUsing Numpy Function:\n",resultarray)
```

```
OUTPUT:
Using Operator:
[[1 2 3]
[4 5 6]
[7 8 9]]

Using Numpy Function:
[[1 2 3]
[4 5 6]
[7 8 9]]
```

1.6 DOT PRODUCT

```
resultarray=np.dot(array1, array2)
print("\nUsing Numpy Function:\n", resultarray)
OUTPUT:
```

```
OUTPUT:
Using Numpy Function:
[[ 90     96     102]
[216     231     246]
[342     366     390]]
```

1.7 TRANSPOSE

```
resultarray=np.transpose(array1)
print(resultarray)
#Or
resultarray=array1.transpose()
print(resultarray)
```

```
OUTPUT:

[[1 4 7]

[2 5 8]

[3 6 9]]

[[1 4 7]

[2 5 8]

[3 6 9]]
```

2. HORIZONTAL AND VERTICAL STACKING OF NUMPY ARRAYS

2.1 HORIZANTAL STACKING

```
resultarray=np.hstack((array1,array2))
resultarray
```

OUTPUT:

2.2 VERTICAL STACKING

```
resultarray=np.vstack((array1,array2))
resultarray
```

OUTPUT:

array([[1, 2, 3],

[4, 5, 6],

[7,8,9],

[11, 12, 13],

[17, 18, 19]])

3. CUSTOM SEQUENCE GENERATION

3.1 RANGE

```
nparray=np.arange(0,12,1).reshape(3,4)
nparray
```

array([[0, 1, 2, 3],

[4, 5, 6, 7],

[8, 9, 10, 11]])

3.2 LINEARLY SEPARABLE

```
nparray=np.linspace(start=0,stop=24,num=12).reshape(3,4)
nparray
```

OUTPUT:

array([[0. , 2.18181818, 4.36363636, 6.54545455],

[8.72727273, 10.90909091, 13.09090909, 15.27272727],

[17.45454545, 19.63636364, 21.81818182, 24.]])

3.3 EMPTY ARRAY

```
nparray=np.empty((3,3),int)
nparray
```

OUTPUT:

```
array([[ 90, 96, 102],
```

[216, 231, 246],

[342, 366, 390]])

3.4 EMPTY LIKE SOME OTHER ARRAY

```
nparray=np.empty_like(array1)
nparray
OUTPUT:
```

3.5 IDENTITY MATRIX

```
nparray=np.identity(3)
nparray
```

4. ARITHMETIC AND STATISTICAL OPERATIONS, MATHEMATICAL OPERATIONS, BITWISE OPERATIONS

4.1 ARITHMETIC OPERATIONS

```
array1=np.array([1,2,3,4,5])
array2=np.array([11,12,13,14,15])
print(array1)
print(array2)
```

```
OUTPUT:
[1 2 3 4 5]
[11 12 13 14 15]
```

```
# Addition
print(np.add(array1,array2))
# Subtraction
print(np.subtract(array1,array2))
# Multiplication
print(np.multiply(array1,array2))
# Division
print(np.divide(array1,array2))
```

```
[12 14 16 18 20]

[-10 -10 -10 -10 -10]

[11 24 39 56 75]

[0.09090909 0.16666667 0.23076923 0.28571429 0.33333333]
```

4.2 STATISTICAL OPERATIONS

```
array1=np.array([1,2,3,4,5,9,6,7,8,9,9])
# Standard Deviation
print(np.std(array1))
#Minimum
print(np.min(array1))
#Summation
print(np.sum(array1))
#Median
print(np.median(array1))
#Mean
print(np.mean(array1))
#Mode
from scipy import stats
print("Most Frequent element=",stats.mode(array1)[0])
print("Number of Occurances=",stats.mode(array1)[1])
#Variance
print(np.var(array1))
```

4.3 BITWISE OPERATIONS

```
array1=np.array([1,2,3],dtype=np.uint8)
array2=np.array([4,5,6])
# AND
resultarray=np.bitwise_and(array1,array2)
print(resultarray)
# OR
resultarray=np.bitwise_or(array1,array2)
print(resultarray)
#LeftShift
resultarray=np.left_shift(array1,2)
print(resultarray)
#RightShift
resultarray=np.right_shift(array1,2)
print(resultarray)
```

```
OUTPUT:

[0 0 2]

[5 7 7]

[ 4 8 12]

[0 0 0]
```

```
## You can get Binary Representation of Number #####
print(np.binary_repr(10,8))
resultarray=np.left_shift(10,2)
print(resultarray)
print(np.binary_repr(np.left_shift(10,2),8))
```

OUTPUT: 00001010 40 00101000

5.COPYING AND VIEWING ARRAYS

5.1 COPY

```
array1=np.arange(1,10)
print(array1)
newarray=array1.copy()
print(newarray)
##modification in Original Array
array1[0]=100
print(array1)
print(newarray)
```

```
OUTPUT:

[1 2 3 4 5 6 7 8 9]

[1 2 3 4 5 6 7 8 9]

[100 2 3 4 5 6 7 8 9]

[1 2 3 4 5 6 7 8 9]
```

5.2 VIEW

```
array1=np.arange(1,10)
print(array1)
newarray=array1.view()
print(newarray)
##modification in Original Array
array1[0]=100
print(array1)
print(newarray)
```

```
OUTPUT:

[1 2 3 4 5 6 7 8 9]

[1 2 3 4 5 6 7 8 9]

[100 2 3 4 5 6 7 8 9]

[100 2 3 4 5 6 7 8 9]
```

6. SORTING

```
array1=np.array([[1,2,3,12,5,7],[94,5,6,7,89,44],[7,8,9,11,13,14]])
print(array1)
```

```
OUTPUT:

[[ 1 2 3 12 5 7]

[94 5 6 7 89 44]

[ 7 8 9 11 13 14]]
```

6.1 HORIZANTALLY SORT

```
np.sort(array1,axis=0)
```

OUTPUT:

6.2 VERTICALLY SORT

```
np.sort(array1,axis=1)
```


7.SEARCHING

```
import numpy as np
array1 =np.array([1,2,3,12,5,7])
np.searchsorted(array1,7,side="left")#Perform Search After sorting
```

OUTPUT:3

8.COUNTING

```
array1=np.array([1,2,3,12,5,7,0])
print(np.count_nonzero(array1)) #Return total Non Zero element
print(np.nonzero(array1)) #Return Index
print(array1.size) #Total Element
```

```
OUTPUT:
6
(array([0, 1, 2, 3, 4, 5]),)
```

9. DATA STACKING

```
array1=np.array(np.arange(1,5).reshape(2,2))
print(array1)
array2=np.array(np.arange(11,15).reshape(2,2))
OUTPUT:
[[1 2]
[3 4]]
[[11 12]
[13 14]]
newarray=np.stack([array1,array2],axis=0)
print(newarray)
OUTPUT:
[[[ 1 2]
 [ 3 4]]
 [[11 12]
 [13 14]]]
newarray=np.stack([array1,array2],axis=1)
print(newarray)
OUTPUT:
[[[ 1 2]
 [11 \ 12]
 [[3 4]
 [13 14]]]
```

10. APPEND

```
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
```

```
OUTPUT:

[[1 2 3]

[4 5 6]

[7 8 9]]

[[21 22 23]

[24 25 26]

[27 28 29]]
```

```
np.append(array1,array2,axis=0)
OUTPUT:
array([[ 1, 2, 3],
      [ 4, 5, 6],
      [ 7, 8, 9],
      [21, 22, 23],
      [24, 25, 26],
      [27, 28, 29]])
np.append(array1,array2,axis=1)
OUTPUT:
array([[ 1, 2, 3, 21, 22, 23],
      [ 4, 5, 6, 24, 25, 26],
      [ 7, 8, 9, 27, 28, 29]])
11.CONCATINATE
array1=np.arange(1,10).reshape(3,3)
print(array1)
array2=np.arange(21,30).reshape(3,3)
print(array2)
OUTPUT:
[[1 2 3]
 [4 5 6]
 [7 8 9]]
[[21 22 23]
[24 25 26]
np.concatenate((array1,array2),axis=0)
OUTPUT:
array([[ 1, 2, 3
      [ 4, 5, 6],
      [ 7, 8, 9],
      [21, 22, 23],
      [24, 25, 26],
      [27, 28, 29]])
```

np.concatenate((array1,array2),axis=1)

OUTPUT:

array([[1, 2, 3, 21, 22, 23],

[4, 5, 6, 24, 25, 26],

[7, 8, 9, 27, 28, 29]])