Before:



After:



The process:

```
cvr@cm405-sys17:~$ ^C
cvr@cm405-sys17:~$ cd myapp
cvr@cm405-sys17:~/myapp$ mvn compile
[INFO] Scanning for projects...
[INFO]
[INFO] ------------------------< com.example:myapp >-------------------------
[INFO] Building myapp 1.0-SNAPSHOT
[INFO] --------------------------------[ jar ]---------------------------------
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/2.6/maven-resources-plugin-2.6.
pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/2.6/maven-resources-plugin-2.6.p
om (8.1 kB at 13 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/plugins/maven-resources-plugin/2.6/maven-resources-plugin-2.6.
```

```
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/cvr/Downloads/student-webapp/.git/
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git commit -m "Initial commit of student-webapp"
[master (root-commit) f63a915] Initial commit of student-webapp
 3 files changed, 32 insertions(+)
 create mode 100644 Dockerfile
 create mode 100644 pom.xml
 create mode 100644 src/main/webapp/index.html
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote add origin https://github.com/Dhanasri-4/student-webapp.git
cvr@cm405-sys17:~/Downloads/student-webapp$ git branch -M main
cvr@cm405-sys17:~/Downloads/student-webapp$ git push -u origin main
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Dhanasri-4/student-webapp.git/'
cvr@cm405-sys17:~/Downloads/student-webapp$ ^C
cvr@cm405-sys17:~/Downloads/student-webapp$ git push -u origin main
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
remote: Repository not found.
fatal: repository 'https://github.com/Dhanasri-4/student-webapp.git/' not found
cvr@cm405-sys17:~/Downloads/student-webapp$ ^C
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote add origin https://github.com/Dhanasri-4/student-webapp.git
error: remote origin already exists.
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote -v
origin  https://github.com/Dhanasri-4/student-webapp.git (fetch)
origin  https://github.com/Dhanasri-4/student-webapp.git (push)
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote set-url origin https://github.com/Dhanasri-4/student-webapp.git
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote -v
origin  https://github.com/Dhanasri-4/student-webapp.git (fetch)
origin  https://github.com/Dhanasri-4/student-webapp.git (push)
```

```
cvr@cm405-sys17:~/myapp$ cd ~/Downloads
unzip student-webapp.zip -d student-webapp
Archive:  student-webapp.zip
  inflating: student-webapp/pom.xml
  inflating: student-webapp/Dockerfile
  inflating: student-webapp/src/main/webapp/index.html
cvr@cm405-sys17:~/Downloads$ cd student-webapp
cvr@cm405-sys17:~/Downloads/student-webapp$ ls
Dockerfile  pom.xml  src
cvr@cm405-sys17:~/Downloads/student-webapp$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/cvr/Downloads/student-webapp/.git/
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git commit -m "Initial commit of student-webapp"
[master (root-commit) f63a915] Initial commit of student-webapp
 3 files changed, 32 insertions(+)
 create mode 100644 Dockerfile
 create mode 100644 pom.xml
 create mode 100644 src/main/webapp/index.html
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote add origin https://github.com/Dhanasri-4/student-webapp.git
cvr@cm405-sys17:~/Downloads/student-webapp$ git branch -M main
cvr@cm405-sys17:~/Downloads/student-webapp$ git push -u origin main
```

```
cvr@cm405-sys17:~/Downloads/student-webapp$ git push -u origin main
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
remote: Repository not found.
fatal: repository 'https://github.com/Dhanasri-4/student-webapp.git/' not found
cvr@cm405-sys17:~/Downloads/student-webapp$ ^C
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote add origin https://github.com/Dhanasri-4/student-webapp.git
error: remote origin already exists.
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote -v
origin  https://github.com/Dhanasri-4/student-webapp.git (fetch)
origin  https://github.com/Dhanasri-4/student-webapp.git (push)
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote set-url origin https://github.com/Dhanasri-4/student-webapp.git
cvr@cm405-sys17:~/Downloads/student-webapp$ git remote -v
origin  https://github.com/Dhanasri-4/student-webapp.git (fetch)
origin  https://github.com/Dhanasri-4/student-webapp.git (push)
cvr@cm405-sys17:~/Downloads/student-webapp$ git push -u origin main
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (8/8), 919 bytes | 919.00 KiB/s, done.
Total 8 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Dhanasri-4/student-webapp.git
 * [new branch]      main -> main
```

```
[ERROR] [Help 1] http://cwiki.apache.org/confluence/display/MAVEN/MojoExecutionException
cvr@cm405-sys17:~/Downloads/student-webapp$ nano pom.xml
cvr@cm405-sys17:~/Downloads/student-webapp$ mvn clean package
[INFO] Scanning for projects...
[INFO]
[INFO] ---------------------< com.student:student-webapp >---------------------
[INFO] Building Student WebApp 1.0-SNAPSHOT
[INFO] --------------------------------[ war ]---------------------------------
[INFO]
[INFO] --- maven-clean-plugin:2.5:clean (default-clean) @ student-webapp ---
[INFO] Deleting /home/cvr/Downloads/student-webapp/target
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ student-webapp ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/cvr/Downloads/student-webapp/src/main/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ student-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ student-webapp ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/cvr/Downloads/student-webapp/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ student-webapp ---
[INFO] No sources to compile
```

```
[INFO] Deleting /home/cvr/Downloads/student-webapp/target
[INFO]
[INFO] --- maven-resources-plugin:2.6:resources (default-resources) @ student-webapp ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/cvr/Downloads/student-webapp/src/main/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:compile (default-compile) @ student-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- maven-resources-plugin:2.6:testResources (default-testResources) @ student-webapp ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory /home/cvr/Downloads/student-webapp/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.1:testCompile (default-testCompile) @ student-webapp ---
[INFO] No sources to compile
[INFO]
[INFO] --- maven-surefire-plugin:2.12.4:test (default-test) @ student-webapp ---
[INFO] No tests to run.
[INFO]
[INFO] --- maven-war-plugin:3.3.2:war (default-war) @ student-webapp ---
[INFO] Packaging webapp
[INFO] Assembling webapp [student-webapp] in [/home/cvr/Downloads/student-webapp/target/student-webapp]
[INFO] Processing war project
[INFO] Copying webapp resources [/home/cvr/Downloads/student-webapp/src/main/webapp]
[INFO] Building war: /home/cvr/Downloads/student-webapp/target/student-webapp.war
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  1.578 s
[INFO] Finished at: 2026-03-31T10:54:39+05:30
[INFO] ------------------------------------------------------------------------
```

```
[INFO] ------------------------------------------------------------------------
cvr@cm405-sys17:~/Downloads/student-webapp$ ls target/
maven-archiver  student-webapp  student-webapp.war
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl status jenkins
[sudo] password for cvr:
● jenkins.service - Jenkins Continuous Integration Server
     Loaded: loaded (/lib/systemd/system/jenkins.service; enabled; vendor preset: enabled)
     Active: active (running) since Tue 2026-03-31 14:39:21 IST; 3h 42min left
   Main PID: 947 (java)
      Tasks: 59 (limit: 9036)
     Memory: 381.9M
        CPU: 25.371s
     CGroup: /system.slice/jenkins.service
             └─947 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Mar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.util.Retrier.start(Retrier.java:62)
Mar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.PluginManager.doCheckUpdatesServer(PluginManager.java:2148)
Mar 31 14:39:21 cm405-sys17 jenkins[947]:         at jenkins.DailyCheck.execute(DailyCheck.java:93)
Mar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.model.AsyncPeriodicWork.lambda$doRun$0(AsyncPeriodicWork.java:110)
Mar 31 14:39:21 cm405-sys17 jenkins[947]:         at java.base/java.lang.Thread.run(Thread.java:840)
Mar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.615+0000 [id=71]        INFO        hudson.util.Retrier#start: Calling the list>
Mar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.616+0000 [id=71]        INFO        hudson.util.Retrier#start: Attempted the ac>
Mar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.616+0000 [id=71]        SEVERE        hudson.PluginManager#doCheckUpdatesServer>
Mar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.621+0000 [id=25]        INFO        hudson.lifecycle.Lifecycle#onReady: Jenkins>
Mar 31 14:39:21 cm405-sys17 systemd[1]: Started Jenkins Continuous Integration Server.
lines 1-20/20 (END)
[2]+  Stopped                 sudo systemctl status jenkins
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
cat: /var/lib/jenkins/secrets/initialAdminPassword: No such file or directory
```

```
    Active: active (running) since Tue 2026
  Main PID: 947 (java)
     Tasks: 59 (limit: 9036)
    Memory: 381.9M
       CPU: 25.371s
    CGroup: /system.slice/jenkins.service
            └─947 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPor

ar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.util.Retrier.start(Retrier.java:62)
ar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.PluginManager.doCheckUpdatesServer(PluginManager.java:2148)
ar 31 14:39:21 cm405-sys17 jenkins[947]:         at jenkins.DailyCheck.execute(DailyCheck.java:93)
ar 31 14:39:21 cm405-sys17 jenkins[947]:         at hudson.model.AsyncPeriodicWork.lambda$doRun$0(AsyncPeriodicWork.java:110)
ar 31 14:39:21 cm405-sys17 jenkins[947]:         at java.base/java.lang.Thread.run(Thread.java:840)
ar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.615+0000 [id=71]        INFO        hudson.util.Retrier#start: Calling
ar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.616+0000 [id=71]        INFO        hudson.util.Retrier#start: Attempte
ar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.616+0000 [id=71]        SEVERE        hudson.PluginManager#doCheckUpdat
ar 31 14:39:21 cm405-sys17 jenkins[947]: 2026-03-31 09:09:21.621+0000 [id=25]        INFO        hudson.lifecycle.Lifecycle#onReady:
ar 31 14:39:21 cm405-sys17 systemd[1]: Started Jenkins Continuous Integration Server.
ines 1-20/20 (END)
2]+  Stopped                 sudo systemctl status jenkins
vr@cm405-sys17:~/Downloads/student-webapp$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
at: /var/lib/jenkins/secrets/initialAdminPassword: No such file or directory
vr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl stop jenkins
vr@cm405-sys17:~/Downloads/student-webapp$ sudo nano /var/lib/jenkins/config.xml
vr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl start jenkins
vr@cm405-sys17:~/Downloads/student-webapp$ mkdir -p src/main/webapp/WEB-INF
vr@cm405-sys17:~/Downloads/student-webapp$ nano src/main/webapp/WEB-INF/web.xml
vr@cm405-sys17:~/Downloads/student-webapp$ git add .
vr@cm405-sys17:~/Downloads/student-webapp$ git commit -m "added web.xml"
main e3d24a7] added web.xml
5 files changed, 35 insertions(+), 2 deletions(-)
create mode 100644 src/main/webapp/WEB-INF/web.xml
create mode 100644 target/maven-archiver/pom.properties
create mode 100644 target/student-webapp.war
create mode 100644 target/student-webapp/index.html
```

You can paste the image from the clipboard.

```
cvr@cm405-sys17:~/Downloads/student-webapp$ git push
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
Enumerating objects: 17, done.
Counting objects: 100% (17/17), done.
Delta compression using up to 12 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (12/12), 2.10 KiB | 1.05 MiB/s, done.
Total 12 (delta 1), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/Dhanasri-4/student-webapp.git
   f63a915..e3d24a7  main -> main
cvr@cm405-sys17:~/Downloads/student-webapp$ nano src/main/webapp/index.html
cvr@cm405-sys17:~/Downloads/student-webapp$ ^[[200~git add .
git: command not found
cvr@cm405-sys17:~/Downloads/student-webapp$ ~git add .
git commit -m "Updated index.html for CI test"
git push
Command '~git' not found, did you mean:
  command 'jgit' from deb jgit-cli (4.11.9-1)
  command 'qgit' from deb qgit (2.10-2)
  command 'dgit' from deb dgit (9.15)
  command 'git' from deb git (1:2.34.1-1ubuntu1.17)
```

```
Everything up-to-date
cvr@cm405-sys17:~/Downloads/student-webapp$ cd ~/Downloads/student-webapp
cvr@cm405-sys17:~/Downloads/student-webapp$ nano Dockerfile
cvr@cm405-sys17:~/Downloads/student-webapp$ docker build -t student-app .
Command 'docker' not found, but can be installed with:
sudo snap install docker         # version 28.4.0, or
sudo apt  install podman-docker  # version 3.4.4+ds1-1ubuntu1.22.04.3
sudo apt  install docker.io      # version 28.2.2-0ubuntu1~22.04.1
See 'snap info docker' for additional versions.
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo apt update
[sudo] password for cvr:
Ign:1 https://pkg.jenkins.io/debian-stable binary/ InRelease
Hit:2 https://pkg.jenkins.io/debian-stable binary/ Release
Hit:3 https://dl.google.com/linux/chrome/deb stable InRelease
Hit:5 http://security.ubuntu.com/ubuntu jammy-security InRelease
Hit:6 https://ppa.launchpadcontent.net/swi-prolog/stable/ubuntu jammy InRelease
```

```
no changes added to commit (use "git add" and/or "git commit -a")
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
Everything up-to-date
cvr@cm405-sys17:~/Downloads/student-webapp$ cd ~/Downloads/student-webapp
cvr@cm405-sys17:~/Downloads/student-webapp$ nano Dockerfile
cvr@cm405-sys17:~/Downloads/student-webapp$ docker build -t student-app .
Command 'docker' not found, but can be installed with:
sudo snap install docker         # version 28.4.0, or
sudo apt  install podman-docker  # version 3.4.4+ds1-1ubuntu1.22.04.3
sudo apt  install docker.io      # version 28.2.2-0ubuntu1~22.04.1
See 'snap info docker' for additional versions.
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo apt update
[sudo] password for cvr:
Ign:1 https://pkg.jenkins.io/debian-stable binary/ InRelease
Hit:2 https://pkg.jenkins.io/debian-stable binary/ Release
Hit:3 https://dl.google.com/linux/chrome/deb stable InRelease
Hit:5 http://security.ubuntu.com/ubuntu jammy-security InRelease
Hit:6 https://ppa.launchpadcontent.net/swi-prolog/stable/ubuntu jammy InRelease
Hit:7 https://prod-cdn.packages.k8s.io/repositories/isv:/kubernetes:/core:/stable:/v1.30/deb  InRelease
Hit:8 http://in.archive.ubuntu.com/ubuntu jammy InRelease
Hit:9 http://in.archive.ubuntu.com/ubuntu jammy-updates InRelease
Hit:10 http://in.archive.ubuntu.com/ubuntu jammy-backports InRelease
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
198 packages can be upgraded. Run 'apt list --upgradable' to see them.
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo apt install docker.io -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  bridge-utils pigz ubuntu-fan
Suggested packages:
  ifupdown aufs-tools btrfs-progs cgroupfs-mount | cgroup-lite debootstrap docker-buildx docker-compose-v2 docker-doc rinse zfs-fuse
```

```
Created symlink /etc/systemd/system/multi-user.target.wants/docker.service → /lib/systemd/system/docker.service.
Created symlink /etc/systemd/system/sockets.target.wants/docker.socket → /lib/systemd/system/docker.socket.
Setting up bridge-utils (1.7-1ubuntu3) ...
Setting up pigz (2.6-1) ...
Setting up ubuntu-fan (0.12.16) ...
Created symlink /etc/systemd/system/multi-user.target.wants/ubuntu-fan.service → /lib/systemd/system/ubuntu-fan.service.
Processing triggers for man-db (2.10.2-1) ...
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl start docker
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl enable docker
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo systemctl status docker
● docker.service - Docker Application Container Engine
     Loaded: loaded (/lib/systemd/system/docker.service; enabled; vendor preset: enabled)
     Active: active (running) since Tue 2026-03-31 11:38:06 IST; 30s ago
TriggeredBy: ● docker.socket
       Docs: https://docs.docker.com
   Main PID: 31573 (dockerd)
      Tasks: 17
     Memory: 24.2M
        CPU: 320ms
     CGroup: /system.slice/docker.service
             └─31573 /usr/bin/dockerd -H fd:// --containerd=/run/containerd/containerd.sock

Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.725960989+05:30" level=info msg="Loading containers: start."
Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.933565491+05:30" level=info msg="Loading containers: done."
Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.949070486+05:30" level=info msg="Docker daemon" commit="28.2.2-0ubuntu1
Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.949215804+05:30" level=info msg="Initializing buildkit"
Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.951226589+05:30" level=warning msg="CDI setup error /etc/cdi: failed to
Mar 31 11:38:06 cm405-sys17 dockerd[31573]: time="2026-03-31T11:38:06.951253594+05:30" level=warning msg="CDI setup error /var/run/cdi: faile
```

```
Step 2/3 : COPY target/student-webapp.war /usr/local/tomcat/webapps/
 ---> 1563397f3256
Step 3/3 : EXPOSE 8080
 ---> Running in ccae216020ee
 ---> Removed intermediate container ccae216020ee
 ---> 45b906846ed1
Successfully built 45b906846ed1
Successfully tagged student-app:latest
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo docker run -d -p 8081:8080 --name student-container student-app
6091d568be9ec64f00060aaff03cae1bf225371b92f4ee26653a04f54c5ef11
cvr@cm405-sys17:~/Downloads/student-webapp$ nano src/main/webapp/index.html
```

```
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
git commit -m "CI/CD verification update"
git push
[main 9615143] CI/CD verification update
 2 files changed, 28 insertions(+), 10 deletions(-)
 rewrite src/main/webapp/index.html (71%)
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Dhanasri-4/student-webapp.git/'
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git push
Username for 'https://github.com': ^Z
[3]+  Stopped                 git push
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git commit -m "CI/CD verification update"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
cvr@cm405-sys17:~/Downloads/student-webapp$ git push
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
Enumerating objects: 13, done.
```

```
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo docker build -t student-app .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
            Install the buildx component to build images with BuildKit:
            https://docs.docker.com/go/buildx/

Sending build context to Docker daemon  100.4kB
Step 1/3 : FROM tomcat:9
9: Pulling from library/tomcat
817807f3c64e: Pulling fs layer
de9be28b9519: Pulling fs layer
c318c44e952a: Pulling fs layer
4f4fb700ef54: Pulling fs layer
cc1e0a391268: Pulling fs layer
beff1cfac18f: Pulling fs layer
4a896d1d091b: Pulling fs layer
beff1cfac18f: Waiting
4a896d1d091b: Waiting
4f4fb700ef54: Waiting
cc1e0a391268: Waiting
de9be28b9519: Verifying Checksum
de9be28b9519: Download complete
4f4fb700ef54: Verifying Checksum
4f4fb700ef54: Download complete
cc1e0a391268: Download complete
beff1cfac18f: Verifying Checksum
beff1cfac18f: Download complete
817807f3c64e: Verifying Checksum
817807f3c64e: Download complete
817807f3c64e: Pull complete
de9be28b9519: Pull complete
c318c44e952a: Verifying Checksum
c318c44e952a: Download complete
c318c44e952a: Pull complete
4f4fb700ef54: Pull complete
cc1e0a391268: Pull complete
```

```
Successfully tagged student-app:latest
cvr@cm405-sys17:~/Downloads/student-webapp$ sudo docker run -d -p 8081:8080 --name student-container student-app
b6091d568be9ec64f00060aaff03cae1bf225371b92f4ee26653a04f54c5ef11
cvr@cm405-sys17:~/Downloads/student-webapp$ nano src/main/webapp/index.html
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
git commit -m "CI/CD verification update"
git push
[main 9615143] CI/CD verification update
 2 files changed, 28 insertions(+), 10 deletions(-)
 rewrite src/main/webapp/index.html (71%)
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
remote: Invalid username or token. Password authentication is not supported for Git operations.
fatal: Authentication failed for 'https://github.com/Dhanasri-4/student-webapp.git/'
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git push
Username for 'https://github.com': ^Z
[3]+  Stopped                 git push
cvr@cm405-sys17:~/Downloads/student-webapp$ git add .
cvr@cm405-sys17:~/Downloads/student-webapp$ git commit -m "CI/CD verification update"
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
cvr@cm405-sys17:~/Downloads/student-webapp$ git push
Username for 'https://github.com': Dhanasri-4
Password for 'https://Dhanasri-4@github.com':
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 946 bytes | 946.00 KiB/s, done.
Total 7 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Dhanasri-4/student-webapp.git
   e3d24a7..9615143  main -> main
```


Activities
Firefox
Mar 31 11:54
New Tab
CI/CD Pipelir
student-w
CI CD Pipelir
DevOps CI/CD
DevOps CI/CD
Service Not Allo
Inbox (1,562
http://localhost:8080/job/student-webapp/
Sign in
Jenkins
student-webapp
Workspace
Build Now
Configure
Delete Project
Git Polling Log
Rename
Last build (#4), 1 min 37 sec ago
Last stable build (#4), 1 min 37 sec ago
Last successful build (#4), 1 min 37 sec ago
Last failed build (#1), 22 min ago
Last unsuccessful build (#1), 22 min ago
Last completed build (#4), 1 min 37 sec ago
Builds
Filter
Today
#4 11:47 AM
#3 11:31 AM
#2 11:30 AM
#1 11:26 AM
REST API
Jenkins 2.541.3