

[Close this Window](#)**Hi dac35, You have scored : 0**

QuestionID : 9345      Subject Name Enterprise Java

**Q1. What Class.forName will do while loading drivers?**

1. load the driver
2. create an instance of a driver
3. initialize the driver
4. register driver with the DriverManager

**Correct Answer : 1**

Your Answer :

QuestionID : 9756      Subject Name Enterprise Java

**Q2. Which is not a method of HttpServlet?**

1. doSend
2. doPut
3. doOption
4. doDelete

**Correct Answer : 1**

Your Answer :

QuestionID : 9759      Subject Name Enterprise Java

**Q3. Struts implements the MVC/Layers pattern through the use of -----and-----to keep control-flow decisions out of presentation layer.**

1. ActionForward,ActionMapping
2. ActionForward,ActionMapping,Actionform
3. Actionjsp,ActionMapping
4. ActionResponse,Actionjsp

**Correct Answer : 1**

Your Answer :

QuestionID : 9760      Subject Name Enterprise Java

**Q4. Which statement is correct.**

1. The response from the server to a HEAD request consists of status line. Content type and the document.
2. The response from server to GET request does not contain document.
3. The setStatus method defined in HttpServletRequest class takes an int as an argument and sets the status of the Http response.
4. HttpServletResponse defines constants like SC\_NOT\_FOUND that may be used as parameter to a setStatus method.

**Correct Answer : 4**

Your Answer :

QuestionID : 9809      Subject Name Enterprise Java

**Q5. The idea behind the J2EE platform is to provide a simple,\_\_\_\_\_ standard for distributed application through a component-based application model.**

1. effective
2. efficient
3. unified
4. None

**Correct Answer : 3**

Your Answer :

QuestionID : 10304      Subject Name Enterprise Java

**Q6. The MIME stand for \_\_\_\_\_.**

1. Multipurpose internet mail execution
2. Multipurpose internet method extension
3. Multipurpose internet mail extension

4. Multipurpose invalid mail extension

**Correct Answer : 3**

Your Answer :

QuestionID : 10313      Subject Name Enterprise Java

Q7. How Many Implicit Object In JSP?

1. 6
2. 7
3. 5
4. None Of Above

**Correct Answer : 2**

Your Answer :

QuestionID : 10318      Subject Name Enterprise Java

Q8. What is the key difference between using a <jsp:forward> and HttpServletResponse.sendRedirect()?

1. forward executes on the client while sendRedirect() executes on the server
2. forward executes on the server while sendRedirect() executes on the client
3. The two methods perform identically.
4. none

**Correct Answer : 2**

Your Answer :

QuestionID : 10959      Subject Name Enterprise Java

Q9. An enterprise beans allowed to use Thread.sleep()

**Correct Answer : F**

Your Answer :

QuestionID : 10960      Subject Name Enterprise Java

Q10. Can we use constructor , instead of init(),to initialize servlet?

**Correct Answer : T**

Your Answer :

QuestionID : 12756      Subject Name Enterprise Java

Q11. When the ejbRemove method encounters a sysyem problem ,it should throw \_\_\_\_\_

1. javax.ejb.NoSuchEntityException
2. java.ejb.EJBException
3. java.ejb.RemoveException
4. javax.ejb.DuplicateKeyException

**Correct Answer : 2**

Your Answer :

QuestionID : 12802      Subject Name Enterprise Java

Q12. \_\_\_\_\_ is a block of java code in JSP that is used define class-wide variables and methods in the generated class file

1. scriptlets
2. declarations
3. element
4. expression

**Correct Answer : 2**

Your Answer :

QuestionID : 12803      Subject Name Enterprise Java

Q13. Which of the following is not an implicit object ?

1. date
2. request
3. out
4. pagecontext

**Correct Answer : 1**

Your Answer :

QuestionID : 12828      Subject Name Enterprise Java

Q14. An Enterprise JavaBeans can be deployed in \_\_\_\_\_

1. J2EE server
2. Weblogic
3. Web sphere
4. All of the above

**Correct Answer : 4**

Your Answer :

QuestionID : 12838      Subject Name Enterprise Java

Q15. [getLastModified method belongs to which interface ?](#)

1. Servlet Interface
2. HttpServlet Interface
3. Generic Servlet
4. HttpServletRequest

**Correct Answer : 2**

Your Answer :

QuestionID : 12839      Subject Name Enterprise Java

Q16. Consider the following HTML page code:

```
<html><body>
```

```
<a href="/servlet/HelloServlet">POST</a>
```

```
</body></html>
```

Which method of HelloServlet will be invoked when the hyperlink is clicked?

1. doGet
2. doPost
3. doHref
4. servicePost

**Correct Answer : 1**

Your Answer :

QuestionID : 12855      Subject Name Enterprise Java

Q17. A JSP page called test.jsp is passed a parameter name in the URL using [http://localhost/test.jsp?name="John"](http://localhost/test.jsp?name=John). The test.jsp contains the following code.

```
<%! String myName=request.getParameter();%>
```

```
<% String test= "welcome" + myName; %>
```

```
<%= test%>
```

1. The program prints "Welcome John"
  2. The program gives a syntax error because of the statement
- ```
<%! String myName=request.getParameter();%>
```
3. The program gives a syntax error because of the statement
- ```
<% String test= "welcome" + myName; %>
```
4. The program gives a syntax error because of the statement `<%= test%>`

**Correct Answer : 2**

Your Answer :

QuestionID : 12877      Subject Name Enterprise Java

Q18. Which of the following lines would you use to include the output of DataServlet into any other servlet

1. RequestDispatcher rd=request. getRequestDispatcher("/Bervlet/DataServlet"); rd.include(request, response)
2. RequestDispatcher rd = request .getRequest:Dispatcher("/servlet/DataSel•vlet"); rd.include(response)
3. RequestDispatcher rd = request.geCRequestDispatcher(); rd.include("/servlet/DataServlet",request,response);
4. RequestDispatcher rd = request.getRequestDispatcher(); rd. include ("/servlet/Dataservlet" ,response)

**Correct Answer : 1**

Your Answer :

QuestionID : 12889      Subject Name Enterprise Java

Q19. The page directive is used to convey information about the page to JSP container. Which of these is legal syntax of page directive.

1. < % page info="test page" % >
2. < %@ page info="test page" session="false"% >
3. < %@ page isThreadSafe=true % >
4. < %@ page isErrorPage="errorPage.jsp" % >

**Correct Answer : 2**

Your Answer :

QuestionID : 12907      Subject Name Enterprise Java

Q20. Which of the elements defined within the taglib element of taglib descriptor file are required.

1. uri
2. jsp-version
3. display-name
4. None

**Correct Answer : 2**

Your Answer :

QuestionID : 12911      Subject Name Enterprise Java

Q21. Name the element within the tag element that defines the tag class that implements the functionality of tag.

1. tag
2. tag-class
3. tag-name
4. tag-uri

**Correct Answer : 2**

Your Answer :

QuestionID : 12927      Subject Name Enterprise Java

Q22. Which of the following statements are correct about the status of the Http response.

1. A status of 200 to 299 signifies that the request file has moved.
2. A status of 300 to 399 is informational messages.
3. A status of 400 to 499 indicates an error in the client.
4. A status of 500 to 599 signifies that the request was successful.

**Correct Answer : 3**

Your Answer :

QuestionID : 12985      Subject Name Enterprise Java

Q23. Assuming custom tag being ABHISHEK and prefix being SUNBEAM the syntax for empty custom tag

1. < ABHISHEK: SUNBEAM / >
2. < SUNBEAM: ABHISHEK >
3. < ABHISHEK: SUNBEAM >< /ABHISHEK: SUNBEAM >
4. < SUNBEAM: ABHISHEK >< /SUNBEAM: ABHISHEK >

**Correct Answer : 4**

Your Answer :

QuestionID : 13011      Subject Name Enterprise Java

Q24. \_\_\_\_\_ pattern enables improved network traffic and response time. Fewer remote calls are made and less data is passed back and forth

1. Value Objects
2. Data Access Objects
3. Facade
4. Business Delegate

**Correct Answer : 1**

Your Answer :

QuestionID : 13283      Subject Name Enterprise Java

Q25. You have a J2EE application in which the programmer did not follow the programming restrictions listed in the EJB specification  
This means that the application will surely not function properly

**Correct Answer : F**

Your Answer :

QuestionID : 13288      Subject Name Enterprise Java

Q26. Which of the following of beans would survive a server crash

1. Entity beans
2. Stateless session beans
3. Stateful session beans
4. Message-driven beans

**Correct Answer : 1**

Your Answer :

QuestionID : 13317      Subject Name Enterprise Java

Q27. Which of the following statements are true about locating or using the home interface of a session bean

1. Once acquired, the home interface can be used only once
2. Each instance of a session bean has its own EJBHome object
3. The InitialContext must be narrowed before it can be used to get the home interface
4. None of the above

**Correct Answer : 4**

Your Answer :

QuestionID : 13386      Subject Name Enterprise Java

Q28. Which of the following statements are correct about a session bean whose class contains the following method? public void ejbCreate (String id)

1. It is a Stateless session bean
2. . The home interface of the bean has the method create (String id)

declared in it

3. The component interface of the bean has the method ejbCreate (String

id) declared in it

4. None of the above

**Correct Answer : 2**

Your Answer :

QuestionID : 13448      Subject Name Enterprise Java

Q29. Which of the following methods belong to the SessionContext interface, directly or by inheritance

1. ejbCreate()
2. ejbActivate()
3. getRollbackOnly()
4. None of the above

**Correct Answer : 3**

Your Answer :

QuestionID : 13503      Subject Name Enterprise Java

Q30. What are valid methods for HttpSessionListener interface.

1. sessionRemoved
2. sessionDestroyed
3. sessionReCreated
4. sessionReplaced

**Correct Answer : 2**

Your Answer :

QuestionID : 13534      Subject Name Enterprise Java

Q31. Sites using HTTPS that is HTTP plus SSL(Secure Sockets Layer ) can be identified by

1. There is no way one can detect that site uses HTTPS protocol
2. The URL of the website begins with https: instead of http:
3. The URL of the website begins with ssl: instead of http:
4. The URL of the website begins with shhttp:

**Correct Answer : 2**

Your Answer :

QuestionID : 13545      Subject Name   Enterprise Java

Q32. [isRequestedSessionIdFromCookie](#) method checks whether the requested session id came in as cookie.

**Correct Answer : T**

Your Answer :

QuestionID : 15292      Subject Name   Enterprise Java

Q33.

[An object which implements the interfaces java.rmi.Remote and java.io.Serializable is being sent as a method parameter from one JVM to another. How would it be sent by RMI?](#)

1. RMI will serialize the object and send it.
2. RMI will send the stub of the object.
3. Either A or B Throws an exception.
4. None

**Correct Answer : 2**

Your Answer :

QuestionID : 15300      Subject Name   Enterprise Java

Q34. [In the JMS, message producers and message consumers are created by which of the following objects?](#)

1. Connection Factories
2. Message Listeners
3. Connections
4. Sessions

**Correct Answer : 4**

Your Answer :

QuestionID : 15302      Subject Name   Enterprise Java

Q35. [To author a Session bean which of the following classes are needed?](#)

1. A Home interface, A Remote Interface, a class that implements Enterprisebean interface and a PrimaryKey class.
2. A Home interface, A Remote Interface and a class that implements the SessionBean interface.
3. A Remote Interface and a class that implements the SessionBean interface.
4. A Home interface, A Remote Interface and a class that implements the EnterpriseBean interface.

**Correct Answer : 2**

Your Answer :

QuestionID : 15314      Subject Name   Enterprise Java

Q36. [What will happen if a transactional client invokes an enterprise Bean method whose transaction attribute is set to 'Never' within a transaction context ?](#)

1. TransactionRequiredException is thrown to the client.
2. TransactionNotSupportedException is thrown to the client.
3. Transaction is suspended till the bean method is completed.
4. RemoteException is thrown to the client.

**Correct Answer : 4**

Your Answer :

QuestionID : 15651      Subject Name   Enterprise Java

Q37. [Which of the following statement is false regarding the exceptions in JDBC](#)

1. SQLWarning objects are a subclass of SQLException that deal with database access warnings
2. Warnings stop the execution of an application, as exceptions do; they simply alert the user that something did not happen as planned
3. Connection object has a getWarning() method in it.
4. Statement and ResultSet objects have getWarning() methods in it.

**Correct Answer : 2**

Your Answer :

QuestionID : 15657      Subject Name   Enterprise Java

Q38. [JDBC-ODBC Bridge does not work with Microsoft J++, because it does not support](#)

1. Java Native Interface
2. JNDI
3. JINI
4. None of the above

**Correct Answer : 1**

Your Answer :

QuestionID : 15659      Subject Name Enterprise Java

Q39. We can retrieve a whole row of data at once, instead of calling an individual ResultSet.getXXX method for each column

**Correct Answer : F**

Your Answer :

QuestionID : 15661      Subject Name Enterprise Java

Q40. The JDBC-ODBC bridge is multithreaded

**Correct Answer : T**

Your Answer :

QuestionID : 15805      Subject Name Enterprise Java

Q41. Which of the following files is the correct name and location of deployment descriptor of a web application. Assume that the web application is rooted at \doc-root. Select the one correct answer

1. \doc-root\dd.xml
2. \doc-root\web.xml
3. \doc-root\WEB-INF\web.xml
4. \doc-root\WEB\_INF\dd.xml

**Correct Answer : 3**

Your Answer :

QuestionID : 15819      Subject Name Enterprise Java

Q42. Name the class that includes the getSession method that is used to get the HttpSession object

1. HttpServletRequest
2. HttpServletResponse
3. SessionContext
4. SessionConfig

**Correct Answer : 1**

Your Answer :

QuestionID : 15825      Subject Name Enterprise Java

Q43. The EJB timer service is used for timing notifications. It can be used with

1. CMP entity beans
2. both BMP and CMP entity beans
3. message-driven beans
4. B and C

**Correct Answer : 3**

Your Answer :

QuestionID : 15840      Subject Name Enterprise Java

Q44. What does the EJB specification architecture define

1. Transactional components
2. Distributed object components
3. Server-side components
4. All of the above

**Correct Answer : 4**

Your Answer :

QuestionID : 15862      Subject Name Enterprise Java

Q45. How can I use JDBC to create a database?

1. Include create=true at end of JDBC URL
2. Execute "CREATE DATABASE jGuru" SQL statement
3. Execute "STRSQL" and "CREATE COLLECTION jGuru" SQL statements
4. Database creation is DBMS specific

**Correct Answer : 4**

Your Answer :

QuestionID : 15870      Subject Name Enterprise Java

Q46. When using a JavaBean to get all the parameters from a form, what must the property be set to (??? in the following code) for automatic initialization?

```
<jsp:useBean id="fBean" class="govt.FormBean" scope="request"/>
<jsp:setProperty name="fBean" property="???" />
<jsp:forward page="/servlet/JSP2Servlet" />
1. *
2. all
3. @
4. =
```

**Correct Answer : 1**

Your Answer :

QuestionID : 15878      Subject Name   Enterprise Java

Q47. Which of the following statements makes your compiled JSP page implement the SingleThreadModel interface

1. <%@ page isThreadSafe="false" %>
2. <%@ page isThreadSafe="true" %>
3. all of the above
4. none of the above

**Correct Answer : 2**

Your Answer :

QuestionID : 15915      Subject Name   Enterprise Java

Q48. Which page directive attribute allows you to take care of possible thread conflicts?

1. session
2. extends
3. buffer
4. IsThreadSafe

**Correct Answer : 4**

Your Answer :

QuestionID : 15919      Subject Name   Enterprise Java

Q49. The servlet response object receives results generated by the servlet and sends them back to the client that made the request.

**Correct Answer : T**

Your Answer :

QuestionID : 15960      Subject Name   Enterprise Java

Q50. In the Model View Controller architecture of an enterprise application, which of the following can be "best suited" as the Controller?

1. Servlets
2. Java Server Page
3. Session Bean
4. Option 1 and Option 3

**Correct Answer : 4**

Your Answer :