```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Catering Reservation & Ordering</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background: #f4f4f4;
      margin: 0;
      padding: 0;
    header {
     background: #333;
     color: #fff;
      padding: 15px;
      text-align: center;
      font-size: 1.5em;
    .container {
     max-width: 800px;
      margin: 30px auto;
     background: #fff;
      padding: 20px;
     border-radius: 10px;
     box-shadow: 0 4px 10px rgba(0,0,0,0.2);
    h2 {
     color: #333;
     margin-bottom: 10px;
    form {
      display: flex;
      flex-direction: column;
      gap: 10px;
    input, select, button {
     padding: 10px;
      font-size: 1em;
      border: 1px solid #ccc;
      border-radius: 5px;
      width: 100%;
    button {
     background: #28a745;
      color: #fff;
      cursor: pointer;
     border: none;
      font-size: 1.1em;
    button:hover {
     background: #218838;
    .order-list label {
      display: flex;
      justify-content: space-between;
      align-items: center;
```

```
margin: 5px 0;
    .total {
     margin-top: 15px;
      font-size: 1.2em;
      font-weight: bold;
  </style>
</head>
<body>
  <header>Catering Reservation & Ordering</header>
  <div class="container">
    <!-- Reservation Section -->
    <h2>Reserve Your Event</h2>
    <form id="reservationForm">
      <input type="text" id="name" placeholder="Full Name" required>
      <input type="email" id="email" placeholder="Email" required>
      <input type="date" id="date" required>
      <input type="number" id="guests" placeholder="Number of Guests"</pre>
min="1" required>
      <select id="eventType" required>
        <option value="">Select Event Type</option>
        <option>Birthday Party
        <option>Wedding</option>
        <option>Corporate Event
        <option>Private Dinner
      </select>
      <!-- Ordering Section -->
      <h2 style="margin-top:20px;">Order Food Packages</h2>
      <div id="orderForm" class="order-list">
        <label>Veq Meal (₹200) <input type="number" min="0" value="0"</pre>
data-price="200"></label>
        <label>Non-Veg Meal (₹300) <input type="number" min="0" value="0"</pre>
data-price="300"></label>
        <label>Snacks (₹100) <input type="number" min="0" value="0" data-</pre>
price="100"></label>
        <label>Desserts (₹150) <input type="number" min="0" value="0"</pre>
data-price="150"></label>
        <label>Drinks (₹50) <input type="number" min="0" value="0" data-</pre>
price="50"></label>
      </div>
      <div class="total">Total: ₹0</div>
      <!-- Payment Method -->
      <h2 style="margin-top:20px;">Payment Method</h2>
      <select id="paymentMethod" required>
        <option value="">Select Payment Method</option>
        <option>Cash on Delivery</option>
        <option>UPI</option>
        <option>Credit/Debit Card</option>
      </select>
      <button type="submit">Confirm Booking</button>
    </form>
  </div>
```

```
<script>
    const inputs = document.querySelectorAll('#orderForm
input[type="number"]');
    const totalDisplay = document.querySelector('.total');
    function updateTotal() {
     let total = 0;
      inputs.forEach(input => {
       total += input.value * input.dataset.price;
      totalDisplay.innerText = Total: ₹${total};
    }
    inputs.forEach(input => input.addEventListener('input',
updateTotal));
    document.getElementById('reservationForm').addEventListener('submit',
function(e) {
     e.preventDefault();
     const name = document.getElementById('name').value;
     const total = totalDisplay.innerText;
     const payment = document.getElementById('paymentMethod').value;
     alert (Thank you, ${name}! Your booking is
confirmed.\n${total}\nPayment Method: ${payment});
     this.reset();
     updateTotal();
    });
  </script>
</body>
</html>
```