VISVESVARAYA TECHNOLOGICAL UNIVERSITY

Jnana Sangama, Santhibastawad Road, Machhe, Belagavi-590018, Karnataka, India

MAJOR PROJECT PHASE -I

2022 SCHEME - BCS685

PROJECT REPORT

ON

" Vision Mate "

Submitted in the **partial fulfillment** of the requirements for the award of the degree of

BACHELOR OF ENGINEERING

in

COMPUTER SCIENCE AND ENGINEERING

For the Academic Year 2025 - 2026

Group ID: 18

Name	USN	Signature
Chirag M	**1JS23CS038**	
Dhanush AS	**1JS23CS046**	
Dhanush CK	**1JS23CS047**	
Ganesh C	**1JS23CS054**	

Signature of the Guide: **Signature of HOD:**

Department of Computer Science and Engineering,
JSS Academy of Technical Education,
JSS Campus Rd, Dr. Vishnuvardhan Road, Bengaluru - 560060

JSS Academy of Technical Education
Department of Computer Science and Engineering

Major Project Phase - 1

Chapter No.	Title	Subtopics	Page No
1	**Abstract**	1.1 Problem Overview 1.2 Proposed Solution 1.3 Expected Outcome	1 - 2
2	**Introduction**	2.1 Background 2.2 Need for the Project 2.3 Scope	2 - 3
3	**Problem Statement, Relevance & Objectives**	3.1 Problem Statement 3.2 Importance of the Project 3.3 Objectives	3 - 4
4	**Literature Survey & Gap Analysis**	4.1 Existing Systems/Research 4.2 Limitations of Existing Solutions 4.3 Gap Identified	4
5	**Proposed Methodology**	5.1 Working of the Proposed System 5.2 Technologies/Tools Used 5.3 Workflow/Process	5 - 7
6	**System Design & Architecture**	6.1 Architecture Diagram 6.2 Modules/Components 6.3 Database Design / DFD / UML Diagrams	7 - 10
7	**Technical Requirements & Constraints**	7.1 Hardware Requirements 7.2 Software Requirements 7.3 Constraints and Limitations	10 – 12
8	**Project Planning & Timeline**	8.1 Development Phases 8.2 Feasibility Analysis 8.3 Timeline / Gantt Chart	12 – 13
9	**Expected Outcomes**	9.1 Expected Results 9.2 Benefits of the Project	13 – 14
10	**Conclusion**	11.1 Summary 11.2 Future Improvements	14 – 16
11	**References**	12.1 Research Papers 12.2 Websites 12.3 Other Sources Used	16

Chapter 1: Abstract

1.1 Problem Overview

Visual impairment creates major difficulties in performing everyday activities such as walking independently, identifying surrounding objects, recognizing people, and understanding environmental conditions. Most visually impaired individuals rely on traditional aids like white canes or assistance from other people for navigation and safety. Although white canes help in detecting nearby obstacles, they cannot provide detailed information about objects, people, or the surrounding environment.

In recent years, several electronic assistive systems have been developed using sensors, cameras, and Artificial Intelligence technologies. However, many of these systems are expensive, complex to use, or dependent on internet connectivity and high-end hardware. Some systems focus only on obstacle detection, while others provide only navigation support without personalized recognition features.

Another major limitation in existing solutions is the absence of memory-based assistance. Current devices generally cannot remember frequently used objects or familiar individuals and notify the user when they appear again. This limits the personalization and practical usefulness of assistive technologies in daily life.

Therefore, there is a strong need for a smart, affordable, and portable wearable system that can provide real-time object recognition, navigation assistance, obstacle detection, and memory-based identification in a single integrated solution. The proposed project, Vision Mate, aims to address these challenges and improve the independence, safety, and confidence of visually impaired individuals.

1.2 Proposed Solution

The proposed system, *Vision Mate*, is a **smart wearable spectacle system** that integrates:

- Camera module for real-time image capture
- AI-based object detection
- Memory-based recognition system (button-triggered)
- Ultrasonic sensors for distance measurement
- Audio feedback for user interaction

A unique feature of the system is the **memory function**, where the user can press a button to store and label an object or person. When the same or similar entity appears again, the system recognizes it and informs the user.

1.3 Expected Outcome

The system is expected to:

- Provide real-time object identification
- Assist in safe navigation
- Recognize previously stored objects/persons
- Enhance independence of visually impaired users
- Deliver a low-cost and portable solution

Chapter 2: Introduction

2.1 Background

Assistive technology has evolved with the advancement of Artificial Intelligence, Computer Vision, and Embedded Systems. Devices like smart glasses and navigation aids have been developed, but they often lack integration of multiple functionalities.

Modern systems use:

- Computer vision (OpenCV, CNN, YOLO)
- Sensors (ultrasonic, GPS)
- Voice interfaces

However, **lack of personalization and memory-based intelligence** is still a major gap.

2.2 Need for the Project

There is a strong need for:

- A **single integrated device** combining navigation + recognition
- **Affordable solutions** for wider accessibility
- **Offline-capable systems** (not dependent on internet)

- Systems that can **remember objects and people**

2.3 Scope

The project scope includes:

- Real-time object detection using AI
- Distance measurement using ultrasonic sensors
- Voice feedback system
- Memory-based recognition using button input

Future scope includes:

- Face recognition
- Emergency alerts
- Smart home integration

Chapter 3: Problem Statement, Relevance & Objectives

3.1 Problem Statement

Visually impaired individuals face difficulty in performing daily activities such as identifying objects, recognizing people, and navigating safely in unfamiliar environments. Traditional assistive tools like white canes help in detecting nearby obstacles but cannot provide detailed information about surrounding objects or people.

Existing electronic assistive systems use technologies such as sensors and Artificial Intelligence, but many of them are expensive, limited in functionality, or focused only on navigation or obstacle detection. Most systems also lack memory-based features that can recognize and remember important objects or familiar individuals.

Therefore, there is a need for a smart, affordable, and wearable assistive system that can provide real-time object detection, navigation assistance, distance measurement, and memory-based recognition in a single integrated solution. The proposed system, Vision Mate, aims to improve the independence, safety, and confidence of visually impaired users.

3.2 Importance of the Project

This project is important because:

- Improves independence and confidence
- Enhances safety during navigation
- Reduces dependency on others
- Provides affordable assistive solution

3.3 Objectives

- Develop real-time object detection system
- Implement memory-based recognition feature
- Provide distance alerts using sensors
- Enable voice-based feedback
- Design a compact wearable device

Chapter 4: Literature Survey & Gap Analysis

4.1 Existing Systems / Research

1. **Smart Assistive Navigation System (IEEE, 2021)**
   Uses ultrasonic sensors and GPS for navigation.
2. **AI-Based Object Detection (Springer, 2022)**
   Uses YOLO model for detecting objects.
3. **Wearable Smart Glasses (Elsevier, 2020)**
   Camera + audio output system.
4. **Voice-Based Navigation System (IEEE Access, 2023)**
   Uses speech recognition and maps.

4.2 Limitations of Existing Solutions

- Lack of integrated features
- High cost
- Internet dependency
- No memory-based recognition
- Limited real-time performance

4.3 Gap Identified

The major gap identified is:

No system combines object detection + navigation + memory feature in a low-cost wearable device

Chapter 5: Proposed Methodology

5.1 Working of the Proposed System

1. Real-Time Image Capture

The Vision Mate system uses a camera module mounted on the smart spectacles to continuously capture images from the user's surroundings. The camera acts as the primary input device and helps the system monitor nearby objects, people, and environmental conditions in real time. The captured images are sent to the processing unit for further analysis.

2. AI-Based Object Detection

The captured images are processed using Artificial Intelligence and Computer Vision techniques such as YOLO or CNN models. The AI model analyzes the image frame and identifies different objects present in front of the user. After detection, the system generates the name or category of the object for user assistance.

3. Memory-Based Object Storage

The system includes a push button that allows the user to store important objects or people in memory. When the button is pressed, the currently detected object is saved along with a label or identity. This enables the system to remember frequently used objects or familiar individuals for future recognition.

4. Recognition of Stored Objects

Whenever the camera detects an object that matches a previously stored image or data, the system compares it with the memory database. If a match is found, the stored object name or identity is retrieved and communicated to the user through voice feedback. This feature provides personalized assistance to the user.

5. Distance Measurement Using Ultrasonic Sensor

An ultrasonic sensor is used to calculate the distance between the user and nearby obstacles. The sensor continuously sends and receives ultrasonic waves to measure how close an object is. If the object is too near, the system generates a warning alert to help the user avoid collisions.

6. Audio Feedback to the User

The final output of the system is provided through audio feedback using earphones or speakers. The system converts detected object information, stored object names, and warning alerts into speech using text-to-speech technology. This allows the visually impaired user to understand the surrounding environment safely and effectively.

5.2 Technologies / Tools Used

- Python
- OpenCV
- YOLO / CNN models
- Raspberry Pi
- Ultrasonic Sensor
- Text-to-Speech (TTS)

5.3 Workflow / Process




Fig: 1 Flowchart

Include:

- Start

- Image capture
- Object detection
- Button pressed? (Decision box)
- Store memory
- Distance calculation
- Audio output

Chapter 6: System Design & Architecture

6.1 Architecture Diagram

Include:

- Input Layer:
  - Camera
  - Button
  - Ultrasonic sensor
- Processing Layer:
  - Raspberry Pi
  - AI Model
- Output Layer:
  - Speaker / Earphones




Fig: 2 System Architecture Diagram

6.2 Modules / Components

1. Object Detection Module

- Uses AI model to identify objects

- Works in real-time

2. Memory Module

- Stores object when button is pressed
- Matches future detections

3. Distance Measurement Module

- Uses ultrasonic sensor
- Calculates distance

4. Audio Output Module

- Converts text to speech
- Gives user feedback

6.3 Database Design / DFD / UML




Fig: 3 Block Diagram




Fig: 4 DFD Level 0 (System Overview)




Fig: 5 DFD Level 1 (Detailed Data Flow)




Fig: 6 UML Use Case Diagram

Include:

- User interaction
- System processing
- Data storage

Chapter 7: Technical Requirements & Constraints

7.1 Hardware Requirements

1. Raspberry Pi

Raspberry Pi is used as the main processing unit of the Vision Mate system. It controls all hardware components, processes camera input, runs AI models for object detection, and manages audio output. It is selected because of its compact size, low power consumption, and ability to support AI and computer vision applications.

2. Camera Module

The camera module is used to capture real-time images of the surrounding environment. These images are provided to the AI model for object detection and recognition. The camera acts as the vision component of the smart spectacles and helps the system identify objects and people around the user.

3. Ultrasonic Sensor

The ultrasonic sensor is used to measure the distance between the user and nearby obstacles. It helps the system detect objects that are too close and provides warning alerts to improve navigation safety and avoid collisions.

4. Push Button

The push button is used to activate the memory feature of the system. When the user presses the button, the currently detected object or person is stored in memory for future recognition. This allows the system to provide personalized assistance.

5. Power Supply

The power supply, such as a rechargeable battery or power bank, is used to provide electrical power to the Raspberry Pi, sensors, and other hardware components. It ensures continuous operation of the wearable system during usage.

7.2 Software Requirements

1. Python

Python is used as the primary programming language for developing the Vision Mate system. It is chosen because it is simple, flexible, and provides strong support for AI, image processing, and hardware integration.

2. OpenCV

OpenCV is used for image processing and computer vision operations. It helps the system capture images, process video frames, and support object detection functionalities.

3. AI Models (YOLO/CNN)

AI models such as YOLO or CNN are used for real-time object detection and recognition. These models analyze captured images and identify objects present in the environment with good accuracy.

4. Speech Libraries

Speech libraries such as Text-to-Speech (TTS) are used to convert system outputs into voice messages. This enables the visually impaired user to receive information through audio feedback.

7.3 Constraints and Limitations

1. Limited Processing Power

Since Raspberry Pi is a compact embedded device, it has limited processing capability compared to high-performance computers. Running advanced AI models may reduce system speed and affect real-time performance.

2. Battery Life Constraints

The system depends on a portable power source. Continuous usage of the camera, sensors, and AI processing can consume significant power, limiting the battery backup time.

3. Accuracy of AI Models

Object detection accuracy may vary depending on the quality of training data and environmental conditions. Similar-looking objects may sometimes cause incorrect recognition.

4. Environmental Lighting Conditions

Poor lighting, darkness, or excessive brightness can affect camera performance and reduce object detection accuracy. The system may perform better in moderate lighting conditions.

Chapter 8: Project Planning & Timeline

8.1 Development Phases

- Phase 1: Research & Design
- Phase 2: Implementation
- Phase 3: Testing

8.2 Feasibility Analysis

Technical Feasibility : System is feasible using available AI and embedded technologies.

Economic Feasibility : Low-cost components make it affordable.

Operational Feasibility : Easy to use with simple button interface.

8.3 Timeline / Gantt Chart




Fig: 7 Gantt Chart

Include:

- Weeks vs Tasks
- Research, Design, Testing

Chapter 9: Expected Outcomes

9.1 Expected Results

1. Accurate Object Detection

The system is expected to identify and recognize nearby objects in real time using AI-based object detection techniques. This helps visually impaired users understand their surroundings more effectively.

2. Reliable Distance Alerts

The ultrasonic sensor is expected to measure the distance between the user and obstacles accurately. The system will provide warning alerts whenever objects are detected at a close distance to improve navigation safety.

3. Successful Memory-Based Recognition

The proposed system is expected to store important objects or people in memory and recognize them when they appear again. This feature will provide personalized assistance and improve user convenience.

9.2 Benefits of the Project

1. Increased Independence

The system helps visually impaired individuals perform daily activities with less dependence on others by providing real-time environmental information and navigation assistance.

2. Improved Safety

By detecting nearby obstacles and providing warning alerts, the system improves user safety and reduces the risk of accidents during movement.

3. Cost-Effective Solution

The project uses affordable hardware and open-source software technologies, making the system economically accessible for a larger number of users.

4. User-Friendly Design

The wearable spectacle design and voice-based interaction make the system simple, comfortable, and easy to use for visually impaired individuals.

Chapter 11: Conclusion

11.1 Summary

Vision Mate is an AI-based smart assistive wearable system designed to help visually impaired individuals navigate safely and identify objects in their surroundings. The project integrates Artificial Intelligence, Computer Vision,

Embedded Systems, and Sensor Technology into a smart spectacle device that provides real-time audio guidance to the user.

The system uses a camera module to capture images from the environment and processes them using AI-based object detection techniques such as YOLO or CNN models. The identified objects are then converted into speech output, allowing users to understand their surroundings through voice feedback.

A major feature of the proposed system is the memory-based recognition function. By pressing a button, the user can store and label an object or person. When the same or a similar object appears again, the system recognizes it and informs the user through audio feedback. This improves personalization and helps users identify important objects more easily.

The project also uses ultrasonic sensors to measure the distance between the user and nearby obstacles. If an object is detected within a short distance, the system provides warning alerts to improve navigation safety and avoid collisions.

The proposed solution focuses on affordability, portability, and ease of use by utilizing cost-effective hardware components such as Raspberry Pi, camera modules, and ultrasonic sensors. During Phase 1, activities such as literature survey, feasibility analysis, requirement analysis, and system design were completed successfully. Overall, Vision Mate aims to improve independence, safety, and confidence for visually impaired individuals through intelligent assistive technology.

11.2 Future Improvements

1. Face Recognition

In future, the system can be enhanced with face recognition technology to identify family members, friends, or frequently visited individuals. This feature will improve personalization and social interaction for visually impaired users.

2. GPS Navigation

GPS functionality can be integrated to provide real-time navigation and route guidance. This will help users travel independently in outdoor environments and reach destinations safely.

3. Emergency Alert System

An emergency alert feature can be added to send notifications or location details to family members or emergency contacts during unsafe situations or accidents. This will improve user security and emergency response.

4. Mobile App Integration

The system can be connected to a mobile application for easier control, object management, and system monitoring. The app can also provide settings customization and real-time updates for the user or caregivers.

Chapter 12: References

12.1 Research Papers

- IEEE Xplore Digital Library – Assistive Systems Research Papers (2020–2023)
- Springer Publications on AI-Based Object Detection Systems
- Elsevier Research Papers on Smart Assistive Devices
- "Smart Assistive Navigation System for Blind People," IEEE, 2021
- "AI-Based Object Detection for Visually Impaired Assistance," Springer, 2022
- "Wearable Smart Glasses for Blind Assistance," Elsevier, 2020

12.2 Websites

- OpenCV Official Documentation
- Raspberry Pi Official Documentation
- Python Official Documentation
- YOLO Official Documentation
- Google Maps Platform Documentation
- TensorFlow Documentation
- PyTorch Official Documentation

12.3 Other Sources

- Google Scholar Research Articles
- YouTube Technical Tutorials and Embedded System Guides
- Online AI and Computer Vision Tutorials
- Raspberry Pi Community Forums
- OpenCV Learning Resources and Blogs
- Technical Blogs on IoT and Assistive Technologies