

CareerHub — Master Build Prompt

A single prompt for an AI coding agent, with a map of which prior document to use at each stage

This document contains one master prompt intended to be given directly to an AI coding agent (Claude Code, Cursor, or similar) to begin building CareerHub. It references the six prior documents by name and tells the agent exactly which one to consult at each phase, what real data and real-time behavior are required, and what is explicitly out of scope until later phases.

Reference documents this prompt assumes are available to the agent:

#	Document	Use for
1	CareerHub_Idea_Document.pdf	Product concept, problem, features, monetization, roadmap.
2	CareerHub_Design_System.pdf	Colors, typography, layout, motion, extension visual design.
3	CareerHub_Autofill_Engine_Spec.pdf	Field detection, scoring, prohibitions, encryption rules.
4	CareerHub_Portal_Playbooks.pdf	Per-portal quirks, ATS detection, default engine fallback.
5	CareerHub_Profile_Schema.pdf	Full data schema, validation rules, tool-consumption rules.
6	CareerHub_Website_Flow_Sync.pdf	Screen flow, real-time sync architecture, encrypted data lifecycle.

The Master Prompt

Copy everything in the block below as-is into the coding agent. It is written to be pasted whole, once, at the start of the project.

ROLE

You are building CareerHub, a production web application and companion browser extension for students and jobseekers. You have access to six reference documents. Read all six before writing any code. Do not begin implementation from assumptions where a reference document already specifies the answer.

REFERENCE DOCUMENT MAP -- consult in this order, and return to each when relevant

1. CareerHub_Idea_Document.pdf
Use for: overall product scope, feature list, monetization tiers, phase roadmap.
Consult before: scoping any new feature or screen.
2. CareerHub_Design_System.pdf
Use for: color tokens, typography, spacing, component states, motion timing, extension popup layout.
Consult before: writing any CSS, component markup, or extension popup UI.
3. CareerHub_Autofill_Engine_Spec.pdf
Use for: field detection signals, confidence scoring formula and thresholds, fill mechanics, verification pass logic, the explicit prohibitions list, and the encryption requirements for stored profile data.
Consult before: writing any part of the autofill engine, and before writing any code that stores or reads personal data.
4. CareerHub_Portal_Playbooks.pdf
Use for: per-portal field maps and quirks (Naukri, LinkedIn, Indeed, Foundit, Wellfound), ATS detection signals for Workday/Greenhouse/Lever/iCIMS/SmartRecruiters, and the default fallback engine for unrecognized sites.
Consult before: building any portal-specific or ATS-specific field map.
5. CareerHub_Profile_Schema.pdf
Use for: the exact data schema (personal, education, experience, skills, projects, certifications, documents, preferences, sensitiveIds), field-level validation rules, and the rule that only the Profile editor writes data while every other tool is a read-only consumer.
Consult before: defining any database model or API contract.
6. CareerHub_Website_Flow_Sync.pdf
Use for: the full screen-to-screen flow, the real-time sync architecture (live listeners, optimistic updates, conflict resolution), and the encrypted data lifecycle stage-by-stage.
Consult before: wiring navigation between screens, and before implementing any sync or storage logic.

NON-NEGOTIABLE RULES

- No mock data, no placeholder data, no simulated features presented as working. If a feature is not fully implemented, it must be visibly marked as unavailable or hidden, never faked with demo values, canvas placeholders, or hardcoded sample responses dressed up as live output.
- No fake encryption. If a document specifies AES-256 at rest and TLS in transit, implement that with a real library and real key management, not a cosmetic wrapper that appears encrypted

How to Use This Prompt

- Paste the full block above into the coding agent as the first message in a new project/session, with all six referenced PDFs attached or otherwise accessible to the agent.
- If the agent's context window cannot hold all six documents at once, attach documents 1, 2, and 5 first (idea, design, schema) since Phase 1 depends on them; attach 3, 4, and 6 when starting Phase 3.
- Require a completion report after every phase before approving the next one, matching the working pattern already used for other AI-agent-built projects.
- If the agent proposes a shortcut (mock data, simulated encryption, a fake sync indicator), the prompt's non-negotiable rules give you exact language to point back to when rejecting it.

Why the phase order is fixed

The Profile and its real-time, encrypted sync layer is the foundation every other feature reads from (per CareerHub_Profile_Schema.pdf, Section 5). Building the resume builder or autofill engine before that layer is solid risks the exact problem flagged previously with the SecureVision build: features that look complete in a demo but are not backed by working, honest infrastructure underneath.

Before pitching or demoing any phase externally, verify the claims in that phase's completion report yourself -- open the database and look at the stored value, open two tabs and check sync live, run the extension on an actual portal page rather than trusting the agent's report alone.