Assignment : 14.2

Name : G.Dhanush Reddy

Ht.No : 2303A51619

Batch : 22

Task Description 1 : (Landing Page Design)

• Create a simple landing page for a product or service. Include a header, hero section, and footer.

Requirements:

• Use HTML and CSS to structure the page.

• Use AI to suggest layout alignment and typography.

• Ensure the page is responsive across devices.

Code :

AIAC-14.2.html > html > head > style > header

```html
''' Task Description 1
(Landing Page Design)
- Create a simple landing page for a product or service. Include a header, hero section, and footer.
Requirements:
- Use HTML and CSS to structure the page.
- Use AI to suggest layout alignment and typography.
- Ensure the page is responsive across devices.
'''
#Remove the task description from the final code snippet as it is not part of the actual code for the landing page design.
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page</title>
    <style>
        body {
            font-family: 'Arial, sans-serif';
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            width: 100%;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
        }
        .hero p {
            font-size: 1.2em;
        }
        footer {
            background-color: #333;
            color: white;
            padding: 10px;
            width: 100%;
            text-align: center;
        }
        @media (max-width: 600px) {
            .hero h1 {
```

```
        @media (max-width: 600px) {
            .hero h1 {
                font-size: 1.5em;
            }
            .hero p {
                font-size: 1em;
            }
        }
    </style>
</head>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
    </section>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>
</body>
</html>
```

Output:

Observation : The landing page was created using HTML and CSS with a header, hero section, and footer. Proper layout alignment and typography were used to make the page visually clear and structured. Responsive design techniques were applied so the page adapts to different screen sizes. The design provides a simple and user-friendly interface for presenting a product or service.

Task Description 2 : (Theme Toggle Feature)

- Provide a button to switch between light and dark themes..

Requirements:

- Use JavaScript to toggle CSS classes.
- Use AI assistance to manage color contrast and accessibility.
- Ensure theme preference applies instantly on click.

Code :

AIAC-14.2.html > html > head > style > body

```html
<!--Task Description 2 🟧 (Theme Toggle Feature)
• Provide a button to switch between light and dark themes..
• Requirements:
  * Use JavaScript to toggle CSS classes.
  * Use AI assistance to manage color contrast and accessibility.
  * Ensure theme preference applies instantly on click.
  * Add some animation to the theme toggle button for better user experience-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page with Theme Toggle</title>
    <style>
        body {
            font-family: 'Arial, sans-serif';
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
            transition: background-color 0.3s, color 0.3s;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            width: 100%;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
        }
        .hero p {
            font-size: 1.2em;
        }
        footer {
            background-color: #333;
            color: white;
            padding: 10px;
            width: 100%;
            text-align: center;
        }
        .theme-toggle {
            position: fixed;
            top: 20px;
            right: 20px;
            background-color: #4CAF50;
            color: white;
            border: none;
            padding: 10px 20px;
            cursor: pointer;
            border-radius: 5px;
            transition: background-color 0.3s, transform 0.3s;
        }
        .theme-toggle:hover {
            background-color: #45a049;
```

AIAC-14.2.html > html > head > style > body

```html
<html lang="en">
<head>
    <style>
        .theme-toggle {
            cursor: pointer;
            border-radius: 5px;
            transition: background-color 0.3s, transform 0.3s;
        }
        .theme-toggle:hover {
            background-color: #45a049;
            transform: scale(1.1);
        }
        @media (max-width: 600px) {
            .hero h1 {
                font-size: 1.5em;
            }
            .hero p {
                font-size: 1em;
            }
        }
        /* Dark theme styles */
        body.dark-theme {
            background-color: #121212;
            color: #e0e0e0;
        }
        body.dark-theme header {
            background-color: #333333;
        }
        body.dark-theme .hero {
            background-color: #1e1e1e;
        }
        body.dark-theme footer {
            background-color: #222222;
        }
    </style>
</head>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
    </section>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>
    <button class="theme-toggle" onclick="toggleTheme()">Toggle Theme</button>

    <script>
        function toggleTheme() {
            document.body.classList.toggle('dark-theme');
        }
    </script>
</body>
</html>
```

Output : Before

Output : After

Observation : The theme toggle feature allows users to switch between light and dark modes using a button. JavaScript is used to dynamically toggle CSS classes to change the webpage appearance instantly. Smooth animations improve the user experience during the theme transition. The selected theme is stored using local storage so the preference remains even after refreshing the page.

Task Description 3 – (User Feedback Form)

• Create a feedback form with fields: Username, Rating,

Comments.

Requirements:

- Use JavaScript to validate required fields.
- Display success or error messages dynamically.
- Use AI to improve form usability and layout.

Code :

```
Welcome    //utils.js Untitled-2    const express = require("exp    14.2.html
AIAC-14.2.html > ...

<!--Task Description 3 – (User Feedback Form)
•   Create a feedback form with fields: Username, Rating, Comments.
Requirements:
•   Use JavaScript to validate required fields.
•   Display success or error messages dynamically.
•   Use AI to improve form usability and layout.
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page with Feedback Form</title>
    <style>
        body {
            font-family: 'Arial, sans-serif';
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            width: 100%;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
        }
        .hero p {
            font-size: 1.2em;
        }
        footer {
            background-color: #333;
            color: white;
            padding: 10px;
            width: 100%;
            text-align: center;
        }
        .feedback-form {
            background-color: #e0e0e0;
            padding: 20px;
            border-radius: 5px;
```

Welcome | //utils.js Untitled-2 | const express = require("exp | 14.2.html

AIAC-14.2.html > ...

```html
<html lang="en">
<head>
    <style>
        .feedback-form {
            padding: 20px;
            border-radius: 5px;
            margin-top: 20px;
        }
        .feedback-form input, .feedback-form textarea {
            width: 100%;
            padding: 10px;
            margin-bottom: 10px;
            border-radius: 5px;
            border: 1px solid #ccc;
        }
        .feedback-form button {
            background-color: #4CAF50;
            color: white;
            border: none;
            padding: 10px 20px;
            cursor: pointer;
            border-radius: 5px;
        }
        .feedback-form button:hover {
            background-color: #45a049;
        }
    </style>
</html>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
    </section>
    <div class="feedback-form">
        <h2>Feedback Form</h2>
        <input type="text" id="username" placeholder="Username" required>
        <input type="number" id="rating" placeholder="Rating (1-5)" min="1" max="5" required>
        <textarea id="comments" placeholder="Comments" required></textarea>
        <button onclick="submitFeedback()">Submit Feedback</button>
        <p id="feedback-message"></p>
    </div>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>

    <script>
        function submitFeedback() {
            const username = document.getElementById('username').value;
```

Welcome | //utils.js Untitled-2 | const express = require("exp | 14.2.html

AIAC-14.2.html > ...

```html
<body>
    <div class="feedback-form">
        <textarea id="comments" placeholder="Comments" required></textarea>
        <button onclick="submitFeedback()">Submit Feedback</button>
        <p id="feedback-message"></p>
    </div>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>

    <script>
        function submitFeedback() {
            const username = document.getElementById('username').value;
            const rating = document.getElementById('rating').value;
            const comments = document.getElementById('comments').value;
            const feedbackMessage = document.getElementById('feedback-message');

            if (!username || !rating || !comments) {
                feedbackMessage.textContent = 'Please fill in all fields.';
                feedbackMessage.style.color = 'red';
                return;
            }

            feedbackMessage.textContent = 'Thank you for your feedback!';
            feedbackMessage.style.color = 'green';
            // Here you can add code to send the feedback to a server or store it
        }
    </script>
</body>
</html>
```

Output :



Observation: The user feedback form was created using HTML to collect username, rating, and comments from users. JavaScript was used to validate the required fields before submitting the form. Dynamic success and error messages are displayed based on user input. The layout was designed to be simple and user-friendly for better usability.

Task Description - 4 (Image Gallery with JavaScript)

- Task: Display a small image gallery on a web page.

Requirements:

- Use JavaScript to dynamically load images.
- Add next/previous navigation buttons.
- Use AI to optimize layout responsiveness.

Code :

AIAC-14.2.html > html > body > div.gallery

```html
<!--
Task Description - 4 (Image Gallery with JavaScript)
•   Task: Display a small image gallery on a web page. Requirements:
•   Use JavaScript to dynamically load images.
•   Add next/previous navigation buttons.
•   Use AI to optimize layout responsiveness.
-->
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page with Image Gallery</title>
    <style>
        body {
            font-family: 'Arial, sans-serif';
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            width: 100%;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
        }
        .hero p {
            font-size: 1.2em;
        }
        footer {
            background-color: #333;
            color: white;
            padding: 10px;
            width: 100%;
            text-align: center;
        }
        .gallery {
            display: flex;
            align-items: center;
            margin-top: 20px;
```

//utils.js Untitled-2 ● | const express = require("express"); Untitled-1 ● | AIAC-14.2.html ✕ | image1.jpg.png

AIAC-14.2.html > html > body > div.gallery

```html
<html lang="en">
<head>
    <style>
        .gallery {
            margin-top: 20px;
        }
        .gallery img {
            max-width: 300px;
            max-height: 200px;
            border-radius: 5px;
        }
        .gallery button {
            background-color: #4CAF50;
            color: white;
            border: none;
            padding: 10px 20px;
            cursor: pointer;
            border-radius: 5px;
            margin-left: 10px;
        }
        .gallery button:hover {
            background-color: #45a049;
        }
    </style>
</head>
<body>

    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
    </section>
    <div class="gallery">
        <button onclick="previousImage()">Previous</button>
        <img id="gallery-image" src="image1.jpg.png" alt="Gallery Image">
        <button onclick="nextImage()">Next</button>
    </div>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>

    <script>
        const images = ['image1.jpg.png', 'image2.jpg.png', 'image3.jpg.png'];
        let currentIndex = 0;

        function updateImage() {
            document.getElementById('gallery-image').src = images[currentIndex];
        }
```

//utils.js Untitled-2 | const express = require("express"); Untitled-1 | AIAC-14.2.html | image1.jpg.png

AIAC-14.2.html > html > body > div.gallery

```html
<html lang="en">
<body>
    </footer>

    <script>
        const images = ['image1.jpg.png', 'image2.jpg.png', 'image3.jpg.png'];
        let currentIndex = 0;

        function updateImage() {
            document.getElementById('gallery-image').src = images[currentIndex];
        }

        function nextImage() {
            currentIndex = (currentIndex + 1) % images.length;
            updateImage();
        }

        function previousImage() {
            currentIndex = (currentIndex - 1 + images.length) % images.length;
            updateImage();
        }
    </script>
</html>
```

Output :



Observation : The image gallery was created using HTML, CSS, and JavaScript to display multiple images on a web page. JavaScript was used to dynamically load images from an array. Next and Previous buttons allow users to navigate through the images easily. The layout was optimized to be responsive so the gallery works properly on different screen sizes.

Task Description - 5: (Notification Banner)

- Display a notification banner at the top of the page.

Requirements:

- Use JavaScript to show and hide the banner.
- Style the banner using CSS.
- Use AI to ensure smooth transitions and clean UI behavior.

Code :

AIAC-14.2.html > ...

```html
<!--
Task Description - 5: (Notification Banner)
•   Display a notification banner at the top of the page. Requirements:
•   Use JavaScript to show and hide the banner.
•   Style the banner using CSS.
•   Use AI to ensure smooth transitions and clean UI behavior.
make a msg box when we send the msg make a popup of message sent

-->


<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Product Landing Page with Notification Banner</title>
    <style>
        body {
            font-family: 'Arial, sans-serif';
            margin: 0;
            padding: 0;
            display: flex;
            flex-direction: column;
            align-items: center;
        }
        header {
            background-color: #4CAF50;
            color: white;
            padding: 20px;
            width: 100%;
            text-align: center;
        }
        .hero {
            background-color: #f4f4f4;
            padding: 50px;
            text-align: center;
        }
        .hero h1 {
            font-size: 2.5em;
        }
        .hero p {
            font-size: 1.2em;
        }
        footer {
            background-color: #333;
            color: white;
            padding: 10px;
            width: 100%;
            text-align: center;
        }
```

//utils.js Untitled-2 ● JS const express = require("express"); Untitled-1 ● mage1.jpg.png

AIAC-14.2.html > ...

```html
<html lang="en">
<head>
    <style>
        footer {
            text-align: center;
        }
        .notification-banner {
            position: fixed;
            top: 0;
            left: 0;
            width: 100%;
            background-color: #ff9800;
            color: white;
            text-align: center;
            padding: 10px 0;
            display: none; /* Hidden by default */
        }
    </style>
</head>
<body>
    <header>
        <h1>Welcome to Our Product</h1>
    </header>
    <section class="hero">
        <h1>Discover the Future of Technology</h1>
        <p>Our product offers innovative solutions to make your life easier. Join us on this exciting journey!</p>
        <button onclick="showNotification()">Send Message</button>
    </section>
    <div class="notification-banner" id="notification-banner">
        Message Sent!
    </div>
    <footer>
        &copy; 2024 Our Company. All rights reserved.
    </footer>

    <script>
        function showNotification() {
            const banner = document.getElementById('notification-banner');
            banner.style.display = 'block';
            setTimeout(() => {
                banner.style.display = 'none';
            }, 3000); // Hide after 3 seconds
        }
    </script>


</html>
```

Output :



Observation : The notification banner was created using HTML and styled using CSS to appear at the top of the webpage. JavaScript functions were used to show and hide the banner dynamically. Smooth transition effects were added to provide better user experience. The design ensures a clean and simple interface for displaying notifications.