



CATALOGUE 2026

 www.turnmk.com.co

About



By opting for the TURN cylinder system, you are selecting an ideal entry level secure cylinder profile which offers high quality at an affordable price. The key is designed with built-in duplication resistance to ensure that it can only be copied by professional locksmiths. Designed as a master key system, TURN is perfect for use in complex installations. Unleash the power of TURN for all your security needs.

Benefits


A built-in duplication resistance in the key ensures that the TURN European Profile cylinder is extra well protected against unauthorized copying.

Excellent at deterring burglaries thanks to its high level of drill and pull protection.




Perfect for use in complex master key systems.

TURN is a high value, high volume product with affordable pricing.

Designed with an extra-wide key neck for security.



one key for all



MASTER KEY SYSTEM




Why Master Key Systems

To define, organize and control access to buildings, hotels, Hospitals, offices, factories, schools etc.


Planning

When planning the system, don't forget the building core. Core areas are generally maintenance areas: stairwells, mechanical rooms, electrical, phone and HVAC (Heating, Ventilation and Air Conditioning) areas. Normally, individual floors or department master's DO NOT operate these areas. Group them all under their own MK (or use changes under the grand, etc.). Key all similar core areas alike: one key symbol for all electrical areas; a second one for all pipe chases; a third for all mechanical rooms, etc. This reduces the need to issue master keys to maintenance personnel. Once the structure is determined, the next step is to determine the level of keying.




Level of Keying

First, we must understand the concept of level of keying. Think of it as level of authority in an organization. All systems should have structure like that of a corporate organizational chart.



Keyed Alike (KA)


All locks in the set can be opened with the same key. Many SKG 2-star cylinders are available in a keyed alike version, meaning multiple locks can be opened with the same key, offering convenience for properties with multiple doors.



Keyed Different (KD)

Each lock has its own unique key. If you have multiple locks that are Keyed Different, you'll need a separate key for each lock.


This means each lock in the system has a unique key that will not open any other lock within that same system. Each lock has its own individual key that is not interchangeable with any other lock in the set, according to lock system management information.



Master Key (MK)

A master key can open all locks within a system, including those that are Keyed Different or Keyed Alike.


In a Master Keyed system, each individual lock can only be opened by a key specifically designed for that lock, however there is also one key that can unlock all the locks in a set. Master Keys are beneficial for managers and supervisors to keep hold of if circumstances arise where individual keys go missing or they need to override the system and remove a lockout device.



Grand Master Key (GMK)

A grand master key sits at the highest level of access and can open all locks in a master key system, including those opened by the master key.

The Grand Master Keyed (GMK) system comprises multiple sets of distinct Lock King systems, with each system having its own independent Lock King. The locks within these Lock King systems cannot be opened by keys from other systems. However, the grand master key of the GMK system can unlock all locks within these Lock King systems, even if they have different key codes.



The Grand Master Keyed (GMK) system is an upgraded version of the MK system, encompassing all the features of the MK system and introducing a special key called the "grand master key." This grand master key can open all locks within the MK system. GMK systems are typically employed in settings requiring more complex hierarchical management, such as large organizations, enterprises, or school systems. In these environments, multiple independent departments and management levels exist, each with its own locks and master keys. Senior management can use the grand master key to open all departmental locks, providing heightened security and management flexibility.

Grand Master Key Benefits

Grand master key systems can address problems with key control, safety, management, security and privacy on your property.

Without it, you can find it challenging to restrict access to each room in the building and manage all the keys, which can be many based on the size of the property and the number of users.

Improved Security

With a GMK system, you may control the access and security levels for different members of the organization.

By doing this, you may stop worrying about staff members or other unauthorized visitors entering sections of the facility where they don't belong, such storage places for sensitive documents or locations where business meetings are being held.

Industrial Applications of Grand Master Key

Manufacturing Facilities

Due to the high number of employees and the number of access areas, many manufacturing plants require hierarchical access to security. Multi-key locks are used by the companies to ensure that operational areas are accessed only by authorized personnel.

Hospitality Industry

Hotels use GMKs to control access to guest rooms, administrative areas, and service areas. With a single key, managers can quickly and easily access all areas, enhancing efficiency and security.

Educational Institutions

Schools and universities have different areas that need different levels of access. For example, a GMK system here allows faculty to access labs and administrative offices while restricting student access to certain high-security areas.

Retail Operations

Large retail chains apply GMKs to control the number of accesses to storage rooms, corporate offices, and other sensitive areas. It is worth noting that this system improves operational efficiency and security in the retail industry.

Government and Defense Facilities

These spaces have some of the most sophisticated locking systems. The Grand master key is applied in these facilities to provide a high level of security while enabling easy access for authorized staff.

Corporate Offices

Large corporate offices have different departments and levels of access. In most cases, GMKs are used to unify key management while safeguarding sensitive areas such as data centers and executive offices.

Healthcare Facilities

Pharmacies, labs, and sensitive patient areas in hospitals all need selective access. Usually, hospitals rely on GMK systems to ensure that only approved personnel can go to these places.

Shipping and Logistics

Warehouses and distribution centers that deal with large volumes of inventory and shipments frequently use GMKs. This key system helps providers assign distinct access rights to particular storage and loading bay areas.

How to Choose the Grand Master Key

Security Needs Assessment

Evaluate the desired security level in the place of application. Determine the number of individuals needing access and the number of locations requiring different lock levels.

Keying Complexity

The GMK system's keying total complexity directly relates to the number of keys that can be created without being duplicated. A high keying complexity means that the system is more secure against unauthorized people.

EUROPEAN CYLINDERS



SKG is an independent Dutch organization that tests and certifies the quality and security of building hardware, including locks.

An SKG 2-star cylinder lock is a type of door lock cylinder that has been tested and certified by the Stichting Kwaliteitscentrum Gevelbouw (SKG) in the Netherlands for its burglar resistance. It indicates a moderate level of security, specifically designed to resist burglary attempts.

Building hardware that has been proven to be truly burglar-resistant can be certified by the SKG and may or should then be indelibly marked with the SKG star logo.

The SKG certificate shows whether the locks comply with the Dutch standard (NEN5089) for strength and durability.


Certification by the SKG also means that the quality of the products is monitored by the SKG through random tests. If a product meets the requirements, it receives a star rating.

Two-Star Rating

The "2-star" rating signifies that the lock offers a good level of burglar resistance. Specifically, it's designed to withstand attempts at forced entry.

Euro Profile Double Cylinder

TE3606.DC




Both sides opening by Key

- BS EN 1303:2015 Standard
- SKG2 Solid brass materials
- 70mm Length (35/35)
- Satin Nickel Finish.
- 6 pin cylinders.
- CAM 30°.
- Anti Drill Pin each side of the cylinder and core
- 2.5mm Nickel Silver Keys
- 65 mm length Screw.

Euro Profile Thumb Turn Cylinder

TE3606.TT





One side opening by thumb turn and other side by Key

- BS EN 1303:2015 Standard
- SKG2 Solid brass materials
- 70mm Length (35/35)
- Satin Nickel Finish.
- 6 pin cylinders.
- CAM 30°.
- Anti Drill Pin at cylinder end and core
- 2.5mm Nickel Silver Keys
- 65 mm length Screw.

Euro Profile Privacy Cylinder

TE3606.PC




One side opens by a thumb turn, and the other side by a coin (for emergency access).

- BS EN 1303:2015 Standard
- SKG2 Solid brass materials
- 70mm Length (35/35)
- Satin Nickel Finish.
- 6 pin cylinders.
- CAM 30°.
- Anti Drill Pin at cylinder end and core
- 2.5mm Nickel Silver Keys
- 65 mm length Screw.

Euro Profile half Cylinder

TE3606.SC



One side opening by key


- BS EN 1303:2015 Standard
- SKG2 Solid brass materials
- 45mm (10/35) Satin Nickel Finish.
- 6 pin cylinders.
- CAM 30°.
- Anti Drill Pin at cylinder end and core.
- 2.5mm Nickel Silver Keys
- 65 mm length Screw.

Euro Profile Half Cylinder With Thumb Turn TE3606.ST



One side opening by Thumb Turn

- BS EN 1303:2015 Standard
- SKG2 Solid brass materials
- 45mm (10/35) Satin Nickel Finish.
- 6 pin cylinders.
- CAM 30°.
- Anti Drill Pin at Cylinder end and core
- 2.5mm Nickel Silver Keys
- 65 mm length Screw.




ANSI CYLINDERS



An ANSI standard lock cylinder is a locking component that meets performance requirements set by the Builders Hardware Manufacturers Association (BHMA) (BHMA) under the American National Standards Institute (ANSI) accreditation, most notably ANSI/BHMA A156.5 or A156.30. These standards define criteria for mechanical and electrified cylinders, establishing performance levels through operational, strength, and security tests for features like durability, resistance to drilling and picking, and ease of use.

Types:

ANSI cylinders can be mortise cylinders (fitting into a mortise lock) or rim cylinders (mounted on the surface of the door) and can come with different keyways and pin configurations.



ANSI Cylinder Options

Cylinders are not supplied when ordering exit device or trim. Please order separately. The pages detailing exit device trim designs and functions advise cylinder type required.

Mortise Cylinder



Mortise Conventional Cylinder TA3100

How to Order -

TA3100-118-04-15-MKD-626

MODEL NO	LENGTH	RING	CAM	KEYING	FINISH
TA3100	118	04	01	KA	626
	138		10	KD	
	158		11	MKD	
			12		
			13		
			15		



Double Mortise Key Cylinder TA 2172KASC



Schlage "C" Keyway - Keyed Alike
1" Long, 6 Pin, 1-5/32" diameter
AR MS - Type Cam
Includes a 3/16" thick cylinder ring
Complete with two keys
Material: Aluminum
Finish: US28

Mortise Thumb turn Cylinder TA 2172Z



1" Long, 6 Pin, 1-5/32" diameter
AR MS - Type Cam
Includes a 3/16" thick cylinder ring
Material: Aluminum
Finish: US28

Mortise Dummy Cylinder TA2173Z



1-5/32" Diameter, 7/8" Long Cylinder
Includes a 3/16" thick cylinder ring
Material: Aluminum
Finish: US26

Mortise Cylinder

Mortise locks and cylinder locks are popular solutions in the door security space. They offer a great level of security in residential, commercial, institutional, and critical facilities.

A mortise lock is an ideal security solution for commercial facilities where frequency usage is high. In comparison to other locks, it is heavy, sturdy, and built with highly durable material to last for a long time. Mortise lock offers excellent reliability, strength and design specifically to knock out all types of vulnerabilities. Plus, it is easy to accommodate all kinds of doors by constructing a mortise pocket inside and providing incredible door security.



Mortise cylinders provide the core locking and unlocking mechanism for mortise locks. The threads on the outside of the cylinder allow it to be screwed into the mortise lock body, and the cam on the back rotates to operate the latch or deadbolt.

Applications:

Mortise cylinders are used in various applications, including commercial doors, exit devices, and other situations where a strong, secure locking mechanism is needed.

Rim Cylinders

Rim cylinders are used with auxiliary rim locks such as surface mounted deadbolts, night latches, panic devices and jimmy proof locks (also known as vertical drop bolts or interlocking deadbolts).



A CAM on the back of the cylinder operates the lock mechanism and a set screw holds the mortise cylinder in place.

Certifications

UL437 Listed

IC CORE and HOUSING



Small Format Interchangeable Core (SFIC)

TA3200

How to Order

Ex: TA3200-MKD-626



Interchangeable Core Housing (SFIC HOUSING)

TA3300

MODEL NO	LENGTH	RING	CAM	FINISH
TA3300	138	04	01	626
			10	
			11	
			12	
			13	
			15	

How to Order

Ex: TA3300-138-04-15-626



Knob/Lever Cylinder

TA3500

Standard cylinder- 1-1/4" long.

Please specify tail bar and keyway



IC core (Interchangeable Core)

An IC core (Interchangeable Core) cylinder is a type of lock cylinder that can be easily removed and replaced using a special control key. This design allows for quick and efficient rekeying of locks, making it ideal for situations where security needs to be frequently updated or when keys are lost or stolen. IC cores are commonly found in commercial settings like retail stores and office buildings.



Functionality

IC cores are designed to be easily swapped out of a lock housing, unlike traditional cylinders that require complete lock disassembly for rekeying.

Control Key

A special control key is used to remove and replace the IC core, allowing authorized personnel to change the lock keying without needing a locksmith.

Types:

There are two main types of IC cores: Small Format (SFIC) and Large Format (LFIC), which differ in size but function similarly.

Applications:

IC cores are frequently used in high-security environments like businesses, schools, and hospitals, where frequent rekeying is necessary.

Advantages

IC Cores offer quick rekeying, cost-effectiveness compared to replacing entire locks, and increased flexibility in managing access control.

Interchangeable core (I/C) offers maximum flexibility to the building owner. Whenever a key is lost or stolen, locks can be rekeyed quickly by non-locksmith personnel. All it takes is the special "control" key. This key is used to remove and install all cores in the system. Just go to the door, remove the old core and install the new one with the control key. Security is regained in seconds!

Construction core

Interchangeable core jobs requiring construction keying are furnished with temporary cores which are keyed alike to a combination unrelated to the permanent system's master key. When the building is turned over to the owner, the permanent cores are installed.





TUR NETHERLAND BV
+31 41 372 4988
mailbox@tur-nl.nl
www.tur.com.co
Retselseweg 6a,
5473 HC Heeswijk Dinther,
Netherlands.



TUR MIDDLE EAST FZC
+971 6 539 6440
Trade License No: 23473/23474
Office No: LV 32B
Hamriyah Free Zone,
Sharjah,
United Arab Emirates.



JAMES GIBBONS FORMAT LIMITED
+44 133 234 6521
operations@jgf.co.uk
www.jgf.co.uk
11-13 Jubilee Parkway,
Stores Road Derby,
DE21 4BJ, England, U.K.



TUR LANKA HOLDINGS (PVT) LTD.
+94 11 207 7123
Company No: PV 00220525
330/1, 3rd Lane,
Ekamuthu Mw,
Talangama North,
Talangama, Sri Lanka.



Corporate Headquarters
The Meydan Hotel Grandstand
6th floor, Meydan Road
Nad Al Sheba
P.O Box: 9305
Dubai, United Arab Emirates.