INTEGRATION DOCUMENTATION PAYOUT SERVICE (API)

V1.4 – 2025

I. OVERVIEW

I.1. DEFINITIONS

Terms	Description
Pay2Pay	Pay2Pay Payment Gateway
Merchant	Partners using the services of Pay2Pay

Bank	The bank where the partner's customers want to receive money
HTTPS	Secure Hypertext Transfer Protocol
TLS	Transfer Layer Security
Signature	To ensure data transmission between Merchant and Pay2Pay is secure and accurate, all data transmitted between the two parties will be encrypted and digitally signed to ensure data constraints.

I.2. DOCUMENT PURPOSE

The document describes the detailed steps necessary for partners to integrate into the Pay2Pay Payment Gateway system.

I.3. OBJECT

This document is used for partner developers to integrate into the Pay2Pay Payment Gateway system.

II. COMMUNICATION MODEL

The following figure describes an overview of the communication model between the Merchant's system and the Pay2Pay system.

- Pay2Pay uses HTTPS/TLS1.2 connection standard

- Every request sent from merchant must be authenticated by the JSON Web Token solution.

- Pay2Pay provides APIs according to Restful Webservice standards, transmitting and receiving data in JSON format.
- To ensure data transmission and reception between the two parties is secure and authentic, all data will be encrypted and digitally signed.

-

III. JSON WEBTOKEN AUTHORIZATION & DIGITAL SIGNATURE

III.1. JSON WEBTOKEN AUTHORIZATION

All requests from merchant to Pay2Pay system need to be authorized to ensure security.

Processing Flow:



Request:

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	The time of request. Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Body				
1	username	String	Mandatory	Login account name
2	password	String	Mandatory	Password hashed according to the SHA256 algorithm including username.

Respose:

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	accessToken	String	Used to access other APIs
4	refreshToken	String	Used to get new accessToken
5	expireIn	Number	Expired time of accessToken(seconds)
6	refreshExpiresIn	Number	Expired time of refreshToken(tính theo giây).

7	Profile	Object	Login profile if available

III.2. DIGITAL SIGNATURE

All data transmitted and received between the two parties will be encrypted and digitally signed.

ALGORITHM:

- Signature is created based on RSA-2048 algorithm.

- Merchant creates RSA-2048 key pair - including private key and public key - through online tools and sends Public key to Pay2Pay.

- Private key for merchant to create signatures.

- Public key provided by the merchant to Pay2Pay to verify the merchant's signature.

HOW TO CREATE A SIGNATURE:

Step 1: Filter and sort header parameters alphabetically (authorization, verification & fields prefixed with p-) and concatenate header values.

Step 2: Take the header values and combine them with the request body to get the result of the string to be

signed Step 3: Signature = SHA256withRSA(String to be signed in Step 2)

FOR EXAMPLE:

SHA256withRSA(RSA private key, “5d599b0b-c728-4c18-9748-17f38b4cc9a620240521115518MERCHANT-WEB{"username":"0982569888","password":"YTEyYWQxYjc3MGM0MTg4ZWQ5ZDQ3MTZlODNjYTJhZWRmOTFiMjliNj J hNzY0YjI4MzI3NWY5OGUyZWE2NWMwOA==}”)

RESULT OF SIGNATURE CREATION:

UNJDNul1ErQrci6RrNXfWFDnJUAXKSAOkZAejFDYCzqnm8jqZt5cns2lS0C1MVCbr1gm9mz5+OiJWJJPlx
xsd5hn9G0izWhg
vZ4MbLpYzzHFRmarLvqwsfSsJSAk5iaPlMMHHUy4hu5dr1XURRQjy42xJR6h/5vkyPLxzkjMEpeWYCd/d9
nQKfBi7vcp+zAP
wH+7vNzyT/37tqmT5sl/KYvoLPS47nOkJHuhOct8LmjQJmQBPGUiwr5U048/ZiqQmAb9Ki62/Dy8Vh3CWP
ybTKKLSfIXIvO glwNHhU0y7imLE6nVO5puBigLVg2BjX9M9MQzIr/42cD9x4nNMSs8Kw==

Refer link to check: https://static.pay2pay.vn/tools/RSA2048_Tools

IV. SYSTEM INFORMATION

IV.1. DOMAIN

Merchant will use the following domain for all Pay2Pay Payment Gateway APIs.

Environment	**URL**
Test	https://uat-api.pay2pay.vn
Production	https://api.pay2pay.vn

IV.2. MERCHANT ADMIN WEB INFORMATION

Merchant will be provided with an account to login the Merchant Administration Page built by Pay2Pay to track payment transactions.

Environment	**URL**
Test	https://uat-merchant.pay2pay.vn
Production	https://merchant.pay2pay.vn

Merchant Administration Page login account information will be provided when the two parties proceed with the integration.

IV.3. INFORMATION MERCHANT NEEDS TO PROVIDE

Merchant needs to provide the following information to Pay2Pay

Info	**Condtion**	**Description**
IP address	Mandatory	List of IP addresses wil be used to send requests to Pay2Pay. - Required on Production environment - Optional on Test environment.
ipn_url	Mandatory	URL to receive transaction results from Pay2Pay, sent immediately after confirmation from the bank.
redirect_url	Optional	URL for Pay2Pay to transfer customers to the merchant site, after the customer completes the transfer on the Pay2Pay site.
Public Key	Mandatory	The public key the merchant provides to Pay2Pay allows Pay2Pay to verify the merchant's signature when sending a request to Pay2Pay.

V. LIST OF API

V.1. LOGIN

API to get access token

URL: https://{DOMAIN}/auth-service/api/v1.0/user/login
Method: POST

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Body				
1	username	String	Mandatory	Login account name
2	password	String	Mandatory	Password hashed according to the SHA256 algorithm including username. Password value = SHA256(username + raw password). Ex: username: user password: 123456 Password value = SHA256(user123456) **Refer to this link** https://static.pay2pay.vn/tools/sha256_hex_base64

Respose

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	accessToken	String	Used to access other APIs

4	refreshToken	String	Used to get new accessToken
5	expireIn	Number	Expired time of accessToken(seconds)
6	refreshExpiresIn	Number	Expired time of refreshToken(tính theo giây).
7	Profile	Object	Login profile if available

EXAMPLE:

Request

```
curl --location 'https://{DOMAIN}/auth-service/api/v1.0/user/login' \
--header 'p-request-id: e3d072af-adf6-4d98-9188-5ba696fe7381' \
--header 'p-request-time: 20240520093724' \  -
header 'p-tenant: MERCHANT-WEB' \  --
header 'p-signature:
HLA0/lgWUpDVw+aGXcsNL8yZpgWl7zU/xhRanDi87K5Oj52+ZQJv4XOl4n66rYYyhyOxKw3Puw5hYZdDD
P7eOsvFO3b0kUu2
LONQxq+A4vIpyJETjaqGPgVOr2mPzOzgXjiAco44dXRQFPpfTKNOrJy+IcRMgMgDJB9ZgI6dp2yMrIw5Mp8
tFPeTEwYbpFTBFX
8XDlDfCPtBLydvTijWuExny+gmX4LgkuzH1Cz89cMn4+rMCudsJfeWWd09iVQ1FLQkH9XNOGXe3HEApv+
gSgaiLm/Hb3H9q5 hsDuzVRZTZaamd38YxlANoYTy7lY8tPgtc4PWwAVJ15V1Dv4lU6w==' \
--header 'Content-Type: application/json' \
--data '{
   "username": "098256988",
"password":
"YTEyYWQxYjc3MGM0MTg4ZWQ5ZDQ3MTZlODNjYTJhZWRmOTFiMjliNjJhNzY0YjI4MzI3NWY5OGU
yZWE2NWMwOA=="
}'
```

Response


```
{
   "code": "SUCCESS",
   "message": "Thành công.",
   "data": {
      "accessToken":
"eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJU
lJYRFprTER6UVZQekdBIn0.eyJleHAiOjE3MTYyNTc1MzAsImlhdCI6MTcxNjI1NjkzMCwianRpIjoiY2MzNzF
hYjUtOGM4YS00NjU0LWE2MzgtODNhN2YyNGY1MWUxIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wY
XlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJhY2NvdW50Iiwic3ViIjoiOWVhMmY3OGItNzg2
Zi00MTZlLWFlZGEtYWEyMGUzNjY0ZGQ3IiwidHlwIjoiQmVhcmVyIiwiYXpwIjoicGF5cGF5LXdhbGxldCIs
InNlc3Npb25fc3RhdGUiOiI5M2FhODFhZi0xNjlmLTQ5NDUtOTc4MS04ZTFkNjQyYjgwZjYiLCJhY3IiOiI
xIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyI
sInVtYV9hdXRob3JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6e
yJhY2NvdW50Ijp7InJvbGVzIjpbIm1hbmFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aW
V3LXByb2ZpbGUiXX19LCJzY29wZSI6IndhbGxldC1jbGllbnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI
6IjkzYWE4MWFmLTE2OWYtNDk0NS05NzgxLThlMWQ2NDJiODBmNiIsImVtYWlsX3ZlcmlmaWVkIjpmY
WxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDA3MCIsIm5hbWUiOiJkZWZhdWx0IGRlZmF1bHQiLCJncm91
cHMiOlsiL21hIiwiL21lcmNoYW50IiwiL29wcyJdLCJwcmVmZXJyZWRfdXNlcm5hbWUiOiIwNzgzMTgwODc
4IiwiZ2l2ZW5fbmFtZSI6ImRlZmF1bHQiLCJmYW1pbHlfbmFtZSI6ImRlZmF1bHQifQ.MZsB4742DAqNIQMy
4op9TdwrhUyAM6TL9WR mdXcD8FUMGRXJwuW-6XntQRyVZMKlfHNS_C-EIP44rAYV-
BMogLXdBWIPt1EVDDnEKHlGQU3RmUPnevFQNVyuCl6sfkNlwjB_u5MuOxZhJrT7rKYrEVLiKpuzUGK5f
z6dCk0foP5xQXHuz1t4edw2tK2vzFZYrKCY00wiUP_yKF7uAduf0le7TFLR_tkerEKhyYaQyPxdSaPggzxJF3Ut
fc_YB4mgQsXc0JkkGxHPfFPQA9RKZbc5GE9x_VZpd2r1nwq_I0TX5SEVJUUT72dCiCZktJ
pmnFuw7U0Me7FFHUh0qpQ",
      "refreshToken":
"eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICI3MTljOTI0ZS1jY2U3LTQ5NTMtODYzZi1kZjU0N
TkxNDJkZWIifQ.eyJleHAiOjE3MTYyNTg3MzAsImlhdCI6MTcxNjI1NjkzMCwianRpIjoiZTYzMTMxOTItND
kzMC00M2ViLWFkYjYtZjA2NjhlZDk5ZjgzIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLn
ZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJodHRwczovL3BwaWQudWF0LnBheXBheS5jb20udm4vcmVhbG1z
L3dhbGxldCIsInN1YiI6IjllYTJmNzhiLTc4NmYtNDE2ZS1hZWRhLWFhMjBlMzY2NGRkNyIsInR5cCI6IlJlZn
Jlc2giLCJhenAiOiJwYXlwYXktd2FsbGV0Iiwic2Vzc2lvbl9zdGF0ZSI6IjkzYWE4MWFmLTE2OWYtNDk0NS0
5NzgxLThlMWQ2NDJiODBmNiIsInNjb3BlIjoid2FsbGV0LWNsaWVudC1zY29wZSBlbWFpbCBwcm9maWxlI
iwic2lkIjoiOTNhY
```

TgxYWYtMTY5Zi00OTQ1LTk3ODEtOGUxZDY0MmI4MGY2In0.KSaklQgGp3Hz4oW6ConKRUC1Bd0eBgl
PSNor0YwqCj4",
"expireIn": "600",
"refreshExpiresIn": "1800",
"profile": null
}
}

V.2. REFRESH TOKEN

API to get new access token

URL: https://{DOMAIN}/auth-service/api/v1.0/user/refresh

Method: POST

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Body				
1	refreshToken	String	Mandatory	Used to get new access token

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	accessToken	String	Used to access other APIs
4	refreshToken	String	Used to get new accessToken
5	expireIn	Number	Expired time of accessToken(seconds)
6	refreshExpiresIn	Number	Expired time of refreshToken(tính theo giây).

EXAMPLE:

Request

```
curl --location 'https://{DOMAIN}/auth-service/api/v1.0/user/refresh' \
--header 'p-request-id: 237b185a-42ae-4951-9032-493f6b8e30e5' \
--header 'p-request-time: 20240521090414' \
```

--header 'p-tenant: MERCHANT-WEB' \ --header
'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQekdBIn0.eyJleHAiOjE3MTYyNTc1MzAsImlhdCI6MTcxNjI1NjkzMCwianRpIjoiY2MzNzF
hYjUtOGM4YS00NjU0LWE2MzgtODNhN2YyNGY1MWUxIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wY
XlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJhYNvdW50Iiwic3ViIjoiOWVhMmY3OGItNzg2Z
i00MTZlLWFlZGEtYWEyMGUzNjY0ZGQ3IiwidHlwIjoiQmVhcmVyIiwiYXpwIjoic
GF5cGF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiI5M2FhODFhZi0xNjlmLTQ5NDUtOTc4MS04ZTFkNjQyY
jgwZjYiLCJhY3IiOiI
xIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyI
sInVtYV9hdXRob3J
pemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50Ijp7I
nJvbGVzIjpbIm1hb
mFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29wZS
I6IndhbGxldC1jbGll
bnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6IjkzYWE4MWFmLTE2OWYtNDk0NS05NzgxLThlMWQ
2NDJiODBmNiIsIm
VtYWlsX3ZlcmlmaWVkIjpmYWxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDA3MCIsIm5hbWUiOiJkZWZhd
Wx0IGRlZmF1bHQi
LCJncm91cHMiOlsiL21hIiwiL21lcmNoYW50IiwiL29wcyJdLCJwcmVmZXJyZWRfdXNlcm5hbWUiOiIwNzgz
MTgwODc4IiwiZ2l
2ZW5fbmFtZSI6ImRlZmF1bHQiLCJmYW1pbHlfbmFtZSI6ImRlZmF1bHQifQ.MZsB4742DAqNIQMy4op9Td
wrhUyAM6T-
L9WRmdXcD8FUMGRXJwuW-6XntQRyVZMKlfHNS_C-EIP44rAYV-
4BMogLXdBWIPt1EVDDnEKHlGQU3RmUPnevFQ-
NVyuCl6sfkNlwjB_u5MuOxZhJrT7rKYrEVLiKpuzUGK5fz6dCk0foP5xQXHuz1t4edw2tK2vzFZYrKCY00wiU
P_yKF7uAduf0le7T
FLR_tkerEKhyYaQyPxdSaPggzxJF3Utfc_YB4mgQsXc0JkkGxHPfFPQA9RKZbc5GE9x_VZpd2r1nwq_I0TX5S
EVJUUT72dCiCZktJ pmnFuw7U0Me7FFHUh0qpQ' \
--header 'p-signature:
ZvNkKQyDumByQd/JReUOQrY3cIZm8CHTLCThMw65U4QWg7LzkSha8EtOrlDv1PjLwRCbbzpckJBIjhlBhv
OzISZJ7OEb9lnNm
qcH1m3G7DpSdw+H1hyUMb7kFhPvm9H+Gdf8uwzATOpsYwNmYMD+U8A4Y9vcC5EiUWjvDoI8UDSKM
WQVpELW4TEo+g
sHq4CLwv9A68sh05LOKk3o9FJK4hm0vY5kZwZQYb9qjFsv9tk5gNmalabAiBl0n8bwyS7pZVNEJZEimSLGM
XoMwhwgf9olEl/a GsT249Ce/0/QzJk8DVx3slu3QL9Zl6En6SX4YvnqVrW3EdrI1IFSLks8hA==' \ --header
'Content-Type: application/json' \
--data
'{"refreshToken":"eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICI3MTljOTI0ZS1jY2U3LTQ5NTMtO
DYzZi1kZjU0NTkx
NDJkZWIifQ.eyJleHAiOjE3MTYyNTg3MzAsImlhdCI6MTcxNjI1NjkzMCwianRpIjoiZTYzMTMxOTItNDkzM
C00M2ViLWFkYjYtZj
A2NjhlZDk5ZjgzIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZX
QiLCJhdWQiOiJodHR
wczovL3BwaWQudWF0LnBheXBheS5jb20udm4vcmVhbG1zL3dhbGxldCIsInN1YiI6IjllYTJmNzhiLTc4NmYt
NDE2ZS1hZWRhL
WFhMjBlMzY2NGRkNyIsInR5cCI6IlJlZnJlc2giLCJhenAiOiJwYXlwYXktd2FsbGV0Iiwic2Vzc2lvbl9zdGF0ZS
I6IjkzYWE4MWFmLT
E2OWYtNDk0NS05NzgxLThlMWQ2NDJiODBmNiIsInNjb3BlIjoid2FsbGV0LWNsaWVudC1zY29wZSBlbWF
pbCBwcm9maWxlI
iwic2lkIjoiOTNhYTgxYWYtMTY5Zi00OTQ1LTk3ODEtOGUxZDY0MmI4MGY2In0.KSaklQgGp3Hz4oW6Co
nKRUC1Bd0eBglPSN or0YwqCj4"}"

Response

{
"code": "SUCCESS",
"message": "Thành công.",
"data": {
"accessToken":
"eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJU
lJYRFprTER6UVZQekdBIn0.eyJleHAiOjE3MTYyNzQzMjUsImlhdCI6MTcxNjI3MzcyNSwianRpIjoiMTg3NG
Y0YTEtNGVlOS00YzcxLWI4MWYtZWU2NzNjMTA3MTdiIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wY
XlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJhY2N
vdW50Iiwic3ViIjoiNjQ2YmQ5NGItMTI0MC00NTNkLWI0NTYtZjY1OWRkN2MzOTFjIiwidHlwIjoiQmVhcm
VyIiwiYXpwIjoicGF
5cGF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiJhNDlhMzQ3NC05Y2Y0LTQwZmEtYTY2Ny0zZGE1ZjlkMz

AyM2MiLCJhY3IiOiI
xIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyI
sInVtYV9hdXRob3J
pemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50Ijp7I
nJvbGVzIjpbIm1hb
mFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29wZS
I6IndhbGxldC1jbGll
bnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6ImE0OWEzNDc0LTljZjQtNDBmYS1hNjY3LTNkYTVm
OWQzMDIzYyIsImVt
YWlsX3ZlcmlmaWVkIjpmYWxzZSwibmFtZSI6ImRlZmF1bHQgZGVmYXVsdCIsImdyb3VwcyI6WyIvbWEiL
CIvbWVyY2hhbnQiL
CIvb3BzIiwiL3NidiIsIi93YWxsZXQiXSwicHJlZmVycmVkX3VzZXJuYW1lIjoiMDk4MjU2OTg4NyIsImdpdm
VuX25hbWUiOiJkZW
ZhdWx0IiwiZmFtaWx5X25hbWUiOiJkZWZhdWx0In0.rcfDum_bLNoWYXqXQuWgIiaczSKizvG177qpS19XD
GmJZw5OMrJGCI
DapET0URkYF4iOXjhieERHnhTB_NaEjDkObAt6h6Y4wuZsTX3TpDGbekzglPQxO_8ananHZ7G_X-
iNjz4vuape-UwLB581NunNL7wm0GP3kZ_H3qAV-
sS3JDqnT5SwOIFRrK2Trn2LWMRHb78HwIln5py0djW5mltgOS-
TpBjAZ9erEhwVXHSbl414jFnyTR2NPVrUVjbQXsO9cyYiBJx_HF2QtRu453pQTctNxm8UbtyTo5AXThjf21
UaTsmtFrfdu1dtAq mH5Nj_Q89I_rWb-rtehrg",
 "refreshToken":
"eyJhbGciOiJIUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICI3MTljOTI0ZS1jY2U3LTQ5NTMtODYzZi1kZjU0
NTkxNDJkZWIifQ.eyJle
HAiOjE3MTYyNzU1MjUsImlhdCI6MTcxNjI3MzcyNSwianRpIjoiNzdlYmVmYjQtOWI1OC00NTFmLWI4M
GYtNGY1Y2JhNWU0
NzQ5IiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdW
QiOiJodHRwczovL3Bw
aWQudWF0LnBheXBheS5jb20udm4vcmVhbG1zL3dhbGxldCIsInN1YiI6IjY0NmJkOTRiLTEyNDAtNDUzZ
C1iNDU2LWY2NTlkZDdjMzkxYyIsInR5cCI6IlJlZnJlc2giLCJhenAiOiJwYXlwYXktd2FsbGV0Iiwic2Vzc2lvb
l9zdGF0ZSI6ImE0OWEzNDc0LTljZjQtNDBm
YS1hNjY3LTNkYTVmOWQzMDIzYyIsInNjb3BlIjoid2FsbGV0LWNsaWVudC1zY29wZSBlbWFpbCBwcm9
maWxlIiwic2lkIjoiYTQ
5YTM0NzQtOWNmNC00MGZhLWE2NjctM2RhNWY5ZDMwMjNjIn0.iLjLIf815LwqbSF2GVqD43y7WVyM
R-UXX-
IfLN9NaBk",
   "expireIn": "600",
   "refreshExpiresIn": "1800"
  }
}

V.3. BALANCE

API to get the merchant's payout balance

URL: https://{DOMAIN}/merchant-transaction-service/api/v1.0/balance/technical-wallet

Method: GET

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	totalLock	Number	Locked total
4	totalBalance	Number	Balance
5	service	String	Service type (included only when the response contains an array of objects)

EXAMPLE:

Request

```
curl --location 'https://{DOMAIN}/merchant-transaction-service/api/v1.0/balance/technical-wallet' \
    --header 'p-request-id: f0b22339-18b5-44e8-b4bd-986e66783d71' \
    --header 'p-request-time: 20241218150605' \
    --header 'p-tenant: VINA' \
    --header 'Authorization: Bearer
    eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJfWnVXT3VnUDR5RUVEb3FSWkgwRFFWdnJVcnB
```

lck1qWEFTcE1yYnhJ
ZExFIn0.eyJleHAiOjE3MzQ1MDk2NzUsImlhdCI6MTczNDUwOTA3NSwianRpIjoiMTUwOGY5YWEtNjYxN
C00MjE4LTljZGEtZG
Q3MGYxN2NjYWVkIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnByb2QucGF5cGF5LmNvbS52bi9yZWFsbXMvcGF
5cGF5IiwiYXVkIjoiY
WNjb3VudCIsInN1YiI6IjVmYWJlMWNlLWYwNjQtNDE5Yy1hNDhiLTc4ZGRhOTliYjBkNiIsInR5cCI6IkJlY
XJlciIsImF6cCI6InBheX
BheS1jbGllbnQiLCJzZXNzaW9uX3N0YXRlIjoiMjcyNmYxYjYtMTMwYS00OGUzLWIzMGQtZWNiNjlkNjY
zNDJkIiwiYWNyIjoiMS
IsImFsbG93ZWQtb3JpZ2lucyI6WyIvKiJdLCJyZWFsbV9hY2Nlc3MiOnsicm9sZXMiOlsib2ZmbGluZV9hY2Nlc
3MiLCJ1bWFfYXV
0aG9yaXphdGlvbiIsImRlZmF1bHQtcm9sZXMtd2FsbGV0Il19LCJyZXNvdXJjZV9hY2Nlc3MiOnsiYWNjb3Vu
dCI6eyJyb2xlcyI6W
yJtYW5hZ2UtYWNjb3VudCIsIm1hbmFnZS1hY2NvdW50LWxpbmtzIiwidmlldy1wcm9maWxlIl19fSwic2NvcG
UiOiJlbWFpbCB
wcm9maWxlIiwic2lkIjoiMjcyNmYxYjYtMTMwYS00OGUzLWIzMGQtZWNiNjlkNjYzNDJkIiwiZW1haWxfd
mVyaWZpZWQiOm
ZhbHNlLCJtZXJjaGFudElkIjoiUFAwMDAwMDY5IiwiZ3JvdXBzIjpbIi9tZXJjaGFudCIsIi9vcHMiLCIvc2J2Il0s
InByZWZlcnJlZF91c2V
ybmFtZSI6ImxldHVhbiIsImVtYWlsIjoidHVhbmxlYW5oQHBheXBheS5jb20udm4ifQ.J7_aNEcv49sGGSp_MAn
MI1xjVQlr7fV9
_rW4x1DWdvrkyBwn7jrWPWDx2Gz6_adk6eCuMnJ0_0xxwlfxVI3rawxOoT2tFtrWMh3aHr6OdgnN9w1fMgnU
1_72XIGumn C-z9J0fiE1SZcZzIMVif8dfMGG0-
H4UPavzfxJDIRR2vJBe5gDzx34n853Mgbm3f6nbku6C05GQeoaERT3mLBLGJUtZVCG89qqB-t-
43fpe8csPWtOwzUX3kxtFOwnssIIARe0wBjp5AKwLzQz01vvyMRRqcpSv0QFOcPMm-
5SWBTHVbZ1y53gl_7_4NGmSdZPLhTf1Cc649-R_OCr2T0uw' \
--header 'p-signature:
baH48rd+pBFmQ34yXXCVr5Nh1po0ZEcFn9iLrPpyY57Bvs4ZCjTadp1MgNm5UPL/Qlf2qRUFU6zR6A+1kME
jBJBob1xblTde77
/Gg1YaNDFI81tczi42j8WOeGZ3/9Tc6YBq9uQ+Q4i9f/ds83pBwchm0ww1JxkT95oDIXE4fX5E4j/h2KrBaH4H
HPVTuQwjHs/6
dq6ATsGxrdMvm4qmx38hxNzK89n/gqVHj5JhfpRN+2+DK2bDZDhisKLzkKidkYDzX7KtnYtsDupgIGNr35znb
b8+A1AtWftIQ1p k3CVQ7wwvwCmbHdAuWD2EzkckSDloU2L1JTnGq2TCZd67EA==' \
--header 'Content-Type: application/json' \

Response

{
  "code": "SUCCESS",
  "message": "Thành công",
  "data": [
    {
      "totalLock": 0,
      "totalBalance": 90000,
      "service": "collectGateway"
    },
    {
      "totalLock": 0,
      "totalBalance": 0,
      "service": "collectWallet"
    },
    {
      "totalLock": 0,
      "totalBalance": 26000,
      "service": "payOnBehalf"
    }
  ]
}

V.4. LIST BANK

API to get list of supported banks

Link API: https://{DOMAIN}/bank-gateway-service/mch/api/v1.0/bank

Method: GET

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	bankId	String	Bank ID in Pay2Pay system
4	binCode	String	Bin code of the bank
5	name	Object	Bank Name in English & Vietnamese
6	Limit.min247	Number	Minimum amount
7	Limit.max247	Number	Maximum amount

EXAMPLE:

Request

```
curl --location 'https://{DOMAIN}/bank-gateway-service/mch/api/v1.0/bank' \
--header 'p-request-id: de91685a-1318-422e-82da-d7fef71cf065' \
--header 'p-request-time: 20240520152939' \
--header 'p-tenant: MERCHANT-WEB' \
```

--header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQek
dBIn0.eyJleHAiOjE3MTYxOTQzNjYsImlhdCI6MTcxNjE5Mzc2NiwianRpIjoiNzg5MDQ3MTctM2U4Yi00NTY
3LWE4NTgtOWI2 M
GVkYTg2NDdjIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQi
LCJhdWQiOiJhY2Nvd
W50Iiwic3ViIjoiNjc0NTgzYzMtOWE1MC00OTMwLTk3N2UtM2I0YmE1MmE4ZDNiIiwidHlwIjoiQmVhcmV
yIiwiYXpwIjoicGF5
cGF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiJlYmIxM2I1ZC1kNmU3LTQxNWMtODRmZS1mNGY2ZWY0
NzAxMTAiLCJhY3Ii O
iIxIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2Vzc
yIsInVtYV9hdXRob3
JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50Ijp7
InJvbGVzIjpbIm1hb
mFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29wZS
I6IndhbGxldC1jbGll
bnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6ImViYjEzYjVkLWQ2ZTctNDE1Yy04NGZlLWY0ZjZlZj
Q3MDExMCIsImVtYWl
sX3ZlcmlmaWVkIjpmYWxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDA3MCIsImdyb3VwcyI6WyIvbWVyY2
hhbnQiLCIvb3BzIl0s
InByZWZlcnJlZF91c2VybmFtZSI6InR1YW5sZSJ9.b1IQXYQEWNZWakFVgL3v1OWHq_jPk0QXWMlfIGGV
NNgQ85Szoew7mEC c9HhDmjv4j5EiSnvDIneOGvO-
oe2HtOMKfUJg5TepJANSz06FPL0ipELTd2OQdgRld8SXF4VuMlI5FaJmqNKHsE-
TjsRIZSMYXxGCpTVmdN3BMSUXu5i1znOyVYeSOzLFmAACKUU_9nqIR_gcgC4R7LiXHsiJV_DTaXJ6Xd
IWMBB9xoFzTTVq3Q W
ire6T8cqsyjm7o9MQCA3taLhzYd2JL38q_E9TsBKUlc9BWeaIHzaKaAR2xRLQj4rnUjrxn0degs1DpLcVje1KlA
goUgkgqQicfiw' \
--header 'p-signature:
MmjmrsAE354Y75dvlnHtaYzAuwWXvDVB4wPjxFTUHDrJofP1nvpJoKSmA0y5YYNs61oo4XJ0yeCtgAMgg0
m0KquOvPXdAxiu
x5OntKjpC+8z8yAIj82CGXqBFgl1QC20/dXxEabmoYVkCe3T49uTsP9jqeJvl4pODyTHANpf2XwVgrpFvB7pL
981U7C/bilme1Es
+
wSb3bA16FMuqC7M0/jeAU2kjLPY2sJvckG6hvOiPSO3cskexmLlwKvbyEJESKmQvATlLSueubB8jcgLdRW3h
p9Y6CO4qoKPWr / Iq9zaVF6GQUHJVQaqMSdSJNezXkSlov/toBLfUfJVM2BDpA=='

Response

{
"code": "SUCCESS",
"message": "Thành công.",
"data": [
{
"bankId": "BIDV",
"binCode": "970418",
"name": {
"vi": "Ngân hàng TMCP Đầu tư và phát triển Việt Nam",
"en": "Bank for Investment and Development of Vietnam"
},
"shortName": "BIDV",
"bg": "https://static.pay2pay.vn/bank-background/5-bidv.png",
"bgDetail": "https://static.pay2pay.vn/bank-background-detail/5-bidv.png",
"connectType": "DIRECT",
"icon": "https://static.pay2pay.vn/bank-logo/5-bidv.png",
"order": -1,
"limit": {
"minCashin": 10000,
"maxCashin": 5000000,
"minCashout": 10000,
"maxCashout": 5000000,
"min247": 50000,
"max247": 5000000
},
"allowLink": true,
"allow247": true

```
    },
    {
      "bankId": "TCB",
      "binCode": "970407",
      "name": {
        "vi": "Ngân hàng TMCP Kỹ thương Việt Nam",
        "en": "Vietnam Technological and Commercial Joint Stock Bank"
      },
      "shortName": "Techcombank",
      "bg": "https://static.pay2pay.vn/bank-background/4-techcombank.png",      "bgDetail":
"https://static.pay2pay.vn/bank-background-detail/4-techcombank.png",
      "connectType": "NAPAS",
      "icon": "https://static.pay2pay.vn/bank-logo/4-techcombank.png",
      "order": 24,
      "limit": {
        "minCashin": 10000,
        "maxCashin": 2000000,
        "minCashout": null,
        "maxCashout": null,
        "min247": null,
        "max247": null
      },
      "allowLink": false,
      "allow247": true
    }
  ]
}
```


V.5. GET BANK ACCOUNT NAME

API to get the name of input bank account number

Link API: https://{DOMAIN}/bank-gateway-service/mch/api/v1.0/pob/get_name

Method: POST

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
				-

Body				
1	bankId	String	Mandatory	Bank ID from List Bank API
2	bankRefNumber	String	Mandatory	Bank account number to be check

Response

#	**Parameters**	**Data Type**	**Description**
1	code	String	Result code
2	message	String	Message
3	bankId	String	Bank ID
4	bankRefNumber	String	Bank Account Number
5	bankRefName	String	Bank Account Owner's Name

EXAMPLE:

Request

curl --location 'https://{DOMAIN}/bank-gateway-service/mch/api/v1.0/pob/get_name' \
--header 'p-request-id: eecd9246-2de8-4200-8bff-497868c5c5b3' \
--header 'p-request-time: 20240520153709' \
--header 'p-tenant: MERCHANT-WEB' \
--header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQek
dBIn0.eyJleHAiOjE3MTYxOTQ3NDAsImlhdCI6MTcxNjE5NDE0MCwianRpIjoiMzIyMzA4M2QtMTJkMC00
NTIwLWE5NzMtNT
A3OTM0YWE1N2RhIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWx
sZXQiLCJhdWQiOiJhY
2NvdW50Iiwic3ViIjoiNjc0NTgzYzMtOWE1MC00OTMwLTk3N2UtM2I0YmE1MmE4ZDNiIiwidHlwIjoiQmV
hcmVyIiwiYXpwIjo i
cGF5cGF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiI5NDA5YjFhMS1mM2E1LTRhMWYtOGEzNS0yY2Q5Y
mE0YWYyZTkiLCJhY
3IiOiIxIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2
VzcyIsInVtYV9hdXR
ob3JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50
Ijp7InJvbGVzIjpbIm
1hbmFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29
wZSI6IndhbGxldC1j
bGllbnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6Ijk0MDliMWExLWYzYTUtNGExZi04YTM1LTJjZD
liYTRhZjJlOSIsImVtY
WlsX3ZlcmlmaWVkIjpmYWxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDA3MCIsImdyb3VwcyI6WyIvbWVy
Y2hhbnQiLCIvb3BzI
l0sInByZWZlcnJlZF91c2VybmFtZSI6InR1YW5sZSJ9.UqyXkRdZLJGht25UlH2gdbqPneLyiiYm7uuJiXU0QCB
_s7p7OqXpQhtI92I
_ZS7oG9EQmjz5dao-
L2XJS5DqZQTs3AWyD7EvShqgVVhosZo4BBaq5TiUTd2prBbWi_ld3xwXnVj6fdJ0FkxxZVm6mU-

5Ixhu8ePUEZvyFh9FJHhoVe5mpZbzbRk7qS5GTvmiWeOBA19B2mXv_B3Ms9oKeuYBEFBIBFjXRvktRoIIs_taha1v5brujg_3Teph7Ui6uU5WLjijoXt4epXYpof3oPx_p8JVdUCA6BzFGlgpD66fSquNjiG6azvQmGKPIRTMISnnxa_fSWuS95uan_w' \
--header 'p-signature: W2CaPNOBhQR1FWjG63rd8hFu6bTsuynplCMYSzo5NvMQvxsxeIp93IlPlJgo5+S44tgJ6tLtirqGKA0ZoYWBrfDvibGEITXoTgtcR r7zA/Pg+W0NrJ1ftnuySQo/raBEdnGx2QE8WuSPy26jWVVcy+txcmeUZAv1d39SK6tdkBww8PRxjCXJp8RriGR/8q8UGMNns U yuKJl14qU2Fk/6or4rzJJhFvFl9vk+hMR/RC0XMIwvdOkiDbrPpoX/oGcMd/6I2vbgxR8shKlOlUIq4X4ktsAXilhgAQxOQiw8a5Cr uNZc16q/UP935z4EYdk8JfODrhKkbPiaCISC+x0nuA==' \
--header 'Content-Type: application/json' \
--data '{"bankId":"BIDV","bankRefNumber":"1023020330000"}'

Response

{
"code": "SUCCESS",
"message": "Thành công",
"data": {
"accountType": "ACCOUNT",
"bankId": "BIDV",
"bankRefName": "NGUYEN VAN A",
"bankRefNumber": "1023020330000"
}
}

V.6. IMPLORE TRANSFER - Asynchronous

API is used for authentication before transfer.

URL: https://{DOMAIN}/auth-service/api/v1.0/implore-auth

Method: POST

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Body				
1	phone	String	Mandatory	This field is the username (login account name)

2	api	String	Mandatory	The parameter must be passed exactly as shown below /merchant-transaction-service/api/v2.0/transfer_247
3	authMode	String	Mandatory	Must use this value exactly: PASSCODE.
4	authValue	String	Mandatory	The passcode of the login account is hashed according to the SHA256 algorithm including username. The passcode is not the same with password, it's used for transfer. This passcode the merchant needs to set up on the Merchant Admin Page. Passcode value = SHA256(username + raw Passcode). Ex: username: user passcode: 123456 Passcode value = SHA256(user123456) **Refer to this link** https://static.pay2pay.vn/tools/sha256_hex_base64

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	verifiedKey	String	Transfer authentication key. This parameter is passed in the header when using the transfer247 API.

EXAMPLE:

Request curl --location 'https://{DOMAIN}/auth-service/api/v1.0/implore-auth' \

```
--header 'p-request-id: 2aa536ef-9f8f-47ef-b2dd-5f2fb9cd69fe' \
--header 'p-request-time: 20240520180733' \
--header 'p-tenant: MERCHANT-WEB' \
--header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQek
dBIn0.eyJleHAiOjE3MTYyMDM4NDUsImlhdCI6MTcxNjIwMzI0NSwianRpIjoiYjg0OGI5YzItNjRkOS00N2Rl
LThlMzMtYWZmOD
JlNDVlYWNmIiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQi
LCJhdWQiOiJhY2Nvd
```

W50Iiwic3ViIjoiOWVhMmY3OGItNzg2Zi00MTZlLWFlZGEtYWEyMGUzNjY0ZGQ3IiwidHlwIjoiQmVhcmVyIiwiYXpwIjoicGF5c
GF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiJhYTg1ZmFkNS04OGU3LTRjNWUtOWQ0ZC02YjE5MjgxYzFiOWEiLCJhY3IiOiIxIi
wiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyIsInVtYV9hdXRob3Jpe
mF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50Ijp7InJvbGVzIjpbIm1hbmF
nZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29wZSI6IndhbGxldC1jbGllbn
Qtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6ImFhODVmYWQ1LTg4ZTctNGM1ZS05ZDRkLTZiMTkyODFjMWI5YSIsImVtY
WlsX3ZlcmlmaWVkIjpmYWxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDA3MCIsIm5hbWUiOiJkZWZhdWx0IGRlZmF1bHQiLCJ
ncm91cHMiOlsiL21hIiwiL21lcmNoYW50IiwiL29wcyJdLCJwcmVmZXJyZWRfdXNlcm5hbWUiOiIwNzgzMTgwODc4IiwiZ2l2Z
W5fbmFtZSI6ImRlZmF1bHQiLCJmYW1pbHlfbmFtZSI6ImRlZmF1bHQifQ.pksRuaNqKp_5AenhcKL-
YeJBwZAHRpKwkNF1lGxAU7Gqnp6rClHokNoWICP8iIMsjwg4s-
TM79L5btoaDaQgnxrfhyvaVQV5gC0lm5XAhU_FJz1Mk_wQYo5aKEZstXPekpaw4JlZ0tHtppILyKVsu8iWMa
ERly5NHq8ebiJg0
6uikrZXzFWn7lorv14pIJ0fcEHj3TzbW9rrpqOJaoevFGKDwl3TZLynyZeYPYw76w6B5OF25_qNrn1aCpTfv3g
HEoCr83HlGFzadx
HAOqgbVwGzrOnHdXtcF8opHg8ROuXCjHzg41RZc6pG8fW5hPeUqwlQMLxPi76RQkrTkGB9ow' \
--header 'p-signature:
I9ft94m9ldFmlxwQ7/eWt1oBCHXxEYvyRTv0J/F2MdB/XCgxdXZLMVJYBy1Ov63tIeeLsOWKQW/i3WIdh4l
CNLVD0F1nKj4xK9
kUt0W8WRILxaSm+nuB7GbRO22uXHWfhkr3FC7sTH+De9IMEdVk/4rwQBGkWqUcct6qERGghpnZ814sfNv
WTZNlrtneEh5A
LbgVIuUePZGLbiKzylXB1JKrM9c4iJmannYAq9oMxA332EXJ8Dcz9rLVOyDmzW3W/Ks/0sEBoCswvPf9XVs
CRcj3rxgg2cCFQCR f
+edWtO3G7DB2mUY0QxcMlt7cLPuolxr+92o3PM2j+H/lWaKqHQ==' \
--header 'Content-Type: application/json' \
--data '{
  "authValue":
"OGVlOTQ2Y2FiMzRlYzRjN2ZhNDVmNWFkOTcwMDA1NTZjNDVjY2YxZDFkYzAxODRjNzA5YzJmYjQ
0OTY1NTI2Mg==",
"phone": "0783180878",
  "api": "/merchant-transaction-service/api/v2.0/transfer_247",
  "authMode": "PASSCODE"
}'

Response

```
{
  "code": "SUCCESS",
  "message": "Thành công.",
  "data": {
    "verifiedKey": "562523104ddc451d8c2771c896ead0af"
  }
}
```

V.7. TRANSFER247V2 - Asynchronous

This API is used for ASYNCHRONOUS transfers; there is an IPN callback to the merchant.

URL: https://{DOMAIN}/merchant-transaction-service/api/v2.0/transfer_247

Method: POST

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system

2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS **Note:** It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
6	verification	String	Mandatory	Transfer authentication key. It's the result of API Implore Transfer247(IMPLORE TRANSFER – Asynchronous)
Body				
1	audit	Number	Mandatory	Random number with length 16
2	amount	Number	Mandatory	Total will be transfer
3	bankId	String	Mandatory	Bank ID
4	bankRefNumber	String	Mandatory	Bank Account Number
5	bankRefName	String	Mandatory	Bank Account Owner's Name
6	bankCode	String	Mandatory	Bank Bin Code
7	content	String	Mandatory	Transfer Note

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	traceNumber	Number	Trace Number to be track the transfer transaction

EXAMPLE:

Request

curl --location 'https://{DOMAIN}/merchant-transaction-service/api/v2.0/transfer_247' \ --header 'p-request-id: 09bb1393-8b61-4549-9350-eec5d9148f78' \ --header 'p-request-time: 20250419162422' \ --header 'p-tenant: MERCHANT-WEB' \ --header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUlJYRFprTER6UVZQe
kdBIn0.eyJleHAiOjE3NDUwNTY0NjAsImlhdCI6MTc0NTA1NDY2MCwianRpIjoiMmM4OWFjODQtYTMyNC00OGY3LTgwNjkt
OWMxOGNjYzBlMmM5IiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5wYXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiO
iJhY2NvdW50Iiwic3ViIjoiYjNmZWU5MmMtODNhMS00Mjc5LWJlMTUtYWI5OTIxM2ZhYzdlIiwidHlwIjoiQmVhcmVyIiwiYXp
wIjoicGF5cGF5LXdhbGxldCIsInNlc3Npb25fc3RhdGUiOiIzNzRhYjE0NS0xZDQ4LTRjZDQtODMwYS01ZDk5NjczNzNjYWUiLCJh
Y3IiOiIxIiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyIsInVtYV9hd
XRob3JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6eyJhY2NvdW50Ijp7InJvbGVzIjp
bIm1hbmFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aWV3LXByb2ZpbGUiXX19LCJzY29wZSI6IndhbGxl
dC1jbGllbnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI6IjM3NGFiMTQ1LTFkNDgtNGNkNC04MzBhLTVkOTk2NzM3M2N

hZSIsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwibWVyY2hhbnRJZCI6IlBQMDAwMDAzMiIsImdyb3VwcyI6WyIvbWVyY2hhbn
QiLCIvb3BzIiwiL3NidiIsIi93YWxsZXQiXSwicHJlZmVycmVkX3VzZXJuYW1lIjoibmd1eWVudmFubmhhdCJ9.D3JiJCF07fTRC2piE MIur_-945et5wsfz-A4wMKf7CEXnQnISAIsGkVmXeVgv6LflWXxT0jR0loJ2hhSm25GkW5R8039mUyf1Lx6AbLTf3KzyhyFmDsZk314D0Inpz1X2Hr
PwX9_easqQ3n1yaEYwgDUWhD3W7_5JrfknzSzrzWJ_nKLjWwaODJUPZeV597ruGmxT9C67jAEYNX2sFJcwJtEjLys5RmDYLk
d9UzfX0bDkQMUdMtKDmXAFb4b0Rg6iLDTUGQ1YpPRt7QJeait6e283Kjlj242yi6IfnyinE331MO5EXT1E_zRNkMEGce3DlHlc 3Cj1Y0EHSYZY8fw3w' \ --header 'p-signature: bWF2tTD6DdLEEbp7pqBkojNc8rSDb1G74U9sO5Ty3l7Epx8Kx4QtY8gKRuRnBQbu3oh8/As4RyKguKWApL2lMwS9rNHU3V7
rU6fZp2ejYnHbYEIkYkeeWewvJ+4GXCP+EbzSmmNKM0PzZ+R4T8Q1haR26RaPzQyBNO5lfhVfsCr1JqIHR7M18rM0ZYcs4oV
keG/Wvuvk+oOREoX9wSNRRVdxsVL1QpZ+64BawrsURDHzmJ99crc+6H2E7TRtQNOg1GqDyM8uC+lXQ0gRV5ARxNJ5y5We MMa3LyK3Ws8R3TkZkkliDseqzeUXLwtx0gUQ6y8Wv1hpNZbyIS0uODwJVg==' \ --header 'Content-Type: application/json'
\ --data
'{"audit":8755886270480207,"amount":200000,"bankCode":"970418","bankId":"BIDV","bankRefName":"NGUYEN VAN
A","bankRefNumber":"1023020330000","content":"123123123123"}' \

Response

{
  "code": "SUCCESS",
  "message": "Thành công",
  "data": {
    "traceNumber": 202504190000430
  }
}

V.8. IPN – Instant Payment Notification

The merchant will receive the result of the TRANSFER247V2 transaction from Pay2Pay via IPN (POST method). The result will be included in the request body. The merchant must verify the data sent from Pay2Pay.
Method: POST

Request Header

#	Parameter	Data Type	Description
1	P-API-KEY	String	Merchant's Api key
2	P-SIGNATURE	String	Signature generate from whole request body & secret key

Request Body

#	Parameters	Data Type	Description
1	auditNumber	String	Audit number from request
2	merchantId	String	Id of merchant in Pay2Pay system
3	orgAmount	String	Transaction amount
4	receiverBankRefName	String	Bank Account Owner's Name
5	receiverBankRefNumber	String	Bank Account Number
6	receiverBankId	String	BankId
7	receiverBankName	String	Bank name
8	receiverBinCode	String	Bank bin code
9	txnDate	String	Transaction Date
10	txnId	String	Transaction Id
11	status	String	Status code (SUCCESS/FAIL/PROCESSING)
12	code	String	Response code, Please refer to VI. List of API response code
13	message	String	Response message

Steps to Create Signature:

Step 1: convert request body to JSON string

{"auditNumber":"6124406151131871","merchantId":"PP0000220","orgAmount":"23444","receiverBankRefName":"NGUYEN DIEM MY","receiverBankRefNumber":"0339296500","receiverBankId":"MB","receiverBankName":"MBBank","receiverBinCode":"970422","txnDate":"20251107164136","txnId":"202511070003743","status":"SUCCESS","code":"SUCCESS","message":" Transaction is successful."}

Step 2: append secretKey value to the result of Step 1

{"auditNumber":"6124406151131871","merchantId":"PP0000220","orgAmount":"23444","receiverBankRefName":"NGUYEN DIEM MY","receiverBankRefNumber":"0339296500","receiverBankId":"MB","receiverBankName":"MBBank","receiverBinCode":"970422","txnDate":"20251107164136","txnId":"202511070003743","status":"SUCCESS","code":"SUCCESS","message":" Transaction is successful."}**<secretKey value>**

Step 3: Apply the SHA-256 hash algorithm to string value of Step 2

Step 2's value:

{"auditNumber":"6124406151131871","merchantId":"PP0000220","orgAmount":"23444","receiverBankRefName":"NGUYEN DIEM MY","receiverBankRefNumber":"0339296500","receiverBankId":"MB","receiverBankName":"MBBank","receiverBinCode":"970422","txnDate":"20251107164136","txnId":"202511070003743","status":"SUCCESS","code":"SUCCESS","message":" Transaction is successful."} MyScretKey

Signature value: use this value to verify with header signature

JS8wJfYKcSdK7FFre34hVHtkDIv8VJMiQ/wvYr86nlc=

Refer link to check & get snippet code: https://static.pay2pay.vn/tools/ipn_validate

Example:

Data Sample

Request Header:

P-SIGNATURE: JS8wJfYKcSdK7FFre34hVHtkDIv8VJMiQ/wvYr86nlc=

Request Body:

{
"auditNumber": "6988840593015268",
"merchantId": "PP0000042",
"orgAmount": "5000000",
"receiverBankRefName": "NGUYEN DIEM MY",
"receiverBankRefNumber": "0339296500",
"receiverBankId": "MB",
"receiverBankName": "MBBank",
"receiverBinCode": "970422",
"txnDate": "20251107164136",
"txnId": "202511070003743",
"status": "SUCCESS",
"code": "SUCCESS",
"message": "Transaction is successful."
}

V.9. INQUIRY V1

API to get status off payout transaction by Audit Number

URL: https://{DOMAIN}/merchant-transaction-service/api/v1.0/inquiry?auditNumber={AUDIT_NUMBER}&txnDate={PAYOUT_DATE}

Method: GET

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system
2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS Note: It should be convert to UTC + 7

3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Get parameters				
1	AUDIT_NUMBER	String	Mandatory	The audit number what generate from **API V.7. TRANSFER247**
2	PAYTOUT_DATE	String	Mandatory	The date of payout Format: **YYYYMMDD**

Response

#	Parameters	Data Type	Description
1	code	String	Result code
2	message	String	Message
3	data.auditNumber	String	Audit Number
4	data.traceNumber	String	Pay2Pay Transaction ID
5	data.merchantId	String	Merchant ID
6	data.status	String	Status of Transaction (SUCCESS/FAIL/PROCESSING)
7	data.code	String	Transaction Code, Refer to VI. List of API Response code
8	data.message	String	Transaction message
9	data.service	String	Service type
10	data.type	String	Transaction type
11	data.content	String	Transaction content
12	data.orgAmount	Number	Original amount
13	data.feeAmount	Number	Fee amount
14	data.vatAmount	Number	VAT amount
15	data.refundAmount	Number	Refund amount

16	data.totalAmount	Number	Total amount
17	data.totalBalance	Number	Current total available balance of the merchant after transaction
18	data.totalLock	Number	Total locked balance (amount temporarily unavailable)
19	data.minimumPayment	Number	Minimum payment amount allowed for this service
20	data.transactionLimit	Number	Maximum transaction limit allowed
21	data.subTransactions	Object	List of sub-transactions related to the main transaction
22	data.requestData	Object	Original request data used to create the transaction
23	data.issuer	String	Issuer of the transaction
24	data.providerCode	String	Payment provider

EXAMPLE:

Request

```
curl --location 'https://uat-api.pay2pay.vn/merchant-transaction-
service/api/v1.0/inquiry?auditNumber=7236875946016662&txnDate=20251219' \
--header 'p-request-id: 78e1dc8a-9325-436b-a217-7a32087432e7' \
--header 'p-request-time: 20251219133410' \
--header 'p-tenant: MERCHANT-WEB' \
--header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQekdBIn0.eyJleHAiOjE3NjYxMjc4NDgsImlhdCI6MTc2NjEyNjA0OCwianRpIjoiMGIwN2Y
0OWQtYmYwYS00MTkwLWE2ZWItMWVhNTc0MTA0NTg0IiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5w
YXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJhY2NvdW50Iiwic3ViIjoiZjVhMjZkMWUtYjhh
OC00YjAwLTkxNDgtNTQ5NTE1YTA0NjkxIiwidHlwIjoiQmVhcmVyIiwiYXpwIjoicGF5cGF5LXdhbGxldCIsI
nNlc3Npb25fc3RhdGUiOiI0OWEyNWI0Yy1jZjE2LTQwNzctOGUzOC05MDUxYThiNzRhMGIiLCJhY3IiOiIx
IiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyIs
InVtYV9hdXRob3JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6e
yJhY2NvdW50Ijp7InJvbGVzIjpbIm1hbmFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aW
V3LXByb2ZpbGUiXX19LCJzY29wZSI6IndhbGxldC1jbGllbnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI
6IjQ5YTI1YjRjLWNmMTYtNDA3Ny04ZTM4LTkwNTFhOGI3NGEwYiIsImVtYWlsX3ZlcmlmaWVkIjp0cnV
lLCJtZXJjaGFudElkIjoiUFAwMDAwMjQ5IiwiYXBwSWQiOlsiaW50LWFwaS51YXQucGF5MnBheS52biIsIml
udC1hcGkudWF0LnBheW1lbnRob3QuY29tIiwiaW50LWFwaS5kZXYucGF5cGF5LmNvbS52biIsInVhdC1hcGk
ucGF5MnBheS52biJdLCJncm91cHMiOlsiL21lcmNoYW50IiwiL29wcyJdLCJwcmVmZXJyZWRfdXNlcm5hbW
UiOiJob2Fubmd1eWVuaHV1IiwiZW1haWwiOiJob2Fubmd1eWVuaHV1QHBheTJwYXkudm4ifQ.cSYGmXlAf
TaU9cbG-
xmgUgINOReWExmnybjulapbXAOoO3P5wdXxYJaB1ohpRyMOhxlZqcYXRfMBecWqqKOYxiQafpJDHGBP
VF1crjVpPo1Lmwu6ysVHuVVYaw_2fleSfMnA-
rh9NmyVmJsRGsIwCjhosTVt_nSFBBsAgKrSHfWLHqjBfjjKeUUBWDE59ALhyG3Fv16w7BN9apF7xJOFtW_
yn5247nHnxg2fOPg0gB29M2HxA7oNN6KfAGOrlnQZdrEn5zqC3W72mwKZGAjRzOl4n5tpcS4HNAWyRsYQ
0YefG7xEEyvrHCjbf2TCWGZt04NUUNKyt-khEMMzqZLrlA' \
--header 'verification: 32c1cdf335f3491cbb5ce2edc5b0ec25' \
--header 'p-signature:
ayk6wpMEXzol6qx+syOxdboAYaUPkOo4FK9f5kvWMYkrlx3NFqz7T9sfTTJAT6d6NbvDzsJGDmWCDDdkI4
3aRq6z0lN3KIu3d255N4PbP/wD6hYYykCN/XkeeJ0zjwLKFC+pmuvA+0nlzj4lqhmzvNRl91uzQ0AS/L7b02hP
COrjXHSLbY704dgGWNpUkU11/nosY5fH7In2fAoxkFqG7PWM/STb760EGUg9yRUVbAdnbBSkJ8MTpfKSS
KPwxC1HOsGBPwTeuOwCJ4OImm0i+VjE1GNZ/stF0AaDBkjszezAh6cRZDJR6IunAwcoo2kaL2EZsdQFoYk
mc2d3KuGR3Q==' \
--header 'Content-Type: application/json' \
```

Response

```
{
  "code": "SUCCESS",
  "message": "Thành công",
```

```
"data": {
  "auditNumber": "8476320274584406",
  "traceNumber": "202512190005127",
  "merchantId": "PP0000249",
  "status": "SUCCESS",
  "service": "TRANSFER247",
  "type": "TRANSFER",
  "content": "1",
  "orgAmount": 100000000,
  "feeAmount": 1002000,
  "vatAmount": 0,
  "refundAmount": 0,
  "totalAmount": 101002000,
  "totalBalance": 19897272144,
  "totalLock": 0,
  "minimumPayment": 0,
  "transactionLimit": 0,
  "subTransactions": null,
  "requestData": {
    "audit": 8476320274584406,
    "amount": 100000000,
    "vat": null,
    "fee": 1002000,
    "bankId": "MB",
    "bankRefNumber": "0968092967",
    "bankRefName": "AUTOMATION TEST GJE",
    "bankCode": "970422",
    "content": "1",
    "minimumPayment": null,
    "transactionLimit": null,
    "extData": null
  },
  "statements": null,
  "createdAt": 20251219114631,
  "createdBy": "hoannguyenhuu",
  "modifiedAt": 20251219114635,
  "modifiedBy": "hoannguyenhuu",
  "issuer": null,
  "providerCode": "MB"
 }
}
```


V.10. INQUIRY V2

API to get status off payout transaction by Audit Number
URL: https://{DOMAIN}/merchant-transaction-service/api/v2.0/inquiry?auditNumber={AUDIT_NUMBER}&txnDate={PAYOUT_DATE}

Method: GET

Request

#	Parameters	Data Type	Condition	Description
Header				
1	p-request-id	String	Mandatory	A unique code corresponding to a request sent from the merchant system

2	p-request-time	String	Mandatory	Time to request API (Unix time from 00:00:00 January 1, 1970). Format YYYYMMDDHHMMSS Note: It should be convert to UTC + 7
3	p-tenant	String	Mandatory	<TENANT INFO>. This information is sent along with username and password
4	Authorization	String	Mandatory	Accesstoken from login API
5	p-signature	String	Mandatory	The signature is generated by the RSA-2048 algorithm
Get parameters				
1	AUDIT_NUMBER	String	Mandatory	The audit number what generate from **API V.7. TRANSFER247**
2	PAYTOUT_DATE	String	Mandatory	The date of payout Format: **YYYYMMDD**

Request Body

#	Parameters	Data Type	Description
1	auditNumber	String	Audit number from request
2	merchantId	String	Id of merchant in Pay2Pay system
3	orgAmount	String	Transaction amount
4	receiverBankRefName	String	Bank Account Owner's Name
5	receiverBankRefNumber	String	Bank Account Number
6	receiverBankId	String	BankId
7	receiverBankName	String	Bank name
8	receiverBinCode	String	Bank bin code
9	txnDate	String	Transaction Date
10	txnId	String	Transaction Id

11	status	String	Status code (INIT, SUCCESS, FAIL, PROCESSING, SUSPECT, CANCELED)
12	code	String	Response code, Please refer to VI. List of API response code
13	message	String	Response message

EXAMPLE:

Request

```
curl --location 'https://uat-api.pay2pay.vn/merchant-transaction-
service/api/v2.0/inquiry?auditNumber=8476320274584406&txnDate=20251219' \
--header 'p-request-id: 588d7def-585f-475b-a0d6-aa9f587374ab' \
--header 'p-request-time: 20251219134229' \
--header 'p-tenant: MERCHANT-WEB' \
--header 'Authorization: Bearer
eyJhbGciOiJSUzI1NiIsInR5cCIgOiAiSldUIiwia2lkIiA6ICJFdFZjdmtDbUFYcWZWeU1TVjhhOThscnhUV1lJUl
JYRFprTER6UVZQekdBIn0.eyJleHAiOjE3NjYxMjc4NDgsImlhdCI6MTc2NjEyNjA0OCwianRpIjoiMGIwN2Y
0OWQtYmYwYS00MTkwLWE2ZWItMWVhNTc0MTA0NTg0IiwiaXNzIjoiaHR0cHM6Ly9wcGlkLnVhdC5w
YXlwYXkuY29tLnZuL3JlYWxtcy93YWxsZXQiLCJhdWQiOiJhY2NvdW50Iiwic3ViIjoiZjVhMjZkMWUtYjhh
OC00YjAwLTkxNDgtNTQ5NTE1YTA0NjkxIiwidHlwIjoiQmVhcmVyIiwiYXpwIjoicGF5cGF5LXdhbGxldCIsI
nNlc3Npb25fc3RhdGUiOiI0OWEyNWI0Yy1jZjE2LTQwNzctOGUzOC05MDUxYThiNzRhMGIiLCJhY3IiOiIx
IiwiYWxsb3dlZC1vcmlnaW5zIjpbIi8qIl0sInJlYWxtX2FjY2VzcyI6eyJyb2xlcyI6WyJvZmZsaW5lX2FjY2VzcyIs
InVtYV9hdXRob3JpemF0aW9uIiwiZGVmYXVsdC1yb2xlcy13YWxsZXQiXX0sInJlc291cmNlX2FjY2VzcyI6e
yJhY2NvdW50Ijp7InJvbGVzIjpbIm1hbmFnZS1hY2NvdW50IiwibWFuYWdlLWFjY291bnQtbGlua3MiLCJ2aW
V3LXByb2ZpbGUiXX19LCJzY29wZSI6IndhbGxldC1jbGllbnQtc2NvcGUgZW1haWwgcHJvZmlsZSIsInNpZCI
6IjQ5YTI1YjRjLWNmMTYtNDA3Ny04ZTM4LTkwNTFhOGI3NGEwYiIsImVtYWlsX3ZlcmlmaWVkIjp0cnV
lLCJtZXJjaGFudElkIjoiUFAwMDAwMjQ5IiwiYXBwSWQiOlsiaW50LWFwaS51YXQucGF5MnBheS52biIsIml
udC1hcGkudWF0LnBheW1lbnRob3QuY29tIiwiaW50LWFwaS5kZXYucGF5cGF5LmNvbS52biIsInVhdC1hcGk
ucGF5MnBheS52biJdLCJncm91cHMiOlsiL21lcmNoYW50IiwiL29wcyJdLCJwcmVmZXJyZWRfdXNlcm5hbW
UiOiJob2Fubmd1eWVuaHV1IiwiZW1haWwiOiJob2Fubmd1eWVuaHV1QHBheTJwYXkudm4ifQ.cSYGmXlAf
TaU9cbG-
xmgUgINOReWExmnybjulapbXAOoO3P5wdXxYJaB1ohpRyMOhxlZqcYXRfMBecWqqKOYxiQafpJDHGBP
VF1crjVpPo1Lmwu6ysVHuVVYaw_2fleSfMnA-
rh9NmyVmJsRGsIwCjhosTVt_nSFBBsAgKrSHfWLHqjBfjjKeUUBWDE59ALhyG3Fv16w7BN9apF7xJOFtW_
yn5247nHnxg2fOPg0gB29M2HxA7oNN6KfAGOrlnQZdrEn5zqC3W72mwKZGAjRzOl4n5tpcS4HNAWyRsYQ
0YefG7xEEyvrHCjbf2TCWGZt04NUUNKyt-khEMMzqZLrlA' \
--header 'verification: 32c1cdf335f3491cbb5ce2edc5b0ec25' \
--header 'p-signature:
G3Jp0bRtEkHw9rnPPF/uqLs0vCs8ajLr3eO596QB3Be8JkFopKkCet4S0Nn/F2ISd/q1BKtxcB8BWTjoLNDtC+8
QB/l2pQtAov9u+SCWj5fpFWUae8v7ebymEBxSlTcRdNdMTTsh02VUAJOaZR0D0D7eYSAernQ5C8fXYOUP
aB+d+EFw59vuQPYhfi+iS+F8/Zm4spNGekosFfpx2IZgP18yk4OXcx5ARZQsKdnWk+w/be0aEmFw6xxBAP+n
Xc3dL7MCYPkS9g2X/UsVHQdCzlC5ZMvxUm9qM0F7p7wZ6rXKPeEKpAJUR7bdZBPjKDEs2SdfKzeHIuio9
LYyyolDSA==' \
--header 'Content-Type: application/json' \
```

Response


```
{
  "code": "SUCCESS",
  "message": "Thành công",
  "data": {
    "auditNumber": "8476320274584406",
    "merchantId": "PP0000249",
    "orgAmount": "100000000",
    "receiverBankRefName": "AUTOMATION TEST GJE",
    "receiverBankRefNumber": "0968092967",
    "receiverBankId": "MB",
    "receiverBankName": "MBBank",
    "receiverBinCode": "970422",
    "txnDate": "20251219114635",
    "txnId": "202512190005127",
    "status": "SUCCESS",
```

"code": "SUCCESS",
"message": "SUCCESS"
}
}

VI. LIST OF API STATUS CODES

Status Codes indicate whether a transaction has succeeded, failed, or is still being processed. Merchants use these codes to decide how to handle each transaction, such as confirming success, waiting for completion, or retrying when necessary.

No	Status	Description
1	SUCCESS	The transaction has been completed successfully. The final result is confirmed, and no further action is required. Applicable to payout.
2	PROCESSING	The transaction has been received and is currently being processed by the bank or payment provider. The final status will be updated later through callback.
3	FAIL	The transaction could not be completed. This may be due to incorrect information, insufficient balance, exceeded limits, timeout, or external bank rejection. Final state—no further processing will occur.
4	INIT	The transaction has been initialized and recorded in the system, but no processing has started yet. This status indicates the initial creation stage before being sent for processing.
5	CANCELED	The transaction has been canceled intentionally by the user or the system before completion. No further processing will occur, and no funds will be deducted or transferred.
6	SUSPECT	The transaction has been flagged as suspicious due to abnormal behavior, potential fraud, or risk control rules. Further verification or manual review is required before determining the final result.

VII. LIST OF API RESPONSE CODES

No	Code	Message
1	SUCCESS	Success code
2	ERR_BANK_SYSTEM	Error system
3	ERR_BANK_TIMEOUT	Error system
4	ERR_BANK_ACCOUNT_IS_NOT_CORRECT	Account name or number is not correct
5	ERR_BANK_REQUEST_ID_ALREADY_EXIST	The request id already exists
6	ERR_BANK_INVALID_PARAMETER	Invalid parameter
7	ERR_BANK_BANK_INFORMATION_NOT_FOUND	Bank information not found
8	ERR_BANK_TRANSACTION_FAIL	Transaction failed
9	ERR_BANK_NOT_RECEIVE_RESPONSE_FROM_BANK	Did not receive response from bank to transfer money
10	ERR_BANK_CURRENT_BANK_DISCONTINUITY	The current beneficiary bank is discontinuity
11	ERR_BANK_ISSUING_BANK_REFUSES_PROCESS_REQUEST	Issuing bank refuses to process this request
12	ERR_BANK_PAYING_BANK_REFUSES_PROCESS_REQUEST	The paying bank refuses to process this request
13	ERR_BANK_MERCHANT_ACTIVE_BANK_VA_INFO_DOES_NOT_EXIST	Merchant's account haven't declared
14	ERR_BANK_TRANSACTION_DOES_NOT_EXIST	Transaction does not exist
15	ERR_BANK_TRANSACTION_STATUS_INVALID	The status of the transaction is invalid
16	ERR_SYSTEM	system error.
17	ERR_TRANSACTION_MERCHANT_INVALID	invalid merchant.
18	ERR_DATA_INVALID	invalid data.
19	ERR_TOTALAMOUNT_INVALID	Invalid Total amount.

20	ERR_TRANSACTION_METHOD_INVALID	Invalid payment method.
21	ERR_TRANSACTION_ISSUER_INVALID	Invalid issuer.
22	ERR_TRANSACTION_CURRENCY_INVALID	Invalid currency amount.
23	ERR_TRANSACTION_INIT_DATA_NOT_FOUND	Init data not found.
24	ERR_TRANSACTION_NOT_FOUND	Transaction not found.
25	MERCHANT_INVALID	invalid merchant.
26	ERR_MERCHANT_DOES_NOT_EXIST	Merchant does not exist
27	ERR_MERCHANT_FEE_INVALID	Invalid transaction fee
28	ERR_MERCHANT_TRANSACTION_INVALID	Invalid transaction
29	ERR_MERCHANT_CORE_SUSPECT	System error. Please try again in a few minutes
30	ERR_MERCHANT_CORE_TIMEOUT	System error. Please try again in a few minutes
31	ERR_MERCHANT_BANK_TIMEOUT	System error. Please try again in a few minutes
32	ERR_MERCHANT_BANK_SUSPECT	System error. Please try again in a few minutes

Note:
The inquiry API should only be called when the merchant times out with **Pay2Pay**, or when one of the following timeout-related error codes is returned:

- "ERR_BANK_TIMEOUT"
- "ERR_MERCHANT_CORE_TIMEOUT"
- "ERR_MERCHANT_BANK_TIMEOUT"

VIII. LIST OF SUPPORTED BANKS

No.	Bankcode	Bank name/ Ewallet	Bank name in English	Support to ATM Cards	Supp rt to bank accou nt
1	PAY2PAY	PAY2PAY	PAY2PAY		
2	ABBANK	ABBANK - NH An Binh	ABBANK - An Binh Commercial Joint Stock Bank	√	√
3	ACB	ACB - NH A Chau	ACB - Asia Commercial Joint Stock Bank		√
4	AGRIBANK	AGRIBANK - NH Nong Nghiep va PTNT VN	AGRIBANK - Vietnam Bank for Agriculture and Rural Development	√	√
5	BAB	BAB - NH Bac A	BAB - Bac A Commercial Joint Stock Bank		√
6	BANVIET	BANVIET - VIETCAPITALBANK - NH Ban Viet	BANVIET - Viet Capital Commercial Joint Stock Bank		√
7	BAOVIETBANK	BAOVIET BANK - NH Bao Viet	BAOVIET BANK - Bao Viet Joint Stock Commercial Bank	√	√
8	BIDV	BIDV - NH Dau Tu va Phat Trien VN	BIDV - Bank for Investment and Development of Vietnam	√	√
9	CAKE	Ngân hàng số Cake	Cake Digital Bank		√

10	CBBANK	CB BANK - NH Xay Dung VN	CB BANK - Vietnam Construction Bank	√	
11	CIMB	CIMB - NH CIMB Bank	CIMB - CIMB Bank (Vietnam) Limited	√	
12	DONGABANK	DONGA BANK - NH Dong A	DONGA BANK - Dong A Commercial Joint Stock Bank	√	√
13	EXIMBANK	EXIMBANK - NH Xuat Nhap Khau	EXIMBANK - Vietnam Export Import Commercial Joint - Stock Bank	√	√
14	GPBANK	GP BANK - NH Dau Khi Toan Cau	GP BANK - Global Petro Bank Limited	√	√
15	HDBANK	HDBANK - NH Phat Trien Tp HCM	HDBANK - Ho Chi Minh City Development Bank	√	√
16	HLB	HLB - NH Hongleong Bank	HLB - Hong Leong Bank Vietnam Limited	√	√
17	HSBC	HSBC Việt Nam	HSBC – Hong Kong and Shanghai Banking Corporation	√	√
18	IVB	IVB - NH Indovina	IVB - Indovina Bank Ltd	√	√
19	KIENLONGBANK	KIENLONG BANK - NH Kien Long	KIENLONG BANK - Kien Long Commercial Joint Stock Bank	√	√
20	LIENVIETPOSTBANK	LIENVIETPOST BANK - NH Buu Dien Lien Viet	LIENVIETPOST BANK - Lien Viet Postal Commercial Joint Stock Bank	√	√
21	MBBANK	MBBANK - NH Quan Doi	MBBANK - Military Commercial Joint Stock Bank	√	√
23	MSB	MSB- NH Hang Hai	MSB- Vietnam Maritime Joint - Stock Commercial Bank	√	√
24	NAMABANK	NAMABANK - NH Nam A	NAMABANK - South East Asia Bank	√	√
25	NCB	NCB - NH Quốc Dân	NCB - National Citizen Bank	√	√
26	OCB	OCB - NH Phuong Dong	OCB - Orient Commercial Joint Stock Bank	√	√
27	OCEANBANK	OCEANBANK - NH Dai Duong	OCEANBANK - NH Dai Duong	√	√
28	PGBANK	PGBANK - NH Xang Dau Petrolimex	PGBANK - Petrolimex Commercial Joint Stock Bank	√	√
29	PUBLICBANK	PUBLIC BANK - NH MTV Public Viet Nam	PUBLIC BANK - Public Bank Vietnam Limited	√	√

30	PVCOMBANK	PVCOMBANK - NH Dai Chung Viet Nam	PVCOMBANK - Vietnam Public Joint Stock Commercial Bank	√	√
31	SACOMBANK	SACOMBANK - NH Sai gon Thuong Tin	SACOMBANK - Sai Gon Thuong Tin Commercial Joint Stock Bank	√	√
32	SAIGONBANK	SAIGON BANK - NH Sai Gon Cong Thuong	SAIGON BANK - Saigon Bank for Industry and Trade		√
33	SCB	SCB - NH Sai Gon	SCB - Sai Gon Commercial Bank	√	√
34	SEABANK	SEABANK - NH Dong Nam A	SEABANK - Southeast Asia Commercial Joint Stock Bank	√	√
35	SHB	SHB - NH Sai Gon Ha Noi	SHB - Saigon - Hanoi Commercial Joint Stock Bank		√
36	SHINHANBANK	SHINHAN BANK - NH Shinhan Bank	SHINHAN BANK - Shinhan Bank Vietnam Limited	√	√
37	STANDARD CHARTERED	Standard Chartered Viet Nam	Standard Chartered Viet Nam	√	
38	TECHCOMBANK	TECHCOMBANK - NH Ky Thuong	TECHCOMBANK - VietNam Technological and Commercial Joint Stock Bank	√	√
39	TIMO	Ngân hàng số Timo	Timo Digital Bank		√
40	TPBANK	TPBANK - NH Tien Phong	TPBANK - TienPhong Commercial Joint Stock Bank	√	√
41	UBANK	Ngân hàng số Ubank	UBank Digital bank		√
42	UOB	UOB - NH UOB Viet Nam	UOB - United Overseas Bank Vietnam Limited	√	√
43	VBSP	VBSP - NH Chinh Sach Xa Hoi	VBSP - Vietnam Bank for Social Policies	√	
44	VDB	VDB - NH Phat Trien Viet Nam	VDB - Vietnam Development Bank	√	
45	VIB	VIB - NH Quoc Te	VIB - Vietnam International and Commercial Joint Stock Bank	√	√
46	VIETABANK	VIETABANK - NH Viet A	VIETABANK - Viet A	√	√
			Commercial Joint Stock Bank		
47	VIETBANK	VIET BANK - NH Viet Nam Thuong Tin	VIET BANK - Vietnam Thuong Tin Commercial Joint Stock Bank	√	√

48	VIETCOMBANK	VIETCOMBANK - NH Ngoai Thuong Viet Nam	VIETCOMBANK - Bank for Foreign Trade of Vietnam	√	√
49	VIETINBANK	VIETINBANK - NH Cong Thuong VN	VIETINBANK - Vietnam Joint Stock Commercial Bank for Industry and Trade	√	√
50	VNPTMONEY	VNPT Money	VNPT Money (Vinaphone)		√
51	VPBANK	VPBANK - NH Viet Nam Thinh Vuong	VPBANK - Vietnam Prosperity Bank	√	√
52	VRB	VRB - NH Lien Doanh Viet Nga	VRB - Vietnam Russia Joint Venture Bank	√	√
53	WOORIBANK	WOORI BANK - NH Woori	WOORI BANK - Woori Bank Vietnam Limited		√

IX. TEST DATA

STT	Case	Account Type	Account Number ATM Card Number	Bank Code	Bank Account Owner Name
1	Success	Personal	1023020330000	BIDV AGRIBANK VIETCOMBANK	NGUYEN VAN A
2	Fail	Personal	2034030440000	BIDV AGRIBANK VIETCOMBANK	NGUYEN VAN A
3	Success	Tài khoản doanh nghiệp	66668888	VIETINBANK VIETCOMBANK	GOOGLE COMPANY
4	Fail	Tài khoản doanh nghiệp	6868686868	VIETINBANK VIETCOMBANK	GOOGLE COMPANY
5	Success	ATM Card	9704060129837294	VIETINBANK TECHCOMBANK BIDV	NGUYEN VAN NAPAS
6	Fail	ATM Card	9704000000000018	ACB ABBANK DONGABANK	NGUYEN VAN A

X. CODE SAMPLE

1. **PHP**

```
function computeSha256HashBase64($inputString) {
   // Compute the SHA-256 hash of the input string
   $hash = hash('sha256', $inputString);
   // Encode the resulting hash in Base64
   $base64Hash = base64_encode($hash);
   return $base64Hash;
}
```

2. **C#**

```
public static string ComputeSha256HashBase64(string inputString)
   {
      byte[] inputBytes = Encoding.UTF8.GetBytes(inputString);
      // Create a SHA256 instance
      using (SHA256 sha256 = SHA256.Create())
      {
         byte[] hashBytes = sha256.ComputeHash(inputBytes);
         string base64Hash = Convert.ToBase64String(hashBytes);
         return base64Hash;
      }
   }
```

3. **ReactJs**

```
import CryptoJS from 'crypto-js';
function computeSha256HashBase64(inputString) {
   // Compute SHA-256 hash
   const hash = CryptoJS.SHA256(inputString);

   // Convert the hash to a Base64 string
   const base64Hash = CryptoJS.enc.Base64.stringify(hash);

   return base64Hash;
}
```

4. **Java**

```
public static String computeSha256HashBase64(String inputString) {
      try {
         MessageDigest digest = MessageDigest.getInstance("SHA-256");
         byte[] hashBytes = digest.digest(inputString.getBytes(StandardCharsets.UTF_8));
         String base64Hash = Base64.getEncoder().encodeToString(hashBytes);
         return base64Hash;
      } catch (NoSuchAlgorithmException e) {
         throw new RuntimeException(e);
      }
   }
```