

SMART CONTRACT SECURITY AUDIT OF Rocky Inu



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

Summary

Auditing Firm InterFi Network

Architecture InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Platform Solidity

Audit Check (Mandatory) Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC, Website & Socials Analysis (Not Applicable)

Consultation Request Date October 26, 2021

Report Date November 04, 2021

Audit Summary

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- * Rocky Inu's smart contract source code has LOW RISK SEVERITY.
- Rocky Inu has PASSED the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.



Table Of Contents

Project Information

Overview	4
InterFi "Echelon" Audit Standard	
Audit Scope & Methodology	6
InterFi's Risk Classification	8
Smart Contract Risk Assessment	
	g
Project Overview	10
Software Analysis	14
Manual Analysis	18
SWC AttacksSecurity Audit	20
Risk Status & Radar Chart	
Report Summary	
Auditor's Verdict	23
<u>Legal Advisory</u>	
Important Disclaimer	24
About InterFi Network	25



Project Overview

InterFi was consulted by Rocky Inu on October 26, 2021 to conduct a smart contract security audit of their token source code.

<u>About Rocky Inu Project</u> (Excerpt From Their Website)

Rocky Inu is inspired by the hottest meme coin to hit the market in recent times Unlike Bitcoin Rocky Inu is a Deflationary Token which means the Total Supply is always decreasing, making it more and more rare. That Charges Tax Fees On Everything But Buys. The Fees Charged On All Non-Buy Transactions out of which percentage of the coins are burned, but holding does reward you in the end. NO MORE RUG PULL, Rocky Inu allocated 50% of its Total Tokens to Anti Rug System.

	D'a ann an One ant Oh a'n
Project	Rocky Inu

Blockchain Binance Smart Chain

Language Simplified Communication

Contract 0x75cC6FEB91f9cf00B41F8D2F6f66B4AedaF9727B

Website https://www.rockyinu.com/

Telegram https://t.me/rocky_inu

Twitter https://twitter.com/rockyinutoken

Instagram https://www.instagram.com/rocky_inu_token/



Public logo



Solidity Source Code On Blockchain (EtherScan Verified Contract Source Code)

https://bscscan.com/address/0x75cC6FEB91f9cf00B41F8D2F6f66B4AedaF9727B#code

Contract Name: Rockylnu

Compiler Version: v0.6.12+commit.27d51765

Optimization Enabled: Yes with 200 runs

Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/Rockylnu.sol

GitHub Commits

Solidity source code committed at: 3011c3a9bcf9a53ddb3de5e1bf82141030b15f96



Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of Rocky Inu. The source code can be viewed in its entirety on

https://bscscan.com/address/0x75cC6FEB91f9cf00B41F8D2F6f66B4AedaF9727B#code

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

Re-entrancy (RE)

Unhandled Exceptions (UE)

Transaction Order Dependency (TO)

Integer Overflow (IO)

Unrestricted Action (UA)

Ownership Takeover

Gas Limit and Loops

Deployment Consistency

Repository Consistency

Data Consistency

Token Supply Manipulation

Access Control and Authorization

Operations Trail and Event Generation

Assets Manipulation

Liquidity Access

Source Code Review

Smart Contract Vulnerabilities

Functional Assessment



InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- 1. Solidity smart contract source code reviewal:
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

D'ala	Smart Contract	
Risk severity	Meaning Security Audit	
	This level vulnerabilities could be exploited easily, and can lead to a	sset loss, data
! Critical	loss, asset manipulation, or data manipulation. They should be fixed ri	ght away.
! High	This level vulnerabilities are hard to exploit but very important to fix,	, they carry an
	elevated risk of smart contract manipulation, which can lead to critical	al risk severity
! Medium	This level vulnerabilities are should be fixed, as they carry an inherer	nt risk of future
	exploits, and hacks which may or may not impact the smart contract	execution.
	This level vulnerabilities can be ignored. They are code style v	iolations, and
! Low	informational statements in the code. They may not affect the s	mart contract
	execution	



Smart Contract - Overview

Contract information

Query	Result
Name	Rocky Inu
Symbol	ROCKY
Decimals	9
Total Supply	1,000,000,000,000
Owner	0xd921ed7aecc68353831f943893bace3380fedf34
Marketing Wallet	0x7b1245114698d1a661936c6846114bf84fdf3960
Pair	0xa37a3a33e0cf6bb39e8cc77c0267f90d599da3f6
Router	0x10ed43c718714eb63d5aa57b78b54704e256024e

Smart Contract Security Audit



Smart Contract - Static Analysis

Symbol	Meaning
	Function can be modified
	Function is payable
	Function is locked
	Function can be accessed
!	Important functionality

```
**IERC20** | Interface | |||
 L | totalSupply | External | |
                                  |N0
 L | balanceOf | External |
 👢 | transfer | External 📒 | 🥌
   | allowance | External ! |
   | approve | External ! | 🛑
 👢 | transferFrom | External 📒 | 🥮
 **SafeMath** | Library |
 └ | add | Internal 🔓
     sub | Internal 🔒
     sub | Internal 🖴
     mul | Internal 🖺
     div | Internal 🖴
     div | Internal 🗎
     mod | Internal 🖴
 L | mod | Internal 🛍 |
 **Context** | Implementation | |||
 ^{\mathsf{L}} | _msgSender | Internal ^{\mathsf{L}} | | |
 L | _msgData | Internal 🛍 |
**Address** | Library | |||
 📙 | sendValue | Internal 🗎 | 🥌
 L | functionCall | Internal 🛍 | 🥌
 L | functionCall | Internal 🔒 | 🥌
 👢 | functionCallWithValue | Internal 🔓
 L | functionCallWithValue | Internal 	☐
    _functionCallWithValue | Private 💕
```



```
| Implementation | Context |||
    <Constructor> | Internal 🗎 | 🥮
     owner | Public | | |NO! |
    renounceOwnership | Public
                                      | onlyOwner |
 💄 | transferOwnership | Public 📘 | 🥮 | onlyOwner |
 **IUniswapV2Factory** | Interface | |||
 L | feeTo | External | | | NO | |
 L | feeToSetter | External | | NO! |
 |N0 |
    allPairs | External | | |NO
 L | allPairsLength | External | | NO! |
    createPair | External 📘 | 🥮 |NO 📙 |
    setFeeTo | External 📒 | 🥌 |NO 📒 |
    setFeeToSetter | External 📘 | 🥮 |NO 📗 |
\Pi\Pi\Pi\Pi
 **IUniswapV2Pair** | Interface | |||
 |NO |
 L | symbol | External | |
                           |N0 |
     decimals | External | |
    totalSupply | External | | |NO!
     balanceOf | External | |
                               |N0
    allowance | External 🏴
                               |N0 |
     approve | External 📒 | 🥌
                              |N0
    transfer | External 📒 | 🥌
                              |N0 |
    transferFrom | External 📘 | 🥌
                                   |N0 |
     DOMAIN_SEPARATOR | External ! |
                                     |N0 |
     PERMIT_TYPEHASH | External | |
                                    |NO |
     nonces | External
                            |N0 |
     permit | External ! |
                             |NO |
     MINIMUM_LIQUIDITY | External | |
                                      |NO ! |
     factory | External | |
                            NO I
     token0 | External 📒 |
                            |NO |
    token1 | External | |
                            |N0 |
     getReserves | External | | | NO! |
     price0CumulativeLast | External
                                         |N0 |
    price1CumulativeLast | External
    kLast | External ! |
                           INO !
    mint | External 📒 |
                            IN0
     burn | External
                            |N0 |
    swap | External | |
                            INO
     skim | External 🦊
     sync | External ! |
                           |N0 |
     initialize | External | | 🛑 |NO | |
111111
 **IUniswapV2Router01** | Interface | |||
 L | factory | External ! |
                             |NO ! |
 L | WETH | External | |
                          |NO |
     addLiquidity | External 📒 | 🥌
                                   |N0 |
     addLiquidityETH | External 📒 | 🔤 |NO 🖡
```



```
removeLiquidity | External
   removeLiquidityETH | External | |
                                        INO
   removeLiquidityWithPermit | External 📒 | 🥮
   removeLiquidityETHWithPermit | External
   swapExactTokensForTokens | External
                                              IN0
   swapTokensForExactTokens | External
                                              |N0
   swapExactETHForTokens | External !
                                           INO
   swapTokensForExactETH | External
                                           |N0
   swapExactTokensForETH | External
                                           IN0
   swapETHForExactTokens | External
   quote | External | |
                          |N0 |
   getAmountOut | External | |
   getAmountIn | External
                                |N0 |
   getAmountsOut | External | |
                                |NO |
   getAmountsIn | External | |
                                 |NO | |
++++
**IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
   removeLiquidityETHSupportingFeeOnTransferTokens | External 📒 | 🥌
   removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External 🕴 | 🛑
   swapExactTokensForTokensSupportingFeeOnTransferTokens | External
   swapExactETHForTokensSupportingFeeOnTransferTokens | External !
   swapExactTokensForETHSupportingFeeOnTransferTokens | External 🖡 | 🥌
  <Constructor> | Public 📒 | 🥌
                                |NO | |
   name | Public | |
                       |NO | |
                       |N0
   symbol | Public | |
   decimals | Public ! |
   totalSupply | Public | | NO! |
   balanceOf | Public | |
                            |N0 |
   transfer | Public 📒 | 🥌
                            INO !
   allowance | Public | |
                            INO
   approve | Public ! | 🧲
                            |N0 |
   transferFrom | Public 📒 | 🥌
                                |N0
   increaseAllowance | Public
   decreaseAllowance | Public
                                     |N0 |
   isExcludedFromReward | Public
                                      |N0 | |
   totalFees | Public |
                            |N0
   deliver | Public 📒 | 🥮 |NO
   reflectionFromToken | Public
                                      |N0 |
   tokenFromReflection | Public
                                     |N0
   excludeFromReward | Public
                                     | onlyOwner |
   includeInReward | External ! |
                                     | onlyOwner |
   _transferBothExcluded | Private 💕
   excludeFromFee | Public 「 | 🛑 | onlyOwner |
   includeInFee | Public 📒 | 🥌
                                | onlyOwner |
   setTaxFeePercent | External | | 🛑 | onlyOwner |
                                     | 🤎 | onlyOwner |
   setLiquidityFeePercent | External
   setBurnFeePercent | External 📘 | 🛑
                                      | onlyOwner |
   setMarketingFeePercent | External 📒 | 🥌
```



```
setMaxTxPercent | External 📘 | 🤴 | onlyOwner |
 | setMaxWalletPercent | External 「 | 🛑 | onlyOwner |
  setSwapAndLiquifyEnabled | Public 🚺 | 🥮 | onlyOwner |
  <Receive Ether> | External ! | 100! |
  | _reflectFee | Private 🔐 | 🥌
  _getValues | Private 聲 | | |
  | _getTValues | Private 🔐 |  | |
  | _getRValues | Private 聲 |   | |
 | _getRate | Private 🔐 | | |
  | _getCurrentSupply | Private 聲 |
└ | _takeLiquidity | Private 😭 | 🥮 | |
└ | calculateTaxFee | Private 🗳 | | |
└ | calculateBurnFee | Private 🗳 | | |
📙 | calculateMarketingFee | Private 🗳 |
└ | calculateLiquidityFee | Private 😭 |
└ | removeAllFee | Private 😭 | 🥏 | |
L | restoreAllFee | Private 🔐 | 🥮 | |
| _approve | Private 😭 | 🧶 | |
L | _transfer | Private 🛍 | 🥌 | |
L | swapAndLiquify | Private 🔐 | 🥮 | lockTheSwap |
└ | swapTokensForEth | Private 🗳 | 🛑 | |
L | addLiquidity | Private 🔐 | 🧓 | |
└ | _tokenTransfer | Private 🗳 | 🧶 | |
👢 | _transferStandard | Private 😭 | 🥌
 | _transferToExcluded | Private 🗳 |
 | _transferFromExcluded | Private 😭 | 🥏
   withdrawStuckBNE | External | | 🛑 | onlyOwner |
    removeStuckToken | External ! |
```

Security Audit



Smart Contract - Software Analysis

Function Signatures

```
11902160 => getTValues(uint256)
16279055 => isContract(address)
39509351 => increaseAllowance(address,uint256)
75128141 => calculateTaxFee(uint256)
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
f43f523a => mod(uint256,uint256)
71af23e8 => mod(uint256,uint256,string)
119df25f => msgSender()
8b49d47e => _msgData()
24a084df => sendValue(address,uint256)
a0b5ffb0 => functionCall(address,bytes)
241b5886 => functionCall(address,bytes,string)
2a011594 => functionCallWithValue(address, bytes, uint256)
d525ab8a => functionCallWithValue(address,bytes,uint256,string)
36455e42 => _functionCallWithValue(address,bytes,uint256,string)
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
b6c52324 => geUnlockTime()
dd467064 => lock(uint256)
a69df4b5 => unlock()
017e7e58 => feeTo()
094b7415 => feeToSetter()
e6a43905 => getPair(address,address)
1e3dd18b => allPairs(uint256)
574f2ba3 => allPairsLength()
c9c65396 => createPair(address,address)
f46901ed => setFeeTo(address)
a2e74af6 => setFeeToSetter(address)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
3644e515 => DOMAIN SEPARATOR()
30adf81f => PERMIT TYPEHASH()
```




```
7ecebe00 => nonces(address)
d505accf => permit(address,address,uint256,uint256,uint8,bytes32,bytes32)
ba9a7a56 => MINIMUM LIQUIDITY()
c45a0155 => factory()
0dfe1681 => token0()
d21220a7 => token1()
0902f1ac => getReserves()
5909c0d5 => price0CumulativeLast()
5a3d5493 => price1CumulativeLast()
7464fc3d => kLast()
6a627842 \Rightarrow mint(address)
89afcb44 => burn(address)
022c0d9f => swap(uint256,uint256,address,bytes)
bc25cf77 => skim(address)
fff6cae9 => sync()
485cc955 => initialize(address,address)
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
baa2abde => removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)
02751cec => removeLiquidityETH(address,uint256,uint256,uint256,address,uint256)
2195995c =>
removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes3
2, bytes32)
ded9382a =>
removeLiquidityETHWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,byt
es32)
38ed1739 => swapExactTokensForTokens(uint256,uint256,address[],address,uint256)
8803dbee => swapTokensForExactTokens(uint256,uint256,address[],address,uint256)
7ff36ab5 => swapExactETHForTokens(uint256,address[],address,uint256)
4a25d94a => swapTokensForExactETH(uint256,uint256,address[],address,uint256)
18cbafe5 => swapExactTokensForETH(uint256,uint256,address[],address,uint256)
fb3bdb41 => swapETHForExactTokens(uint256,address[],address,uint256)
ad615dec => quote(uint256,uint256,uint256)
054d50d4 => getAmountOut(uint256,uint256,uint256)
85f8c259 => getAmountIn(uint256,uint256,uint256)
d06ca61f => getAmountsOut(uint256,address[])
1f00ca74 => getAmountsIn(uint256,address[])
af2979eb =>
removeLiquidityETHSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)
5b0d5984 =>
removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,u
int256,bool,uint8,bytes32,bytes32)
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b6f9de95 => swapExactETHForTokensSupportingFee0nTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
a457c2d7 => decreaseAllowance(address,uint256)
88f82020 => isExcludedFromReward(address)
```



```
13114a9d => totalFees()
3bd5d173 => deliver(uint256)
4549b039 => reflectionFromToken(uint256,bool)
2d838119 => tokenFromReflection(uint256)
52390c02 => excludeFromReward(address)
3685d419 => includeInReward(address)
6ff6cdf4 => transferBothExcluded(address,address,uint256)
437823ec => excludeFromFee(address)
ea2f0b37 => includeInFee(address)
061c82d0 => setTaxFeePercent(uint256)
8ee88c53 => setLiquidityFeePercent(uint256)
cea26958 => setBurnFeePercent(uint256)
457c194c => setMarketingFeePercent(uint256)
d543dbeb => setMaxTxPercent(uint256)
82bf293c => setMaxWalletPercent(uint256)
c49b9a80 => setSwapAndLiquifyEnabled(bool)
184d894e => reflectFee(uint256,uint256)
d4780e36 => _getValues(uint256)
1d5671e4 => _getRValues(uint256,uint256,uint256,uint256)
94e10784 => _getRate()
97a9d560 => _getCurrentSupply()
c432df5e => _takeLiquidity(uint256)
6ad88269 => calculateBurnFee(uint256)
c5c7647a => calculateMarketingFee(uint256)
cc126a23 => calculateLiquidityFee(uint256)
301370af => removeAllFee()
e7e3e3a7 => restoreAllFee()
5342acb4 => isExcludedFromFee(address)
104e81ff => _approve(address,address,uint256)
30e0789e => _transfer(address,address,uint256)
173865ad => swapAndLiquify(uint256)
b28805f4 => swapTokensForEth(uint256)
9cd441da => addLiquidity(uint256,uint256)
b09bbc79 => _tokenTransfer(address,address,uint256,bool)
2852df65 => transferStandard(address,address,uint256)
16f1cc83 => _transferToExcluded(address,address,uint256)
c7d9be66 => transferFromExcluded(address,address,uint256)
484ed334 => withdrawStuckBNB()
e083e922 => removeStuckToken(address)
```



<u>Inheritance Graph</u>



Interfi

Smart Contract Security Audit



Smart Contract - Manual Analysis

Function	Description	Tested	Verdict
TotalSupply	provides information about the total token	Yes	Passed
	supply		
BalanceOf	provides account balance of the owner's		Passed
Balalloool	account	Yes	
Tuamafau	executes transfers of a specified number of		
Transfer	tokens to a specified address	Yes	Passed
America	allow a spender to withdraw a set number of		
Approve	tokens from a specified account	Yes	Passed
Allowers	returns a set number of tokens from a spender to	Yes	Passed
Allowance	the owner		
	executes transfers of a specified number of		
burn	tokens to a burn address	Yes	Passed
	circulating token supply adjusts (increases or		
Rebase	decreases) automatically according to a token's	NA	NA
	price fluctuations		

Note

- Active Owner: 0xd92led7gecc6835383lf943893bgce3380fedf34
- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Owner can mint tokens at token launch.



Important Information

 Rocky Inu smart contract utilizes "SafeMath" function to avoid common smart contract vulnerabilities.

```
library SafeMath {
function add(uint256 a, uint256 b) internal pure returns (uint256) {
    uint256 c = a + b;
    require(c >= a, 'SafeMath: addition overflow');

    return c;
}
function sub(uint256 a, uint256 b) internal pure returns (uint256) {
    return sub(a, b, 'SafeMath: subtraction overflow');
}
uint256 c = a * b;
    require(c / a == b, 'SafeMath: multiplication overflow');

    return c;
}
```

Smart Contract Security Audit



Smart Contract - SWC Attacks

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	Passed
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smart Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
swc-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



Smart Contract - Risk Status & Radar Chart

Risk Severity	Status
! Critical	None critical severity issues identified
! High	None high severity issues identified
! Medium	None medium severity issues identified
! Low	None low severity issues identified
Passed	Score out of 100 Compiler Check 100 Static Analysis Manual Analysis Software Analysis

Compiler Check	98
Static Analysis	97
Software Analysis	96
Manual Analysis	96
Interface Safety	96



Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Rocky Inu's smart contract source code has LOW RISK SEVERITY.

Rocky Inu has PASSED the smart contract audit.



Auditor's Note:

- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Project's liquidity pair isn't checked and verified due to out of scope.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit https://interfi.network

To view our audit portfolio, visit https://github.com/interfinetwork

To book an audit, message https://t.me/interfiaudits





