

# SMART CONTRACT SECURITY AUDIT EVDC



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

# Summary

**Auditing Firm** InterFi Network

**Architecture** InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Project Overview Approved BY

Albert | Project Specialist at InterFi Network

**Platform** Solidity

**Audit Check (Mandatory)** Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC Analysis

Consultation Request Date October 14, 2021

Report Date October 18, 2021

#### **Audit Summary**

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- EVDC'S token smart contract source codes has LOW RISK SEVERITY.
- \* EVDC has successfully PASSED the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.



# **Table Of Contents**

## **<u>Project Information</u>**

Overview	4
InterFi "Echelon" Audit Standard	
Audit Scope & Methodology	6
InterFi's Risk Classification	8
Smart Contract Risk Assessment	
Static Analysis	g
Software Analysis	13
Manual Analysis	18
SWC Attacks	20
Risk Status & Radar Chart	22
Report Summary	
Auditor's Verdict	23
<u>Legal Advisory</u>	
Important Disclaimer	24
About InterFi Network	25



# **Project Overview**

InterFi was consulted by EVDC on October 14, 2021, to conduct a smart contract security audit of their token source code.

EVDC Application is the world's first EV charging application that supports its own crypto token (based on Ethereum Network and Binance smart chain ecosystem). The EVDC app will directly connect to the charging stations and let users pay using the EVDC tokens.

The application will support fiat payment and EVDC token for charging electric vehicles.

Project	EVDC FILE FILE FILE FILE FILE FILE FILE FILE
Blockchain	Not Deployed (Ethereum & Binance Smart Chain Planned)
Language	SoliditySmart Contract
Contract	Not Deployed curity Audit
Website	https://evdc.network/
Telegram	https://t.me/evdctokenquestionschat
Twitter	https://twitter.com/EvdcT



#### **Public logo**



#### Solidity Source Code On Ethereum Kovan Testnet Network

https://kovan.etherscan.io/address/0xc9544ff7469853782364b485310ddbeb7ab70496#code

#### Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/EVDCToken.sol

#### **GitHub Commits**

Solidity source code committed at: 54c5547c6df6a26ce89b74f28467a87cff4f3lef



# **Audit Scope & Methodology**

The scope of this report is to audit the smart contract source code of EVDC Token. The source code can be viewed in its entirety on

#### https://github.com/interfinetwork/audited-codes/blob/main/EVDCtoken.sol

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

#### Category

Re-entrancy (RE)

Unhandled Exceptions (UE)

Transaction Order Dependency (TO)

Integer Overflow (IO)

Unrestricted Action (UA)

Ownership Takeover

Gas Limit and Loops

Deployment Consistency

Repository Consistency

Data Consistency

Token Supply Manipulation

Access Control and Authorization

Operations Trail and Event Generation

Assets Manipulation

Liquidity Access

#### **Source Code Review**

**Smart Contract Vulnerabilities** 

#### **Functional Assessment**



#### InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- 1. Solidity smart contract source code reviewal:
  - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
  - Manual review of code, which is the process of reading source code line-by-line to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
  - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
  - Symbolic execution, which is analyzing a program to determine what inputs cause each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

#### Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



## InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

**Vulnerable**: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false positive.

**Exploitable:** A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function that requires to own the contract, it would be vulnerable but not exploitable.

**Exploited:** A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

5HIGH CONTROCT		
Risk severity	Meaning	Security Audit
	This level of vulner	ability could be exploited easily and can lead to asset loss, data
! Critical	loss, asset manipul	ation, or data manipulation. They should be fixed right away.
	These vulnerabilitie	es are hard to exploit but very important to fix, they carry an
! High	elevated risk of smo	art contract manipulation, which can lead to critical risk severity
	These vulnerabilitie	es are should be fixed, as they carry an inherent risk of future
! Medium	exploits, and hacks	that may or may not impact the smart contract execution.
! Low	These vulnerabilitie	s can be ignored. They are code style violations, and informational
	statements in the c	ode. They may not affect the smart contract execution



# **Smart Contract - Static Analysis**

Symbol	Meaning
•	Function can be modified
<b>[]\$</b>	Function is payable
	Function is locked
	Function can be accessed
Ţ	Important functionality

```
**Initializable** | Implementation | |||
 **ContextUpgradeable** | Implementation | Initializable |||
 └ | __Context_init | Internal 🔓 | 🥌 | initializer |
 L | __Context_init_unchained | Internal 🔒 | 🥌 | initializer |
 └ | _msgSender | Internal 🛍 | | |
 **IERC20Upgradeable** | Interface | |||
 L | totalSupply | External | |
 L | balanceOf | External ! |
 🏻 🗀 | transfer | External 📒 | 🥌
 L | allowance | External | |
    approve | External |
   | transferFrom | External 📒 | 🥮
                        Library | |||
 L | add | Internal 🗎
    sub | Internal 🖴
    sub | Internal 🗎
    mul | Internal 🗎
    div | Internal 🖴
    div | Internal 🖴
    mod | Internal 🖴
    mod | Internal 🔒 |
 **ERC20Upgradeable** | Implementation | Initializable, ContextUpgradeable, IERC20Upgradeable |||
    ___ERC20_init | Internal 🛍 | 🥮 | initializer |
      ERC20_init_unchained | Internal 角 | 🧶 | initializer |
```



```
name | Public | |
                        |NO |
     symbol | Public | | NO
    decimals | Public | | NO! |
     totalSupply | Public | | NO! |
    balanceOf | Public | |
                            |NO | |
    transfer | Public ! | 🛑
                             |N0 |
    allowance | Public 📒 |
                            |N0
    approve | Public ! | 🥌
                            |NO |
   | transferFrom | Public | | 🛑 |NO! |
    increaseAllowance | Public 📒 | 🥌
    decreaseAllowance | Public !
                                     |NO | |
   | _transfer | Internal 🖨 | 🥌
 L | _mint | Internal 🔒 | 🥌
 L | _burn | Internal 🛍 | 🤛 | |
 👢 | _approve | Internal 🗎 | 🥌
 👢 | _setupDecimals | Internal 🛍 | 🥌
 👢 | _beforeTokenTransfer | Internal 🛍 | 🥌
  **PausableUpgradeable** | Implementation | Initializable, ContextUpgradeable |||
 L | __Pausable_init | Internal 🔓 | 🥌 | initializer |
 👢 | __Pausable_init_unchained | Internal 🔒 | 🥮 | initializer |
 L | paused | Public | | NO! |
   | _pause | Internal 🔒 | 🧶 | whenNotPaused |
 L | _unpause | Internal 🗎 | ● | whenPaused |
 PausableUpgradeable |||
 👢 | __ERC20Pausable_init | Internal 🛍 | 🥮 | initializer |
 💄 | __ERC20Pausable_init_unchained | Internal 🛍 | 🥌 | initializer |
 👢 | _beforeTokenTransfer | Internal 🛍 | 🥮 | |
  **OwnableUpgradeable** | Implementation | Initializable, ContextUpgradeable |||
   | __Ownable_init | Internal 🔓 | 🤛 | initializer |
 └ | __Ownable_init_unchained | Internal 🔓 | 🥮 | initializer |
 L | owner | Public | | NO! |
 L | renounceOwnership | Public
                                     | onlyOwner |
 👢 | transferOwnership | Public 📒 | 🥮 | onlyOwner |
**IUniswapV2Pair** | Interface | |||
 L | name | External | | NO! |
 L | symbol | External | | NO! |
 L | decimals | External | | NO! |
 L | totalSupply | External | | | NO!
 L | balanceOf | External | |
                              |NO |
 L | allowance | External | |
                              |N0 |
 L | approve | External | |
                              |N0 |
    transfer | External 📒 | 🥌
                              |NO |
   | transferFrom | External 🕴 | 🥮 |NO 🎙
     DOMAIN_SEPARATOR | External | |
                                    |N0 |
     PERMIT_TYPEHASH | External | | NO!
```



```
nonces | External
                           |NO | |
   permit | External !
                            INO
   MINIMUM_LIQUIDITY | External | |
                                     |NO | |
   factory | External | |
                            |N0
   token0 | External
                           |NO |
   token1 | External | |
                           |N0 |
   getReserves | External | |
                               |N0
   price0CumulativeLast | External
                                        |N0 |
   price1CumulativeLast | External
                                        |NO |
   kLast | External ! |
                          |N0 |
   mint | External | |
                          IN0
   burn | External | |
                          IN0
   swap | External
                          |N0
   skim | External 📒 |
                          |N0
   sync | External 📒 | 🥌
                          |N0 |
   initialize | External 📒 | 🥮 |NO 📙 |
<mark>***EVDC***</mark> | Implementation | Initializable, OwnableUpgradeable, ERC20PausableUpgradeable |||
📙 | initialize | Public 📒 | 🥌 | initializer |
   <Constructor> | Public | | •
                                |NO |
   name | Public ! |
                       |N0 | |
   symbol | Public | |
                       decimals | Public | |
                          |N0 |
   totalSupply | Public | | |NO | |
   balanceOf | Public | |
                            |N0 |
   transfer | Public 📒 | 🥌
                            |N0 |
   allowance | Public | |
                            |N0 |
   approve | Public 🚺 | 🥌
                           NO I
   transferFrom | Public 📒 | 🥌
                                |N0
   increaseAllowance | Public
                                     |NO |
   decreaseAllowance | Public 📒 | 🥌
                                     |N0 |
   totalFees | Public | |
                            |N0
   totalBurn | Public | |
                           |N0 |
                  | Public | | 🛑 | onlyOwner |
    <mark>removeFromblacklist</mark> | Public 🏮 | 🥮 | onlyOwner |
   buyFee | Internal 🗎 | 🥌
   sellFee | Internal 🗎 | 🥮 | |
   transferFee | Internal 🛍 |
   deliver | Public ! | 🛑 |NO!
   reflectionFromToken | Public
                                     |N0 |
   tokenFromReflection | Public
                                     |N0 |
   excludeFromReward | Public
                                     | onlyOwner |
   includeInReward | External 📒 | 🥌
                                     | onlyOwner |
   burn | Public 🕴 | 🥌 | onlyOwner |
   _burn | Internal 🗎 | 🥌
   excludeFromFee | Public 📒 | 🤛 | onlyOwner |
   includeInFee | Public 「 | 🛑 | onlyOwner |
   changeMarketingWallet | Public ! | 🛑 | onlyOwner |
```



```
setMinLiquidityPercent | External 📘 | 🥮 | onlyOwner |
  setSwapAndLiquifyEnabled | Public 📒 | 🥮 | onlyOwner |
   <Receive Ether> | External | | 1 NO | |
   rescueBNBFromContract | External 📘 | 🥏 | onlyOwner |
   transferAnyBEP20Tokens | Public 「 | 🔎 | onlyOwner |
   updateNumTokensSellToAddToLiquidity | External 📒 | 🥮 | onlyOwner |
   setUniswapRouter | External | | 🔎 | onlyOwner |
   setUniswapPair | External 📒 | 🥮 | onlyOwner |
   setExcludedFromAutoLiquidity | External ! | 🛑 | onlyOwner |
   setExcludedToAutoLiquidity | External 📘 | 🥌 | onlyOwner |
  removeAllFee | Private 🛍 | 🥌 | |
└ | restoreAllFee | Private 😭 | 🥮 | |
  isExcludedFromFee | Public | | NO | |
  | _approve | Internal 🔒 | 🥌
L | isBuyTransaction | Public | |
                                 |NO |
L | isSellTransaction | Public | | NO! |
L | _transfer | Internal 🗎 | 🥮 | |
L | swapAndLiquify | Private 🔐 | 🥮 | lockTheSwap |
L | swapTokensForEth | Private 🛍 | 🥌
L | addLiquidity | Private 😭 | 🥌
L | _tokenTransfer | Private 🗳 | 🥌 | |
L | _transferBothExcluded | Private 😭 | 🥮
└ | _transferStandard | Private 🗳 | 🛑 | |
👢 | _transferToExcluded | Private 🔐 | 🥌
👢 | transferFromExcluded | Private 🛍 | 🥊
👢 | _reflectFee | Private 🔐 | 🥮 | |
└ | _getTValues | Private 聲 |
└ | _getRValues | Private 聲 |
└ | _getRate | Private 聲 |   | |
L | _getCurrentSupply | Private 🔐 |  |  |
└ | _takeLiquidity | Private 🛍 | 🥌 | |
└ | calculateTaxFee | Private 🔐 | | |
👢 | calculateLiquidityFee | Private 🗳 |
👢 | calculateBurnFee | Private 🔐 | | |
L | calculateMarketingFee | Private 🗳 | | |
📙 | sendtoMarktingWallet | Private 😭 | 🥮 | |
└ | changeBuyFee | Public 「 | ● | onlyOwner |
👢 | changeSellFee | Public 📒 | 🥮 | onlyOwner |
 | changeTransferFee | Public 📒 | 🥮 | onlyOwner |
L | _mint | Internal 🗎 | 🥮 | |
<mark>**Token**</mark> | Interface |  |||
💄 | transferFrom | External 🚦 | 🥮 |NO 📙 |
L | transfer | External 📒 | 🥮 |NO 📗
```



# **Smart Contract - Software Analysis**

#### **Callout function Signatures**

```
11902160 => getTValues(uint256)
39509351 =>
            increaseAllowance(address,uint256)
47062402 => buyFee()
75128141 => calculateTaxFee(uint256)
45549c1f => _isConstructor()
f08d647e => __Context_init()
ab96f671 => __Context_init_unchained()
119df25f => _msgSender()
8b49d47e => _msgData()
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
f43f523a => mod(uint256,uint256)
71af23e8 => mod(uint256,uint256,string)
678bd718 => __ERC20_init(string,string)
46753fdb => __ERC20_init_unchained(string,string)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
a457c2d7 => decreaseAllowance(address,uint256)
30e0789e => transfer(address,address,uint256)
4e6ec247 => _mint(address,uint256)
6161eb18 => burn(address,uint256)
104e81ff => _approve(address,address,uint256)
61e9edb2 => setupDecimals(uint8)
cad3be83 => _beforeTokenTransfer(address,address,uint256)
3f57c6a4 =>
               ERC20Pausable init()
f9c0ef22 => __ERC20Pausable_init_unchained()
0142eb11 => __Ownable_init()
5ce29e24 => __Ownable_init_unchained()
8da5cb5b => owner()
```



```
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
017e7e58 => feeTo()
094b7415 => feeToSetter()
e6a43905 => getPair(address,address)
1e3dd18b => allPairs(uint256)
574f2ba3 => allPairsLength()
c9c65396 => createPair(address,address)
f46901ed => setFeeTo(address)
a2e74af6 => setFeeToSetter(address)
3644e515 => DOMAIN SEPARATOR()
30adf81f => PERMIT TYPEHASH()
7ecebe00 => nonces(address)
d505accf => permit(address,address,uint256,uint256,uint8,bytes32,bytes32)
ba9a7a56 => MINIMUM LIQUIDITY()
c45a0155 => factory()
0dfe1681 => token0()
d21220a7 => token1()
0902f1ac => getReserves()
5909c0d5 => price0CumulativeLast()
5a3d5493 => price1CumulativeLast()
7464fc3d => kLast()
6a627842 => mint(address)
89afcb44 => burn(address)
022c0d9f => swap(uint256,uint256,address,bytes)
bc25cf77 => skim(address)
fff6cae9 => sync()
485cc955 => initialize(address,address)
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
baa2abde => removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)
02751cec => removeLiquidityETH(address,uint256,uint256,uint256,address,uint256)
2195995c =>
removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes3
2, bytes32)
ded9382a =>
removeLiquidityETHWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,byt
es32)
38ed1739 => swapExactTokensForTokens(uint256,uint256,address[],address,uint256)
8803dbee => swapTokensForExactTokens(uint256,uint256,address[],address,uint256)
7ff36ab5 => swapExactETHForTokens(uint256,address[],address,uint256)
4a25d94a => swapTokensForExactETH(uint256,uint256,address[],address,uint256)
18cbafe5 => swapExactTokensForETH(uint256,uint256,address[],address,uint256)
fb3bdb41 => swapETHForExactTokens(uint256,address[],address,uint256)
ad615dec => quote(uint256,uint256,uint256)
054d50d4 => getAmountOut(uint256,uint256,uint256)
85f8c259 => getAmountIn(uint256,uint256,uint256)
d06ca61f => getAmountsOut(uint256,address[])
1f00ca74 => getAmountsIn(uint256,address[])
```



```
af2979eb =>
removeLiquidityETHSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)
5b0d5984 =>
removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,u
int256,bool,uint8,bytes32,bytes32)
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b6f9de95 => swapExactETHForTokensSupportingFeeOnTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
8129fc1c => initialize()
88f82020 => isExcludedFromReward(address)
13114a9d => totalFees()
3c9f861d => totalBurn()
2b14ca56 => sellFee()
acb2ad6f => transferFee()
3bd5d173 \Rightarrow deliver(uint256)
4549b039 => reflectionFromToken(uint256,bool)
2d838119 => tokenFromReflection(uint256)
52390c02 => excludeFromReward(address)
3685d419 => includeInReward(address)
42966c68 => burn(uint256)
437823ec => excludeFromFee(address)
ea2f0b37 => includeInFee(address)
bb85c6d1 => changeMarketingWallet(address)
2a9319cb => setMinLiquidityPercent(uint256)
d543dbeb => setMaxTxPercent(uint256)
c49b9a80 => setSwapAndLiquifyEnabled(bool)
 55e1d909 => rescueBNBFromContract()
c9ed7443 => updateNumTokensSellToAddToLiquidity(uint256)
bea9849e => setUniswapRouter(address)
d5aed6bf => setUniswapPair(address)
5d83b454 => setExcludedFromAutoLiquidity(address,bool)
bc612bc8 => setExcludedToAutoLiquidity(address,bool)
301370af => removeAllFee()
e7e3e3a7 => restoreAllFee()
5342acb4 => isExcludedFromFee(address)
34206ad2 => isBuyTransaction(address,address)
e805b4b4 => isSellTransaction(address,address)
173865ad => swapAndLiquify(uint256)
b28805f4 => swapTokensForEth(uint256)
9cd441da => addLiquidity(uint256,uint256)
b09bbc79 => _tokenTransfer(address,address,uint256,bool)
6ff6cdf4 => _transferBothExcluded(address,address,uint256)
2852df65 => _transferStandard(address,address,uint256)
16f1cc83 => _transferToExcluded(address,address,uint256)
```




```
c7d9be66
         => _transferFromExcluded(address,address,uint256)
627f2894 =>
             _reflectFee(uint256,uint256,uint256,uint256)
65c63d72 => _getRValues(uint256,uint256,uint256,uint256,uint256)
94e10784 => _getRate()
97a9d560 => _getCurrentSupply()
814bbf3f => _takeLiquidity(uint256,uint256)
cc126a23 => calculateLiquidityFee(uint256)
6ad88269 => calculateBurnFee(uint256)
c5c7647a => calculateMarketingFee(uint256)
51dab36d => sendtoMarktingWallet(address,address,uint256)
86505c84 => changeBuyFee(uint256,uint256,uint256,uint256)
08782221 => changeSellFee(uint256,uint256,uint256,uint256)
12bfe027 => changeTransferFee(uint256,uint256,uint256,uint256)
5db30bb1 => getMaxTotalSupply()
```

# Interfi

Smart Contract
Security Audit



### **Inheritance Graph**



Smart Contract Security Audit



# **Smart Contract - Manual Analysis**

Function	Description	Tested	Verdict
TotalSupply	provides information about the total token supply	Yes	Passed
BalanceOf	provides account balance of the owner's account	Yes	Passed
Transfer	executes transfers of a specified number of tokens to a specified address	Yes	Passed
TransferFrom	executes transfers of a specified number of tokens from a specified address	Yes	Passed
Approve	allow a spender to withdraw a set number of tokens from a specified account	Yes	Passed
Allowance	returns a set number of tokens from a spender to the owner	Yes	Passed
burn	executes transfers of a specified number of tokens to a burn address	Yes	Passed

### **Verified**

Active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. At the time of the audit, the token contract is not deployed on any blockchain, the contract can be modified/altered before the deployment.

- Owner can mint tokens at token launch.
- Owner can pause and upgrade the smart contract.
- Owner can blacklist wallets and addresses
- Owner can-not lock or burn user assets.



#### **Important Information**

EVDC Token smart contract utilizes the "SafeMath" to prevent known vulnerabilities.

```
using Address for address;

mapping (address => uint256) private _r0wned;
mapping (address => uint256) private _t0wned;
```

EVDC Token smart contract is "pausable" and "upgradable".

```
abstract contract PausableUpgradeable is Initializable, ContextUpgradeable {
```

EVDC smart contract has low severity issues which may not create any functional vulnerability.

```
Smart Contract

Security Audit

"resource": "/EVDCToken.sol",

"owner": "_generated_diagnostic_collection_name_#0",

"severity": 8, (! Low Severity)

"Expected pragma, import directive or contract/interface/library definition.",

"source": "solc",
```



}

# **Smart Contract - SWC Attacks**

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	! Low
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smart Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
SWC-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



# **Smart Contract - Risk Status & Radar Chart**

Risk Severity	Status	
! Critical	None critical severity issues identified	
! High	None high severity issues identified	
! Medium	None low severity issues identified	
! Low	2 Low severity issue identified	
Passed	Score out of 100  Compiler Check  Interface Safety  Manual Analysis  Software Analysis	
	Compiler Check 96	
	Static Analysis 94	
	Software Analysis 91	
	Manual Analysis 92	
	Interface Safety 84	



## **Auditor's Verdict**

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

EVDC'S token smart contract source codes has LOW RISK SEVERITY.

EVDC has successfully PASSED the smart contract audit.



#### **<u>Auditor's Note:</u>**

## Smart Contract

- Be aware that active smart contract owner privileges constitute an elevated impact on smart contract safety and security.
- At the time of the audit, the token contract is not deployed on any blockchain, the contract can be modified/altered before the deployment.
- The contract can blacklist wallets/addresses from trading. The contract is pausable and upgradable.
- Project owner or developer's KYC isn't checked and verified due to out of scope.
- The project's liquidity pair isn't checked and verified due to out of scope.
- The project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse reports.



## **Important Disclaimer**

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyze the on-chain smart contract source code and to provide a basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purpose without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant to external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact on smart contract safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided in this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your due diligence and consult your financial advisor before making any investment decisions.



## **About InterFi Network**

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy to use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit <a href="https://interfi.network">https://interfi.network</a>

To view our audit portfolio, visit <a href="https://github.com/interfinetwork">https://github.com/interfinetwork</a>

To book an audit, message <a href="https://t.me/interfiaudits">https://t.me/interfiaudits</a>





