

SMART CONTRACT SECURITY AUDIT Dough



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

Summary

Auditing Firm InterFi Network

Architecture InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Project Overview Approved BY

Albert | Project Specialist at InterFi Network

Platform Solidity

Audit Check (Mandatory) Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC, Website & Socials Analysis (Not Applicable)

Consultation Request Date September 18, 2021

Report Date September 21, 2021

Audit Summary

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- ❖ Dough's smart contract source code has LOW RISK SEVERITY.
- Dough has successfully PASSED the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.



Table Of Contents

<u>Project Information</u>

Overview		4
InterFi "Echelon" Audit Stand	<u>dard</u>	
Audit Scope & Methodolo	gy	6
InterFi's Risk Classification	٦	8
Smart Contract Risk Assessn		
Contract Overview		9
Static Analysis		10
Software Analysis		15
Manual Analysis	Smart Contract	20
SWC Risk Assessment	Security Audit	22
Report Summary		
Auditor's Verdict		25
<u>Legal Advisory</u>		
Important Disclaimer		26
About InterFi Network		27



Project Overview

InterFi was consulted by Dough on September 18, 2021 to conduct a smart contract security audit of their solidity source code.

Dough: A unique cake rewarding token

Dough brings you a unique and very tasty recipe which has never been done before! When the chart is green you will receive Cake rewards when the chart is red you receive more Dough

Project	DOUGH
Blockchain	Binance Smart Chain
Language	Solidity
Contract	0xede5020492be8e265db6141cb0a1d2df9dbae9bb
Website	https://doughbsc.com/ Smort Contract
Twitter	https://twitter.com/doughbsc
Telegram	https://telegram.me/doughbsc

Public logo





Solidity Source Code File & Extras

https://github.com/interfinetwork/audited-codes/blob/main/Dough.sol

GitHub Commits

Solidity source code committed at: ad3544a07l39fcf30l1l89038aa0a747e9ca9c7d



Smart Contract Security Audit



Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of Dough. The source code can be viewed in its entirety on

https://github.com/interfinetwork/audited-codes/blob/main/Dough.sol

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

Re-entrancy (RE)

Unhandled Exceptions (UE)

Transaction Order Dependency (TO)

Integer Overflow (IO)

Unrestricted Action (UA)

Ownership Takeover

Gas Limit and Loops

Deployment Consistency

Repository Consistency

Data Consistency

Token Supply Manipulation

Access Control and Authorization

Operations Trail and Event Generation

Assets Manipulation

Liquidity Access

Source Code Review

Smart Contract Vulnerabilities

Functional Assessment



InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- 1. Solidity smart contract source code reviewal:
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

		SHRUL COHLIGGE
Risk severity	Meaning	Security Audit
! Critical	This level vulner	abilities could be exploited easily, and can lead to asset loss, data
	loss, asset mani	pulation, or data manipulation. They should be fixed right away.
! High	This level vulner	abilities are hard to exploit but very important to fix, they carry an
	elevated risk of s	smart contract manipulation, which can lead to critical risk severity
	This level vulner	abilities are should be fixed, as they carry an inherent risk of future
! Medium	exploits, and had	cks which may or may not impact the smart contract execution.
! Low	This level vulne	erabilities can be ignored. They are code style violations, and
	informational st	catements in the code. They may not affect the smart contract
	execution	



Smart Contract - Overview

Contract information

Query	Result
Name	Dough
Symbol	DOUGH
Decimals	18
Total Supply	1,000,000,000
Rewards Address	0x0e09fabb73bd3ade0a17ecc321fd13a19e81ce82
Dividend Manager	0xaacc00683f804b6bf32c38bc7426391857f323fe
Marketing Address	0xbb162090d7cf5ccf163e27527e56f459f4a96687
Owner	0xd44207fc38c6b82846a3ce2cedb80e0a05952df1
Uniswap V2 Pair	0xf92d36072d4bbe0cd1b7e282217380751b869652
Uniswap V2 Router	0x10ed43c718714eb63d5aa57b78b54704e256024e



Smart Contract - Static Analysis

Symbol	Meaning
	Function can be modified
<u>ā</u> s <u>ā</u>	Function is payable
	Function is locked
	Function can be accessed
·!	Important functionality

```
***Ownable** | Implementation | Context |||
 L | <Constructor> | Public ! | 🔴
 L | owner | Public | | |NO! |
   renounceOwnership | Public 📒 | 🥌
   | transfer0wnership | Public 🚺 | 🥮 | only0wner |
 **DividendPayingTokenOptionalInterface** | Interface | |||
   **Address** | Library | |||
 ^{\mathsf{L}} | sendValue | Internal ^{\mathsf{A}} | ^{\mathsf{D}} | | ^{\mathsf{L}} | functionCall | Internal ^{\mathsf{A}} | ^{\mathsf{D}}
 👢 | functionCall | Internal 🗎 | 🥌
 👢 | functionCallWithValue | Internal 🛍 | 🥌
 L | functionCallWithValue | Internal ← |
 L | _functionCallWithValue | Private 聲 |
 **IUniswapV2Factory** | Interface | |||
 L | feeTo | External | | |NO! |
 L | feeToSetter | External | | | NO! |
 L | getPair | External | | NO! |
 L | createPair | External | | 🔎 |NO! |
 L | setFeeTo | External | | 🛑 |NO! |
   | setFeeToSetter | External | | 🛑 |NO! |
```



```
**IUniswapV2Pair** | Interface | |||
 L | name | External | | NO! |
    symbol | External | | |NO! |
     decimals | External | |
                           totalSupply | External | | |NO
     balanceOf | External 👎
                              |NO |
    allowance | External
                              |N0 | |
     approve | External 📒 | 🥌
                             |N0 |
    transfer | External 📒 | 🥌
                              |NO |
    transferFrom | External 📒 | 🥌
     DOMAIN_SEPARATOR | External | |
                                    |N0
    nonces | External | |
                           |N0 |
    permit | External ! | 🛑 |NO! |
    MINIMUM_LIQUIDITY | External | |
                                    |NO | |
 | token0 | External
                           |N0 |
 L | token1 | External | |
                           |N0 |
   | getReserves | External | | | NO! |
 L | price0CumulativeLast | External
                                        |N0
 | | price1CumulativeLast | External | |
                                       |NO |
    kLast | External | | NO
 L | mint | External | |
                          |N0 |
    burn | External 📒 |
                           INO !
 L | swap | External | |
                           |N0 |
   | skim | External | |
                           INO !
   | sync | External 📙 | 🥌
                          |N0 |
 📙 | initialize | External 📒 | 🥮 |NO! |
**IterableMapping** | Library | |||
 ^{\mathsf{L}} | get | Internal ^{\mathsf{m}} | | |
 └ | getIndexOfKey | Internal 🔓 |
 L | size | Internal ← | | |
 📙 | set | Internal 🛍 | 🥮 | |
   | remove | Internal 🗎 | 🥮 | |
||||||
  **SafeMathConversion** | Library | |||
 └ | toUint256Safe | Internal 🗎 | | |
 L | toInt256Safe | Internal ← | | |
111111
| **DividendPayingTokenInterface** | Interface | |||
 👢 | withdrawDividend | External 📒 | 🥮 |NO 📒 |
1111111
| **SharedConstants** | Implementation | |||
\square
| **DividendPayingToken** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface, SharedConstants |||
 👢 | <Constructor> | Public 📒 | 🥮 | ERC20 |
```



```
distributeDividends | Public | |
                                           | onlyOwner
     getRewardToken | Public | |
     withdrawDividend | Public | | 🛑 | NO! |
     _withdrawDividendOfUser | Internal 🗎 | 🥌
    dividendOf | Public | | | NO!
     withdrawableDividendOf | Public
                                            |NO ! |
     withdrawnDividendOf | Public | |
     accumulativeDividendOf | Public | | NO! |
    _transfer | Internal 🖴 | 🥌
     _mint | Internal 🖴 | 🥌
     _burn | Internal 🛍 | 🛑 | |
    |_setBalance | Internal 🖴 | 🥌
  <mark>**SafeERC20**</mark> | Library |  |||
     safeTransfer | Internal 🔒 | 🧓
    safeTransferFrom | Internal 🖴 | 🥌
     safeApprove | Internal 🗎 | 🛑
     safeIncreaseAllowance | Internal 🔒 | 🥌
     safeDecreaseAllowance | Internal 🗎 |
    callOptionalReturn | Private 聲 | 🥌
\Pi\Pi\Pi\Pi\Pi
 **IUniswapV2Router01** | Interface | |||
    factory | External 📒 |
                               |N0 |
     WETH | External | | | NO
     addLiquidity | External 📒 | 🥮
                                      |N0 |
     addLiquidityETH | External
     removeLiquidity | External
     removeLiquidityETH | External | |
     removeLiquidityWithPermit | External 📒 | 🥌
     removeLiquidityETHWithPermit | External 📒 | 🥌
     swapExactTokensForTokens | External
     swapTokensForExactTokens | External
     swapExactETHForTokens | External !
                                               INO !
     swapTokensForExactETH | External
                                               IN<sub>0</sub>
     swapExactTokensForETH | External
                                               IN0
     swapETHForExactTokens | External 📒 | 👪 <code>INO</code>
     quote | External | |
                             |NO | |
     getAmountOut | External | |
     getAmountIn | External | |
     getAmountsOut | External 📒 |
                                   getAmountsIn | External | |
                                    |NO | |
111111
 **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
    removeLiquidityETHSupportingFeeOnTransferTokens | External 🚶 | 🥌
     removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External
                                                                                  |NO | |
     swapExactTokensForTokensSupportingFeeOnTransferTokens | External 🚦 | 🥌
     swapExactETHForTokensSupportingFeeOnTransferTokens | External
     swapExactTokensForETHSupportingFeeOnTransferTokens | External
```



```
<mark>ugh>>> | Implementation | ERC20, Ownable, SharedConstants |||</mark>
   <Receive Ether> | External ! | INO! |
   updateDividendManager | External 📘 | 🥌
                                     | onlyOwner |
  updateUniswapV2Router | External 📘 | 🧶 | onlyOwner |
   excludeFromFees | External 📒 | 🥌 | onlyOwner |
   excludeMultipleAccountsFromFees | External 📒 | 🥮 | onlyOwner |
   setMarketingWallet | External 📒 | 🧶 | onlyOwner |
   setBuyFees | External 📘 | 🥮 | onlyOwner |
   setSellFees | External 📒 | 🥮 | onlyOwner |
   setAutomatedMarketMakerPair | External 🚦 | 🔴 | onlyOwner |
  blacklistAddress | External 📒 | 🤛 | onlyOwner |
   setMaxWalletPermille | External 📒 | 🥮 | onlyOwner |
  setSwapAmount | External 📒 | 🤛 | onlyOwner |
  setAntiBotStopAddress | External 📘 | 🥮 | onlyOwner |
👢 | _setAutomatedMarketMakerPair | Private 🗳 | 🥌 | |
  updateGasForProcessing | External 👢 | 🥮 | onlyOwner |
  | getSumBuys | External | | | onlyOwner |
  updateClaimWaits | External 📒 | 🥮 | onlyOwner |
  getClaimWaits | External | | |NO! |
  getTotalDividendsDistributed | External 📒 |
withdrawableDividendsOf | External
                                      INO
  dividendTokenBalancesOf | External ! |
                                       |N0 |
  excludeFromAllDividends | External | | 🛑
                                       | onlyOwner |
  excludeFromSelectedDividends | External 📒 | 🥮 | onlyOwner |
  getAccountDividendsInfo | External | | |NO! |
  getAccountDividendsInfoAtIndex | External | | |NO! |
 claim | External 📒 | 🤛 | onlyOwner |
  getNumberOfDividendTokenHolders | External | |
 getTransferAmounts | Private 🔐 | 🥮 | |
  _transfer | Internal 🗎 | 🥮 | |
📙 | sellTokensForBNBAndTakeFees | Private 😭 | 🥮 | |
👢 | swapLiquifyAndSellToBNB | Private 🛍 | 🥮 | |
  swapTokensForBNB | Private 😭 | 🥮 | |
  swapBNBForCake | Private 🛍 | 🥌
  addLiquidity | Private 🔐 | 🥮 | |
   swapAndSendDividends | Private 🛍 | 🥌
   manuallyTriggerSwap | External ! |
                                    | onlyOwner |
   withdrawOtherTokens | External | | 🛑 | onlyOwner |
   withdrawExcessBNB | External 📒 | 🥮 | onlyOwner |
*DividendManager** | Implementation | Ownable, SharedConstants |||
   <Constructor> | Public | | 🛑 |NO! |
   addDividendTracker | External 📘 | 🥌
                                  | onlyOwner |
   incrementFeeTokens | External 📒 | 🥮 | onlyOwner
```



```
incrementFeeTokens | External !
                                          onlyOwner
     decrementFeeTokens | External
                                        | onlyOwner
     decrementFeeTokens | External
                                        | onlyOwner
     incrementFeeTokens | External | |
                                        | onlyOwner
    resetFeeTokens | External 📘 | 🥌
                                    | onlyOwner |
     resetFeeTokens | External 📒 | 🥮 | onlyOwner |
     excludeFromSelectedDividends | Public 🕴 | 🥮 | onlyOwner |
     excludeFromAllDividends | Public 📒 | 🥌
                                          | onlyOwner |
     updateClaimWaits | External 📒 | 🛑 | onlyOwner |
     updateFees | External 📒 | 🥌 | onlyOwner |
     distributeDividends | External 📒 | 🧓 | onlyOwner |
    distributeDividends | External
                                         | onlyOwner |
     process | External 📒 | 🥮 | onlyOwner |
    setBalance | External 📒 | 🥮 | onlyOwner |
    processAccount | External | | 🛑 | onlyOwner |
    excludeFromDividendsUntilTimeout | External 📒 | 🥌 | onlyOwner |
    getFeeTokensFromRewardAddress | Public | |
    getSummedFeeTokens | Public | | |NO! |
    getRewardToken | Public | | |NO | |
    getTrackerAddress | Public
    getTrackerAddress | Public 📒 |
                                    INO !
   | getLastProcessedIndexes | Public | |
                                         |N0 |
    getNumberOfTokenHolders | Public | |
                                         |N0
    totalDividendsDistributed | Public | | | NO! |
   | withdrawableDividendsOf | Public | |
                                         |NO ! |
 L | getFees | Public | | NO! |
 L | getSummedFees | Public | |
                                |NO | | |
   | getFee | Public | |
                          |N0 | |
 L | claimWaits | Public | |
                             |N0 |
    balancesOf | Public 👎
                              |N0 |
    getAccount | Public | |
                              |N0 |
     getAccountAtIndex | Public ! |
                                    | dividendTrackers | Public | | | NO | |
111111
 **DividendTracker** | Implementation | Ownable, DividendPayingToken |||
   | <Constructor> | Public | | 🛑 | DividendPayingToken |
    updateFee | External 📒 | 🥌
                               onlyOwner |
    _transfer | Internal 🖴 |
    withdrawDividend | Public | | NO! |
 👢 | excludeFromDividends | External 📒 | 🥮 | onlyOwner |
    excludeFromDividendsUntilTimeout | External 📒 | 🥮 | onlyOwner |
    updateClaimWait | External 📒 | 🥮 | onlyOwner |
     getLastProcessedIndex | External | | |NO | |
     getNumberOfTokenHolders | External | | |NO! |
     getAccount | Public | | NO | |
     canAutoClaim | Private 🛍 |
```



Smart Contract - Software Analysis

Callout functions - Sighash

```
Sighash
             Function Signature
16279055 => isContract(address)
17198877 => dividendTrackers()
39509351 => increaseAllowance(address,uint256)
55920970 => excludeFromSelectedDividends(address,bool[])
119df25f => _msgSender()
8b49d47e => _msgData()
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
a8b9d240 => withdrawableDividendOf(address)
aafd847a => withdrawnDividendOf(address)
27ce0147 => accumulativeDividendOf(address)
24a084df => sendValue(address,uint256)
a0b5ffb0 => functionCall(address,bytes)
241b5886 => functionCall(address,bytes,string)
2a011594 => functionCallWithValue(address, bytes, uint256)
d525ab8a => functionCallWithValue(address,bytes,uint256,string)
36455e42 => _functionCallWithValue(address,bytes,uint256,string)
017e7e58 => feeTo()
094b7415 => feeToSetter()
e6a43905 => getPair(address,address)
1e3dd18b => allPairs(uint256)
574f2ba3 => allPairsLength()
c9c65396 => createPair(address, address)
f46901ed => setFeeTo(address)
a2e74af6 => setFeeToSetter(address)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
18160ddd => totalSupply()
70a08231 => balanceOf(address)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
a9059cbb => transfer(address,uint256)
23b872dd => transferFrom(address,address,uint256)
3644e515 => DOMAIN SEPARATOR()
30adf81f => PERMIT TYPEHASH()
7ecebe00 => nonces(address)
d505accf => permit(address,address,uint256,uint256,uint8,bytes32,bytes32)
ba9a7a56 => MINIMUM LIQUIDITY()
c45a0155 => factory()
0dfe1681 => token0()
```



```
d21220a7 => token1()
0902f1ac => getReserves()
5909c0d5 => price0CumulativeLast()
5a3d5493 => price1CumulativeLast()
7464fc3d => kLast()
6a627842 => mint(address)
89afcb44 => burn(address)
022c0d9f => swap(uint256,uint256,address,bytes)
bc25cf77 => skim(address)
fff6cae9 => sync()
485cc955 => initialize(address,address)
268d8e2e => get(Map,address)
b45dad3d => getIndexOfKey(Map,address)
7596720f => getKeyAtIndex(Map,uint256)
b1b533f3 => size(Map)
6b06f325 => set(Map,address,uint256)
0eac8729 => remove(Map,address)
a457c2d7 => decreaseAllowance(address,uint256)
30e0789e => transfer(address,address,uint256)
4e6ec247 => _mint(address,uint256)
6161eb18 => _burn(address,uint256)
104e81ff => _approve(address,address,uint256)
cad3be83 => _beforeTokenTransfer(address,address,uint256)
744f7c7d => toUint256Safe(int256)
e823b9bf => toInt256Safe(uint256)
91b89fba => dividend0f(address)
6a474002 => withdrawDividend()
3243c791 => distributeDividends(uint256)
69940d79 => getRewardToken()
373de4aa => _withdrawDividendOfUser(address)
ab86e0a6 => _setBalance(address,uint256)
d0c407e1 => safeTransfer(IERC20,address,uint256)
5beae096 => safeTransferFrom(IERC20,address,address,uint256)
d6dcec8d => safeApprove(IERC20,address,uint256)
390cc046 => safeIncreaseAllowance(IERC20,address,uint256)
5164ffed => safeDecreaseAllowance(IERC20,address,uint256)
becc5a20 => callOptionalReturn(IERC20,bytes)
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
baa2abde => removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)
02751cec => removeLiquidityETH(address,uint256,uint256,uint256,address,uint256)
2195995c =>
removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes3
2, bytes32)
ded9382a =>
removeLiquidityETHWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,byt
es32)
38ed1739 => swapExactTokensForTokens(uint256,uint256,address[],address,uint256)
8803dbee => swapTokensForExactTokens(uint256,uint256,address[],address,uint256)
```




```
swapExactETHForTokens(uint256,address[],address,uint256)
7ff36ab5 =>
4a25d94a => swapTokensForExactETH(uint256,uint256,address[],address,uint256)
18cbafe5 => swapExactTokensForETH(uint256,uint256,address[],address,uint256)
fb3bdb41 => swapETHForExactTokens(uint256,address[],address,uint256)
ad615dec => quote(uint256,uint256,uint256)
054d50d4 => getAmountOut(uint256,uint256,uint256)
85f8c259 => getAmountIn(uint256,uint256,uint256)
d06ca61f => getAmountsOut(uint256,address[])
1f00ca74 => getAmountsIn(uint256,address[])
af2979eb =>
removeLiquidityETHSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)
5b0d5984 =>
removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,u
int256,bool,uint8,bytes32,bytes32)
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b6f9de95 => swapExactETHForTokensSupportingFeeOnTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b45ee9ff => initialise(Buffer,uint8)
f94eb920 => append(Buffer,uint256,uint8)
34cd6399 \Rightarrow sum(Buffer)
1e2b54e3 => updateDividendManager(address)
65b8dbc0 => updateUniswapV2Router(address)
c0246668 => excludeFromFees(address,bool)
c492f046 => excludeMultipleAccountsFromFees(address[],bool)
5d098b38 => setMarketingWallet(address)
be272aeb => setBuyFees(uint8[],uint8,uint8,uint8)
d29597e6 => setSellFees(uint8[],uint8,uint8,uint8)
9a7a23d6 => setAutomatedMarketMakerPair(address,bool)
455a4396 => blacklistAddress(address,bool)
503797ea => setMaxWalletPermille(uint8)
e632313c => setSwapAmount(uint256)
fb217787 => setAntiBotStopAddress(address)
a7f7b36f => setAutomatedMarketMakerPair(address,bool)
871c128d => updateGasForProcessing(uint256)
c7afbe34 => getSumSells()
ea1ed482 => getSumBuys()
eaa8f687 => updateClaimWaits(uint256[])
d8076b78 => getClaimWaits()
30bb4cff => getTotalDividendsDistributed()
bf680ed0 => checkIfExcludedFromFees(address)
b131e610 => withdrawableDividendsOf(address)
0dab0a6c => dividendTokenBalancesOf(address)
65ef5c69 => excludeFromAllDividends(address)
c6f6137c => getAccountDividendsInfo(address,uint256)
3aa818c6 => getAccountDividendsInfoAtIndex(uint256,uint256)
97ffd13a => processDividendTrackers(uint256)
1e83409a => claim(address)
7bcd9b72 => getLastProcessedIndexes()
```



```
64b0f653 =>
             getNumberOfDividendTokenHolders()
247ea988 =>
             getRewardTokenPercentages(uint8)
31c11a21 => getTransferAmounts(uint256,uint8)
138efd0f => sellTokensForBNBAndTakeFees(uint256)
4ee9b474 => swapLiquifyAndSellToBNB(uint256)
56c3726b => swapTokensForBNB(uint256)
708b400a => swapBNBForCake(uint256)
9cd441da => addLiquidity(uint256,uint256)
4e143860 => swapAndSendDividends(uint256,uint256)
0d59297e => manuallyTriggerSwap(uint256)
60eb8a2e => withdrawOtherTokens(address.address)
65470d60 => withdrawExcessBNB(address)
77e06331 => addDividendTracker(string,string,address,uint256,uint256,uint8,uint8)
79879c2b => incrementFeeTokens(uint256,uint256)
0ae7fa41 => incrementFeeTokens(uint256,address)
b0e63310 => decrementFeeTokens(uint256,uint256)
06e3e272 => decrementFeeTokens(uint256,address)
655e664b => incrementFeeTokens(uint256[])
09ae23d0 => resetFeeTokens(uint256)
0918a068 => resetFeeTokens(address)
09fbfe09 => updateFees(uint8[],uint8)
757e4b5b => distributeDividends(uint256,uint256)
80ce98e7 => distributeDividends(uint256,address)
ffb2c479 => process(uint256)
e30443bc => setBalance(address,uint256)
807ab4f7 => processAccount(address)
a256d9e1 => excludeFromDividendsUntilTimeout(address)
120ca222 => getIDFromRewardAddress(address)
ab848a68 => getFeeTokensFromRewardAddress(address)
cc439516 => getSummedFeeTokens()
134b6edb => getRewardToken(uint256)
5447498a => getTrackerAddress(uint256)
f0e91d8f => getTrackerAddress(address)
09bbedde => getNumberOfTokenHolders()
85a6b3ae => totalDividendsDistributed()
8e3c3760 \Rightarrow getFees(uint8)
374502f9 => getSummedFees(uint8)
7bacd10c => getFee(uint8,address)
168588eb => claimWaits()
6392a51f => balances0f(address)
670079eb => getAccount(address,uint256)
a074fcca => getAccountAtIndex(uint256,uint256)
950c6c39 => updateFee(uint8,uint8)
31e79db0 => excludeFromDividends(address)
e98030c7 => updateClaimWait(uint256)
e7841ec0 => getLastProcessedIndex()
fbcbc0f1 => getAccount(address)
5183d6fd => getAccountAtIndex(uint256)
77fdb837 => canAutoClaim(uint256)
bc4c4b37 => processAccount(address,bool)
```



Callout functions - Inheritance Grah





Smart Contract - Manual Analysis

Function	Description	Tested	Verdict
TotalSupply	provides information about the total token	V	Danasad
тосыварргу	supply	Yes	Passed
BalanceOf	provides account balance of the owner's	V	Dunnad
Baianceoi	account	Yes	Passed
Transfer	executes transfers of a specified number of	N.1.0	NIA
Hullstei	tokens to a specified address	NA	NA
TransferFrom	executes transfers of a specified number of		
Iransierrioni	tokens from a specified address	NA	NA
Annecia	allow a spender to withdraw a set number of		
Approve	tokens from a specified account	Yes	Passed
Alleuranee	returns a set number of tokens from a spender to		
Allowance	the owner	Yes	Passed
la Di waldisha d	blocks a specific address from executing a		
IsBlacklisted	transaction security Audit	Yes	Passed

Verified

- Owner can mint tokens at token launch.
- Owner can-not pause the contract.
- Owner can-not lock or burn user assets.

Safety Note

Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.



Important Information

Dough.sol smart contract utilizes the "SafeMath" to prevent known vulnerabilities.

```
abstract SafeMath {
   ' -- inheritance --

   ' -- usingFor --

   ' -- vars --

   ' -- methods --
   # add()
   # sub()
   # sub()
   # div()
   # div()
   # mod()

}

' - inheritance safemath for dough / usingFor --

@enduml
```

Security Audit

The Dough.sol smart contract has a low severity issue which may not create any functional vulnerability.

Expected pragma, import directive or contract/interface/library definition (Low Impact)



Smart Contract - SWC Risk Assessment

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	Passed
SWC-103	Floating Pragma	! Low
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy Page 1	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smart Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
swc-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



Risk Severity Status


! Critical None critical severity issues identified

! High None high severity issues identified

! Medium None medium severity issues identified

! Low severity issues identified

Passed 40 functions and instances verified and passed



Compiler Check	99
Static Analysis	98.5
Software Analysis	98
Manual Analysis	98.5
Interface Safety	98.5



Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Dough's smart contract source code has LOW RISK SEVERITY.

Dough has successfully PASSED the smart contract audit.



Auditor's Note:

- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Project's owner or developer has not submitted KYC verification.
- Project's liquidity pair isn't checked and verified due to out of scope.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit https://interfi.network

To view our audit portfolio, visit https://github.com/interfinetwork

To book an audit, message https://t.me/interfiaudits





