

SMART CONTRACT SECURITY AUDIT OF ROBINHOOD PROTOCOL



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

Summary

Auditing Firm InterFi Network

Architecture InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Project Overview Approved By

Albert | Marketing Specialist at InterFi Network

Platform Solidity

Audit Check (Mandatory) Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC, Website & Socials Analysis (Not Applicable)

Consultation Request Date November 05, 2021

Report Date November 08, 2021

Audit Summary

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- RobinHoodProtocol's smart contract source code has LOW RISK SEVERITY.
- RobinHoodProtocol has PASSED the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit. At the time of the audit, the smart contract is deployed on testnet. Project owner/deployer can modify, alter or edit the contract before mainnet deployment.



Table Of Contents

Project Information

| Overview | 4 |
|----------------------------------|----|
| InterFi "Echelon" Audit Standard | |
| Audit Scope & Methodology | 6 |
| InterFi's Risk Classification | 8 |
| Smart Contract Risk Assessment | |
| Static Analysis | 9 |
| Software Analysis | 13 |
| Manual Analysis | 17 |
| SWC Attacks | 20 |
| Risk Status & Radar Chart | 22 |
| Report Summary | |
| Auditor's Verdict | 23 |
| <u>Legal Advisory</u> | |
| Important Disclaimer | 24 |
| About InterFi Network | 25 |



Project Overview

InterFi was consulted by RobinHoodProtocol on November 05, 2021 to conduct a smart contract security audit of their token source code.

About RobinHoodProtocol:

Being true to our name we created a revolutionary new system where everybody, regardless of their financial resources, can increase their wealth on our network. We are building a platform where members can safely store their crypto earnings, invest in promising new projects, explore-create-trade in the whole crypto ecosystem and earn playing fun games.

| Project | RobinHoodProtocol |
|----------------|--|
| Blockchain | Binance Smart Chain <mark>Testnet</mark> |
| Language | Solidity |
| Block Explorer | https://testnet.bscscan.com/token/0xADd92643cE13C0410e20fA7b43 37FF3316Fc1368 |
| Contract | 0xADd92643cE13C0410e20fA7b4337FF3316Fc1368 |
| Website | https://www.robinhoodprotocol.com/ |
| Telegram | https://t.me/RobinHoodProtocolOfficial |
| Twitter | https://twitter.com/HoodProtocol |
| Whitepaper | https://www.robinhoodprotocol.com/whitepaper.html |



Public logo



Solidity Source Code On Blockchain (BscScan Verified Contract Source Code)

https://testnet.bscscan.com/address/0xADd92643cE13C0410e20fA7b4337FF3316Fc1368#code

Contract Name: RHP

Compiler Version: v0.6.12+commit.27d51765

Optimization Enabled: No with 200 runs

Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/RobinHood.sol

InterFi GitHub Commit

Solidity source code is committed at: 2e9e636319d0ad217a6695a4dd367ed08baf91c9

SHA-1 Hash

Solidity source code is audited at hash #0b2918304943fdfd157fa3c401417a56263e6233



Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of RobinHoodProtocol. The source code can be viewed in its entirety on

https://testnet.bscscan.com/address/0xADd92643cE13C0410e20fA7b4337FF3316Fc1368#code

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

Re-entrancy (RE)

Smart Contract Vulnerabilities

- Unhandled Exceptions (UE)
- Transaction Order Dependency (TO)
- Integer Overflow (IO)
- Unrestricted Action (UA)
- Ownership Takeover
- Gas Limit and Loops
- Deployment Consistency
- Repository Consistency
- Data Consistency
- Token Supply Manipulation
- Access Control and Authorization
- Operations Trail and Event Generation
- Assets Manipulation
- Liquidity Access

Source Code Review

Functional Assessment



InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- Solidity smart contract source code reviewal:
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

| -• • | | SHIGH CONTINCT |
|------------------|-------------------|---|
| Risk severity | Meaning | Security Audit |
| ! Critical | This level vulner | abilities could be exploited easily, and can lead to asset loss, data |
| | loss, asset mani | pulation, or data manipulation. They should be fixed right away. |
| ! High | This level vulner | rabilities are hard to exploit but very important to fix, they carry an |
| | elevated risk of | smart contract manipulation, which can lead to critical risk severity |
| ! Medium | This level vulner | abilities are should be fixed, as they carry an inherent risk of future |
| | exploits, and ha | cks which may or may not impact the smart contract execution. |
| | This level vulne | erabilities can be ignored. They are code style violations, and |
| ! Low | informational s | tatements in the code. They may not affect the smart contract |
| | execution | |



Smart Contract - Static Analysis

| Symbol | Meaning |
|--------|--------------------------|
| | Function can be modified |
| | Function is payable |
| | Function is locked |
| | Function can be accessed |
| ! | Important functionality |

```
**IERC20** | Interface | |||
 L | totalSupply | External | |
                               |N0
 L | balanceOf | External |
 👢 | transfer | External 📒 | 🥌
   | allowance | External ! |
   | approve | External ! | 🛑
 👢 | transferFrom | External 📒 | 🥮
 <mark>**SafeMath**</mark> | Library |
 └ | add | Internal 🔓
    sub | Internal 🔒
    sub | Internal 🖴
     mul | Internal 🖺
    div | Internal 🖴
    div | Internal 🗎
    mod | Internal 🖴
 L | mod | Internal 🛍 |
 **Context** | Implementation | |||
 └ | _msgData | Internal 🗎 |
**Address** | Library | |||
 📙 | sendValue | Internal 🗎 | 🥌
 L | functionCall | Internal 🛍 | 🥌
 L | functionCall | Internal 🔒 | 🥌
 👢 | functionCallWithValue | Internal 🔓
 L | functionCallWithValue | Internal 	☐
    _functionCallWithValue | Private 💕
```



```
| Implementation | Context |||
    <Constructor> | Internal 🗎 | 🥮
     owner | Public | | NO! |
    renounceOwnership | Public
                                      | onlyOwner |
 💄 | transferOwnership | Public 📘 | 🥮 | onlyOwner |
 **IUniswapV2Factory** | Interface | |||
 L | feeTo | External | | NO | |
 L | feeToSetter | External | | NO! |
 L | getPair | External | |
                             |N0 |
    allPairs | External | | |NO
 createPair | External 📘 | 🥮 |NO 📙 |
    setFeeTo | External 📒 | 🥌 |NO 📒 |
    setFeeToSetter | External 📒 | 🥮 |NO 📙 |
\Pi\Pi\Pi\Pi
 **IUniswapV2Pair** | Interface | |||
 L | name | External | |
                          |NO ! |
 L | symbol | External | |
                            |N0 |
     decimals | External | |
    totalSupply | External | | | NO!
     balanceOf | External | |
                               |N0
    allowance | External 🏴
                               |N0 |
     approve | External 📒 | 🥌
                              NO I
    transfer | External 📒 | 🥌
                               |N0 |
    transferFrom | External 📒 | 🥌
                                   |N0 |
     DOMAIN_SEPARATOR | External | |
                                     |N0 |
     PERMIT_TYPEHASH | External | |
                                    |NO |
     nonces | External
                            |N0 |
    permit | External |
                              |NO |
     MINIMUM_LIQUIDITY | External | |
                                      |NO ! |
     factory | External | |
                             NO I
     token0 | External 📒 |
                            |NO |
    token1 | External | |
                            |N0 |
     getReserves | External | | | NO! |
     price0CumulativeLast | External
                                         |N0 |
    price1CumulativeLast | External
    kLast | External ! |
                           |N0 |
    mint | External 📒 |
                            IN0
     burn | External
    swap | External ! |
                            |N0 |
                            INO
     skim | External 🦊
     sync | External ! |
                            |N0 |
     initialize | External | | 🛑 |NO | |
111111
 **IUniswapV2Router01** | Interface | |||
 L | factory | External ! |
                             |NO ! |
 L | WETH | External | |
                          |NO |
     addLiquidity | External | |
                                   |N0 |
     addLiquidityETH | External | | 🝱 |NO
```



```
removeLiquidity | External
   removeLiquidityETH | External | |
                                          INO
   removeLiquidityWithPermit | External 📒 | 🥮
   removeLiquidityETHWithPermit | External
   swapExactTokensForTokens | External
                                                IN<sub>0</sub>
   swapTokensForExactTokens | External
                                                |N0
   swapExactETHForTokens | External !
                                             INO
   swapTokensForExactETH | External
                                             |N0
   swapExactTokensForETH | External
                                             IN0
   swapETHForExactTokens | External
   quote | External | |
                           |N0 |
   getAmountOut | External | |
   getAmountIn | External
                                 |N0 |
   getAmountsOut | External | |
                                  |NO |
   getAmountsIn | External | |
                                  |NO | |
++++
**IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
   removeLiquidityETHSupportingFeeOnTransferTokens | External 📒 | 🥌
   removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External | |
   swapExactTokensForTokensSupportingFeeOnTransferTokens | External
   swapExactETHForTokensSupportingFeeOnTransferTokens | External
   swapExactTokensForETHSupportingFeeOnTransferTokens | External 👢 | 🥌
🚧 RHP** | Implementation | Context, IERC20, Ownable |||
   <Constructor> | Public ! | 🛑 |NO! |
   name | Public | |
                        |NO | |
   symbol | Public | |
                          |N0 |
   decimals | Public | |
   totalSupply | Public | | NO! |
   balanceOf | Public | |
                             |N0 |
   transfer | Public 📒 | 🥌
                              IN0
   allowance | Public | |
                             IN0
                             |N0 |
   approve | Public ! | 🧲
   transferFrom | Public 📒 | 🥏
                                 |N0
   increaseAllowance | Public
                                       |N0 |
   decreaseAllowance | Public
                                       |N0 |
   isExcludedFromReward | Public
                                        |N0 | |
   totalFees | Public |
                             |N0
   deliver | Public 📒 | 🥮 |NO
   reflectionFromToken | Public
                                       |N0 |
   tokenFromReflection | Public
                                       |N0 |
   excludeFromReward | Public
                                       | onlyOwner |
   includeInReward | External !
                                       | onlyOwner |
   _transferBothExcluded | Private 🔐
   excludeFromFee | Public ! | 🛑
                                   | onlyOwner |
   includeInFee | Public | | 🛑
                                 | onlyOwner |
   updateWalletLimit | External 📒 | 🥌
                                         | onlyOwner |
   changeTaxFeeWallet | Public | |
                                        | onlyOwner |
   changeCharityWallet | Public 📘 | 🥌
                                        onlyOwner |
    changeBurnWallet | Public | |
                                     | onlyOwner |
```



```
setNumTokensSellToAddToLiquidity | External 📒 | 🥮 | onlyOwner |
  <Receive Ether> | External | | 100 | |
  _reflectFee | Private 🛍 | 🥌 | |
  _getValues | Private 🔐 | | |
  _getValuesCharity | Private 聲 | | | |
  | _getTValues | Private 🔐 |  | |
  | _getRValues | Private 聲 |   | |
 | _getRate | Private 🔐 | | |
  | _getCurrentSupply | Private 聲 |
└ | _takeLiquidity | Private 😭 | 🥮 | |
L | _takeXHowFee | Private 🛍 | 🥮 | |
└ | calculateTaxFee | Private 🔐 | | |
👢 | calculateLiquidityFee | Private 🗳 | | |
└ | calculateXHowFee | Private 聲 | | |
👢 | calculateCharityFee | Private 🛍 | | |
└ | calculateBurnFee | Private 😭 | | |
L | removeAllFee | Private 😭 | 🥌 | |
└ | restoreAllFee | Private 🗳 | 🛑 | |
L | isExcludedFromFee | Public | | NO  | |
L | _approve | Private 🛍 | 🥮 | |
L | _transfer | Private 🔐 | 🥌
L | _validateTransfer | Private 🔐 | ● | |
L | _validateTime | Private 🖺 | 🥌 | |
L | swapTokensForEth | Private 🔐 | 🥌 | |
└ | addLiquidity | Private 🗳 | 🥌 | |
👢 | _tokenTransfer | Private 😭 | 🥌
└ | setFeeOfTransfer | Private 🗳 | 🥌
L | _transferStandard | Private 😭 | 🥌
L | _transferToExcluded | Private 😭 | 🥌
 | _transferFromExcluded | Private 🔐 | 🥊
   updateSellLimit | External ! | 🛑 | onlyOwner
```



Smart Contract - Software Analysis

Function Signatures

```
11902160 => __getTValues(uint256)
16279055 => isContract(address)
39509351 => increaseAllowance(address,uint256)
75128141 => calculateTaxFee(uint256)
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
f43f523a => mod(uint256,uint256)
71af23e8 => mod(uint256,uint256,string)
119df25f => msgSender()
8b49d47e => msqData()
24a084df => sendValue(address,uint256)
a0b5ffb0 => functionCall(address,bytes)
241b5886 => functionCall(address,bytes,string)
2a011594 => functionCallWithValue(address,bytes,uint256)
d525ab8a => functionCallWithValue(address,bytes,uint256,string)
36455e42 => _functionCallWithValue(address,bytes,uint256,string)
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
017e7e58 => feeTo()
094b7415 => feeToSetter()
e6a43905 => getPair(address.address)
1e3dd18b => allPairs(uint256)
574f2ba3 => allPairsLength()
c9c65396 => createPair(address,address)
f46901ed => setFeeTo(address)
a2e74af6 => setFeeToSetter(address)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
3644e515 => DOMAIN SEPARATOR()
30adf81f => PERMIT_TYPEHASH()
7ecebe00 => nonces(address)
d505accf => permit(address,address,uint256,uint256,uint8,bytes32,bytes32)
ba9a7a56 => MINIMUM LIQUIDITY()
```




```
c45a0155 => factory()
0dfe1681 => token0()
d21220a7 => token1()
0902f1ac => getReserves()
5909c0d5 => price0CumulativeLast()
5a3d5493 => price1CumulativeLast()
7464fc3d => kLast()
6a627842 \Rightarrow mint(address)
89afcb44 => burn(address)
022c0d9f => swap(uint256,uint256,address,bytes)
bc25cf77 => skim(address)
fff6cae9 => sync()
485cc955 => initialize(address,address)
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
baa2abde => removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)
02751cec => removeLiquidityETH(address,uint256,uint256,uint256,address,uint256)
2195995c =>
removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes3
2, bytes32)
ded9382a =>
removeLiquidityETHWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,byt
es32)
38ed1739 => swapExactTokensForTokens(uint256,uint256,address[],address,uint256)
8803dbee => swapTokensForExactTokens(uint256,uint256,address[],address,uint256)
7ff36ab5 => swapExactETHForTokens(uint256,address[],address,uint256)
4a25d94a => swapTokensForExactETH(uint256,uint256,address[],address,uint256)
18cbafe5 => swapExactTokensForETH(uint256,uint256,address[],address,uint256)
fb3bdb41 => swapETHForExactTokens(uint256,address[],address,uint256)
ad615dec => quote(uint256,uint256,uint256)
054d50d4 => getAmountOut(uint256,uint256,uint256)
85f8c259 => getAmountIn(uint256,uint256)
d06ca61f => getAmountsOut(uint256,address[])
1f00ca74 => getAmountsIn(uint256,address[])
af2979eb =>
removeLiquidityETHSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)
5b0d5984 =>
removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,u
int256,bool,uint8,bytes32,bytes32)
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256, uint256, address[], address, uint256)
b6f9de95 => swapExactETHForTokensSupportingFee0nTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
a457c2d7 => decreaseAllowance(address,uint256)
88f82020 => isExcludedFromReward(address)
13114a9d => totalFees()
3bd5d173 \Rightarrow deliver(uint256)
4549b039 => reflectionFromToken(uint256,bool)
```



```
2d838119 => tokenFromReflection(uint256)
52390c02 => excludeFromReward(address)
3685d419 => includeInReward(address)
6ff6cdf4 => transferBothExcluded(address,address,uint256)
437823ec => excludeFromFee(address)
ea2f0b37 => includeInFee(address)
4f7fbdde => updateWalletLimit(uint256)
f04c920d => changeTaxFeeWallet(address)
37ec5a24 => changeCharityWallet(address)
a8916021 => changeBurnWallet(address)
f0f165af => setNumTokensSellToAddToLiquidity(uint256)
c49b9a80 => setSwapAndLiquifyEnabled(bool)
184d894e => _reflectFee(uint256,uint256)
d4780e36 => _getValues(uint256)
1b5cefb6 => getValuesCharity(uint256)
99c872a6 => _getRValues(uint256,uint256,uint256,uint256,uint256)
94e10784 => getRate()
97a9d560 => _getCurrentSupply()
c432df5e => takeLiquidity(uint256)
5a6af61f => _takeXHowFee(uint256)
cc126a23 => calculateLiquidityFee(uint256)
35d37693 => calculateXHowFee(uint256)
0b2d25ca => calculateCharityFee(uint256)
6ad88269 => calculateBurnFee(uint256)
301370af => removeAllFee()
e7e3e3a7 => restoreAllFee()
5342acb4 => isExcludedFromFee(address)
104e81ff => approve(address,address,uint256)
30e0789e => _transfer(address,address,uint256)
91d8693c => _validateTransfer(address,address,uint256,bool)
06180d04 => _validateTime(address)
e0297d6d => _isSell(address,address)
173865ad => swapAndLiquify(uint256)
b28805f4 => swapTokensForEth(uint256)
9cd441da => addLiquidity(uint256,uint256)
b09bbc79 => _tokenTransfer(address,address,uint256,bool)
7cdc217a => setFeeOfTransfer(address)
2852df65 => _transferStandard(address,address,uint256)
16f1cc83 => transferToExcluded(address,address,uint256)
c7d9be66 => _transferFromExcluded(address,address,uint256)
a2a5802a => updateSellLimit(uint256)
```



Inheritance Graph



Interfi

Smart Contract Security Audit



Smart Contract – Manual Analysis

| Function | Description | Tested | Verdict |
|------------------|---|--------|---------|
| Total Supply | provides information about the total token | | |
| | supply | Yes | Passed |
| Balance Of | provides account balance of the owner's | | |
| Balance OI | account | Yes | Passed |
| Transfer | executes transfers of a specified number of | | Passed |
| Transfer | tokens to a specified address | Yes | |
| A | allow a spender to withdraw a set number of | | |
| Approve | tokens from a specified account | Yes | Passed |
| | returns a set number of tokens from a spender to | | |
| Allowance | the owner | Yes | Passed |
| | is an action in which the project buys back its | | |
| Buy Back | tokens from the existing holders usually at a | NA | NA |
| - | market price nort Contract | | |
| _ | executes transfers of a specified number of | | |
| Burn | tokens to a burn address | NA | NA |
| | executes creation of a specified number of | | |
| Mint | tokens and adds it to the total supply | NA | NA |
| | circulating token supply adjusts (increases or | | |
| Rebase | decreases) automatically according to a token's | NA | NA |
| | price fluctuations | | |
| | stops specified wallets from interacting with the | | |
| Blacklist | smart contract function modules | Yes | Passed |
| Look | stops or locks all function modules of the smart | | |
| Lock | contract | NA | NA |



Important Information

- Active Owner: 0xe4e5b26c7bbdf3a8358f722ed5le36dad46faaf1
- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- At the time of the audit, the smart contract is deployed on testnet. Project owner/deployer can modify, alter or edit the contract before mainnet deployment.
- The smart contract uses blacklist function, the contract owner can stop any wallet address from trading the token. Trade with caution.
- Owner can-not lock or burn user assets.
- Owner can-not stop or pause the smart contract.
- Owner can-not mint tokens after launch.
- RobinHoodProtocol's smart contract utilizes "SafeMath" function to avoid common smart contract vulnerabilities.

```
library SafeMath {
function add(uint256 a, uint256 b) internal pure returns (uint256) {
    uint256 c = a + b;
    require(c >= a, 'SafeMath: addition overflow');

    return c;
}
function sub(uint256 a, uint256 b) internal pure returns (uint256) {
    return sub(a, b, 'SafeMath: subtraction overflow');
}
uint256 c = a * b;
    require(c / a == b, 'SafeMath: multiplication overflow');

    return c;
}
```



RobinHoodProtocol's smart contract has 1 low severity issue which may or may not create any functional vulnerability.

```
"resource": " /RobinHoodProtocol.sol",

"owner": "_generated_diagnostic_collection_name_#0",
"severity": 8, (! Low Severity)
```

"Expected pragma, import directive or contract/interface/library definition",

"source": "solc",

}

Interfi

Smart Contract Security Audit



Smart Contract - SWC Attacks

| SWC ID | Description | Verdict |
|---------|--------------------------------------|---------|
| SWC-101 | Integer Overflow and Underflow | Passed |
| SWC-102 | Outdated Compiler Version | ! Low |
| SWC-103 | Floating Pragma | ! Low |
| SWC-104 | Unchecked Call Return Value | Passed |
| SWC-105 | Unprotected Ether Withdrawal | Passed |
| SWC-106 | Unprotected SELFDESTRUCT Instruction | Passed |
| SWC-107 | Re-entrancy | Passed |
| SWC-108 | State Variable Default Visibility | Passed |
| SWC-109 | Uninitialized Storage Pointer | Passed |
| SWC-110 | Assert Violation Smart Contract | Passed |
| swc-111 | Use of Deprecated Solidity Functions | Passed |
| SWC-112 | Delegate Call to Untrusted Callee | Passed |
| SWC-113 | DoS with Failed Call | Passed |
| SWC-114 | Transaction Order Dependence | Passed |
| SWC-115 | Authorization through tx.origin | Passed |
| SWC-116 | Block values as a proxy for time | Passed |
| swc-117 | Signature Malleability | Passed |
| SWC-118 | Incorrect Constructor Name | Passed |



| SWC-119 | Shadowing State Variables | Passed |
|---------|---|--------|
| SWC-120 | Weak Sources of Randomness from Chain Attributes | Passed |
| SWC-121 | Missing Protection against Signature Replay Attacks | Passed |
| SWC-122 | Lack of Proper Signature Verification | Passed |
| SWC-123 | Requirement Violation | Passed |
| SWC-124 | Write to Arbitrary Storage Location | Passed |
| SWC-125 | Incorrect Inheritance Order | Passed |
| SWC-126 | Insufficient Gas Griefing | Passed |
| SWC-127 | Arbitrary Jump with Function Type Variable | Passed |
| SWC-128 | DoS With Block Gas Limit | Passed |
| SWC-129 | Typographical Error | Passed |
| SWC-130 | Right-To-Left-Override control character (U+202E) | Passed |
| SWC-131 | Presence of unused variables | Passed |
| SWC-132 | Unexpected Ether balance | Passed |
| SWC-133 | Hash Collisions With Multiple Variable Length Arguments | Passed |
| SWC-134 | Message call with hardcoded gas amount | Passed |
| SWC-135 | Code With No Effects (Irrelevant/Dead Code) | Passed |
| SWC-136 | Unencrypted Private Data On-Chain | Passed |



Smart Contract - Risk Status & Radar Chart

| Risk Severity | Status |
|---------------|--|
| ! Critical | None critical severity issues identified |
| ! High | None high severity issues identified |
| ! Medium | None medium severity issues identified |
| ! Low | 1 low severity issue identified |
| Passed | Score out of 100 Compiler Check 100 Static Analysis Manual Analysis Software Analysis |

| Compiler Check | 98 |
|-------------------|----|
| Static Analysis | 97 |
| Software Analysis | 97 |
| Manual Analysis | 91 |
| Interface Safety | 96 |



Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

RobinHoodProtocol's smart contract source code has LOW RISK SEVERITY.

RobinHoodProtocol has PASSED the smart contract audit.



Auditor's Note:

- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- At the time of the audit, the smart contract is deployed on testnet. Project owner/deployer can modify, alter or edit the contract before mainnet deployment.
- Project owner's KYC isn't checked and verified due to out of scope.
- Project's liquidity pair isn't checked and verified due to out of scope.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit https://interfi.network

To view our audit portfolio, visit https://github.com/interfinetwork

To book an audit, message https://t.me/interfiaudits





