

SMART CONTRACT SECURITY AUDIT OF



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

Summary

Auditing Firm InterFi Network

Architecture InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Platform Solidity

Audit Check (Mandatory) Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC, Website & Socials Analysis (Not Applicable)

Consultation Request Date October 23, 2021

Preliminary Report Date October 31, 2021

Final Report Date November 11, 2021

Audit Summary

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- YearRise's smart contract source code has LOW RISK SEVERITY.
- YearRise has PASSED the smart contract audit.
- YearRise has PASSED the owner KYC verification. Check KYC here.

https://github.com/interfinetwork/kyc-verification-certificates/blob/main/YearRise_KYCCertificate_InterFi.pdf

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.



Table Of Contents

Project Information

Overview	
InterFi "Echelon" Audit Standard	
Audit Scope & Methodology	6
InterFi's Risk Classification	8
Smart Contract Risk Assessment	
Project Overview	g
Static Analysis	10
Software Analysis	13
Manual Analysis	15
SWC AttacksSecurity Audit	
Risk Status & Radar Chart	
Report Summary	
Auditor's Verdict	20
<u>Legal Advisory</u>	
Important Disclaimer	21
About InterFi Network	22



Project Overview

InterFi was consulted by YearRise on October 23, 2021 to conduct a smart contract security audit of their token source code.

YearRise: Hold \$YRT Earn \$USDT

- -Hyper Deflationary Token With USDT Rewards And Strategic Buyback Feature
- -8 % Redistribution In USDT ;1 % Liquidity Pool; 3% BuyBack /Burn contract "The Plutus"

Project	YEARRISE
Blockchain	Binance Smart Chain
Block Explorer	https://bscscan.com/address/0x7ed31E24C67971647168502c C7bBb3D4983EE7eA
Language	Solidity
Contract	0x7ed31E24C67971647168502cC7bBb3D4983EE7eA
Website	https://www.yearrise.finance/
Telegram	https://telegram.me/yearrise
Twitter	https://twitter.com/YearRise
Reddit	https://www.reddit.com/r/YearRise/
Medium	https://yearrise.medium.com/
Instagram	https://www.instagram.com/yearrise.finance/



Public logo



Solidity Source Code On Blockchain (BscScan Verified Contract Source Code)

https://bscscan.com/address/0x7ed31E24C67971647168502cC7bBb3D4983EE7eA#code

Contract Name: YearRise

Compiler Version: v0.6.12+commit.27d51765

Optimization Enabled: Yes with 200 runs

(This contract contains unverified libraries: IterableMapping)

Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/YearRise.sol

InterFi GitHub Commit

Solidity source code is committed at: 3cg6d5672373a8e766102590a7a25001cgg452fa42

SHA-1 Hash

Solidity smart contract is audited at hash #758hfgb77f022b1f06ee64d0bc9110db3f472b91



Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of YearRise. The source code can be viewed in its entirety on

https://bscscan.com/address/0x7ed31E24C67971647168502cC7bBb3D4983EE7eA#code

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

Re-entrancy (RE)

Unhandled Exceptions (UE)

Transaction Order Dependency (TO)

Integer Overflow (IO)

Unrestricted Action (UA)

Ownership Takeover

Gas Limit and Loops

Deployment Consistency

Repository Consistency

Data Consistency

Token Supply Manipulation

Access Control and Authorization

Operations Trail and Event Generation

Assets Manipulation

Liquidity Access

Source Code Review

Smart Contract Vulnerabilities

Functional Assessment



InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- 1. Solidity smart contract source code reviewal:
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

Smart Contract		
Risk severity	Meaning	Security Audit
	This level vulner	abilities could be exploited easily, and can lead to asset loss, data
! Critical	loss, asset mani	pulation, or data manipulation. They should be fixed right away.
! High	This level vulner	rabilities are hard to exploit but very important to fix, they carry an
	elevated risk of	smart contract manipulation, which can lead to critical risk severity
	This level vulner	abilities are should be fixed, as they carry an inherent risk of future
! Medium	exploits, and ha	cks which may or may not impact the smart contract execution.
	This level vulne	erabilities can be ignored. They are code style violations, and
! Low	informational s	tatements in the code. They may not affect the smart contract
	execution	



Smart Contract - Overview

Contract information

Query	Result
Name	YearRise
Symbol	YRT
Decimals	10
Total Supply	100,000,000
Owner	0xfa56140ab2d2404cb8d539d4c7e8af703c5d4516
Liquidity	0x1c58891ac4f2e139e915aa954622e8adc981b6f3
Dividend Tracker	0xfef7896188ee71b598554298d6632d3a34fd9314

Smart Contract Security Audit



Smart Contract - Static Analysis

Symbol	Meaning
•	Function can be modified
<u> s</u>	Function is payable
	Function is locked
	Function can be accessed
· ·	Important functionality

```
**IERC20** | Interface | |||
 L | balanceOf | External | | NO! |
 👢 📗 transfer | External 👢 | 🥮
 L | allowance | External | |
 L | approve | External 📒 | 🥌
 👢 | transferFrom | External 📒 | 🥮 |NO 📒 |
| **IERC20Metadata** | Interface | IERC20 |||
| L | name | External ! | NO! |
 | **Context** | Implementation | |||
L | _msgData | Internal ← | | |
| **Ownable** | Implementation | Context |||
 L | <Constructor> | Public | | 🛑 |NO! |
 L | owner | Public | | NO | |
 l | renounceOwnership | Public ! | 🛑
 L | transferOwnership | Public 👢 | 🧁
 <mark>⊳*SafeMath**</mark> | Library |  |||
 L | add | Internal 🛍 |
 L | sub | Internal 🛍 |
   sub | Internal 🔒 |
 L | mul | Internal 🖴
    div | Internal 🗎
    div | Internal 🖴
    mod | Internal 🗎
```



```
└ | mod | Internal 🛍 | | |
\Pi\Pi\Pi\Pi
 **IterableMapping** | Library |
                             L | get | Public | | NO | |
 |N0
 L | getKeyAtIndex | Public 📒 |
                             |N0 |
 L | size | Public | | NO! |
 L | set | Public ! | 🛑
                     L | remove | Public | | 🛑 |NO! |
**SafeMathUint** | Library | |||
 L | toInt256Safe | Internal 🛍 |
\Pi\Pi\Pi\Pi\Pi
 **SafeMathInt** | Library | |||
 └ | mul | Internal 🛍 |
 👢 | div | Internal 🖴
 L | sub | Internal 🗎 |
 📙 | add | Internal 🖴 |
 L | abs | Internal 🗎 |
 📙 | toUint256Safe | Internal 🗎 | | | |
 **DividendPayingTokenInterface** | Interface | |||
 👢 | withdrawDividend | External 📒 | 🥮 |NO 📙 |
| **DividendPayingTokenOptionalInterface** | Interface | |||
 | | | | | | | |
 **IUniswapV2Pair** | Interface | |||
 L | name | External | | NO | |
 L | symbol | External | | | NO! |
 L | decimals | External | | NO!
    totalSupply | External | | |NO
    balanceOf | External | |
                            |N0 | |
   | allowance | External | |
 L | approve | External 📘 | 🥌
                          |N0
    transfer | External 📘 | 🥌
                            |N0 |
    transferFrom | External 📘 | 🛑
                               |N0 |
    DOMAIN_SEPARATOR | External | |
                               |N0 ! |
    PERMIT_TYPEHASH | External
                                |NO |
    nonces | External | |
                         |NO |
    permit | External
                          |N0 |
    MINIMUM_LIQUIDITY | External | |
                                  |NO | |
    factory | External 📒 |
                          |NO |
    token0 | External
                         |NO | |
    token1 | External
    getReserves | External | |
                             |N0 | |
    price0CumulativeLast | External
                                 | |N0
```



```
price1CumulativeLast | External | |
                                           |N0 |
     kLast | External | |
                             |N0
     mint | External
     burn | External
                             |N0
                             |N0
     swap | External
     skim | External
                             IN0
     sync | External ! |
                             |N0
     initialize | External 📒 | 🥌
                                  **IUniswapV2Factory** | Interface | |||
   | feeTo | External ! |
                             |N0 |
    feeToSetter | External ! |
                                   |NO | |
     getPair | External | |
                              |N0 |
     allPairs | External 📒 |
                                NO I
     allPairsLength | External | |
                                      |NO | |
    createPair | External 🧜 | 🥌 '
                                   <u>set</u>FeeTo | External | | |
                                |N0
     setFeeToSetter | External 📒 | 🥌
                                      \Pi\Pi\Pi\Pi
 **IUniswapV2Router01** | Interface | |||
     factory | External | | | NO
     WETH | External | | | NO
     addLiquidity | External 📘 | 🥌
                                     |N0 |
                                  | 🕮 |NO
     addLiquidityETH | External
     removeLiquidity | External
                                        |N0
     removeLiquidityETH | External
                                           |N0
     removeLiquidityWithPermit | External
     removeLiquidityETHWithPermit | External
     swapExactTokensForTokens | External
                                                 N0
     swapTokensForExactTokens | External
     swapExactETHForTokens | External
     swapTokensForExactETH | External
                                              |N0
     swapExactTokensForETH | External
                                              INO
     swapETHForExactTokens | External
                                          🌃 |N0 🎚
     quote | External | |
                             |N0 |
     getAmountOut | External | |
     getAmountIn | External | |
     getAmountsOut | External ! |
                                    |N0
     getAmountsIn | External | |
                                   |NO ! |
111111
 **IUniswapV2Router02** | Interface | IUniswapV2Router01 |||
     removeLiquidityETHSupportingFeeOnTransferTokens | External 🕴 | 🛑
     removeLiquidityETHWithPermitSupportingFeeOnTransferTokens | External
                                                                                 |NO ! |
     swapExactTokensForTokensSupportingFeeOnTransferTokens | External
                                                                              IN0
     swapExactETHForTokensSupportingFeeOnTransferTokens | External
                                                                           IN<sub>0</sub>
     swapExactTokensForETHSupportingFeeOnTransferTokens | External 📗 🛑
\Pi \Pi \Pi \Pi
 **ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
     <Constructor> | Public
                                   name | Public | |
                          IN0
```



```
symbol | Public ! |
                          |NO | |
     decimals | Public | | NO! |
     totalSupply | Public | | |NO | |
     balanceOf | Public | |
                             |NO | |
    transfer | Public 📒 | 🛑
                              |N0 |
     allowance | Public 📒 |
                             |N0 |
     approve | Public | |
                             |N0
     transferFrom | Public 🦊 | 🥌
                                 |N0 |
    increaseAllowance | Public 👎
                                      |N0 |
     decreaseAllowance | Public
                                      |N0 |
    _transfer | Internal 🖴 | 🥌
   | _mint | Internal 🗎 | 🥌
                            | _burn | Internal 🔒 | 🥌
    _approve | Internal 🖴 | 🥌
    _beforeTokenTransfer | Internal 🔓 | 🥮 | |
  ***DividendPayingToken*** | Implementation | ERC20, Ownable, DividendPayingTokenInterface,
DividendPayingTokenOptionalInterface |||
 L | <Constructor> | Public | | 🛑 | ERC20 |
   | distributeUSDTDividends | Public 🏮 | 🤛 | onlyOwner |
    withdrawDividend | Public 📒 | 🥮 |NO 📒 |
 👢 | _withdrawDividendOfUser | Internal 🛍 | 🥌
 L | withdrawableDividendOf | Public | | NO! |
 L | withdrawnDividendOf | Public | | NO! |
 L | accumulativeDividendOf | Public | | NO! |
 └ | _transfer | Internal 🛍 | 🥌 | |
 L | _mint | Internal 🛍 | 🥌
 L | _burn | Internal 🖴 | 🥌 | |
   | _setBalance | Internal 🛍 | 🥌
  <mark>⊳*YearRise**</mark> | Implementation | ERC20, Ownable |||
    <Constructor> | Public ! | 🛑 | ERC20 |
 updateDividendTracker | Public 📒 | 🥌
                                        | onlyOwner |
     updateUniswapV2Router | Public 📒 | 🥮 | onlyOwner |
    updateMinimumBalanceForDividends | External 📘 | 🥏 | onlyOwner |
    excludeFromFees | Public 📒 | 🥮 | onlyOwner |
     excludeMultipleAccountsFromFees | Public 🚦 | 🥮 | onlyOwner |
     setSwapTokensAtAmount | External 📒 | 🤛 | onlyOwner |
                                        | onlyOwner |
    setLiquidityWallet | External 📘 | 🥌
     setUSDTRewardsFee | External ! | 🛑 | onlyOwner |
     setLiquiditFee | External 📒 | 🥌
                                    onlyOwner |
     setbuyBackAndBurnFee | External 📒 | 🤛 | onlyOwner |
    setAutomatedMarketMakerPair | Public 「 | 🛑 | onlyOwner |
     blacklistAddress | External | | 🛑 | onlyOwner |
     updateGasForProcessing | Public 「 | 🛑 | onlyOwner |
     updateClaimWait | External 📒 | 🥮 | onlyOwner |
     swapOnDemand | External | | 🛑 | onlyOwner |
     getClaimWait | External | | |NO | |
```



```
getTotalDividendsDistributed | External ! |
 | isExcludedFromFees | Public | | NO | |
 L | withdrawableDividendOf | Public | | NO! |
  | excludeFromDividends | External | | 🛑 | onlyOwner |
   getAccountDividendsInfo | External | | |NO! |
   | getAccountDividendsInfoAtIndex | External | | | NO! |
   processDividendTracker | External 📒 | 🥌 |NO 📗 |
 L | claim | External ! | 🥮 |NO! |
   claimAddress | External 📒 | 🥮 | onlyOwner |
 L | getLastProcessedIndex | External | | NO! |
 📙 | setLastProcessedIndex | External 📒 | 🥮 | onlyOwner |
 L | getNumberOfDividendTokenHolders | External | | | NO! |
 └ | _transfer | Internal 🖴 | 🥌 | |
 L | buyBackAndBurn | Private 😭 | 🥮 | |
 👢 | swapTokensForEth | Private 聲 | 🥌
 L | swapTokensForUsdt | Private 🔐 | 🥌 | |
    addLiquidity | Private 🛍 | 🥌 | |
   swapAndSendDividends | Private 🔐 | 🥮 | |
\Pi\Pi\Pi\Pi\Pi
 <mark>∞YearRiseDividendTracker∞*</mark> | Implementation | Ownable, DividendPayingToken |||
 L | <Constructor> | Public | | 🛑 | DividendPayingToken |
 📙 | _transfer | Internal 🔒 | 🥌
 L | withdrawDividend | Public 📒 | 🥌 |NO 📒 |
 📙 | updateMinimumTokenBalanceForDividends | External 📒 | 🥌 | onlyOwner |
 📙 | setLastProcessedIndex | External 📒 | 🥌 | onlyOwner |
 L | getAccount | Public | | NO! |
 L | getAccountAtIndex | Public | | NO! |
 └ | canAutoClaim | Private 🔐 | | |
    setBalance | External 📘 | 🛑 | onlyOwner |
    process | Public ! | 🛑 |NO! |
```



Smart Contract - Software Analysis

Function Signatures

```
39509351 => increaseAllowance(address,uint256)
43509138 => div(int256,int256)
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
119df25f => msgSender()
8b49d47e => _msgData()
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
f43f523a => mod(uint256,uint256)
71af23e8 => mod(uint256,uint256,string)
268d8e2e => get(Map,address)
b45dad3d => getIndexOfKey(Map,address)
7596720f => getKeyAtIndex(Map,uint256)
b1b533f3 => size(Map)
6b06f325 => set(Map,address,uint256)
0eac8729 => remove(Map,address)
e823b9bf => toInt256Safe(uint256)
bbe93d91 => mul(int256.int256)
adefc37b => sub(int256,int256)
a5f3c23b => add(int256.int256)
1b5ac4b5 => abs(int256)
744f7c7d => toUint256Safe(int256)
91b89fba => dividend0f(address)
6a474002 => withdrawDividend()
a8b9d240 => withdrawableDividendOf(address)
aafd847a => withdrawnDividendOf(address)
27ce0147 => accumulativeDividendOf(address)
3644e515 => DOMAIN SEPARATOR()
30adf81f => PERMIT TYPEHASH()
7ecebe00 => nonces(address)
d505accf => permit(address,address,uint256,uint256,uint8,bytes32,bytes32)
```



```
ba9a7a56 => MINIMUM LIQUIDITY()
c45a0155 => factory()
0dfe1681 => token0()
d21220a7 => token1()
0902f1ac => getReserves()
5909c0d5 => price0CumulativeLast()
5a3d5493 => price1CumulativeLast()
7464fc3d => kLast()
6a627842 => mint(address)
89afcb44 => burn(address)
022c0d9f => swap(uint256,uint256,address,bytes)
bc25cf77 => skim(address)
fff6cae9 => svnc()
485cc955 => initialize(address,address)
017e7e58 => feeTo()
094b7415 => feeToSetter()
e6a43905 => getPair(address,address)
1e3dd18b => allPairs(uint256)
574f2ba3 => allPairsLength()
c9c65396 => createPair(address,address)
f46901ed => setFeeTo(address)
a2e74af6 => setFeeToSetter(address)
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
baa2abde => removeLiquidity(address,address,uint256,uint256,uint256,address,uint256)
02751cec => removeLiquidityETH(address,uint256,uint256,uint256,address,uint256)
2195995c =>
removeLiquidityWithPermit(address,address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes3
2, bytes32)
ded9382a =>
removeLiquidityETHWithPermit(address,uint256,uint256,uint256,address,uint256,bool,uint8,bytes32,byt
es32)
38ed1739 => swapExactTokensForTokens(uint256,uint256,address[],address,uint256)
8803dbee => swapTokensForExactTokens(uint256,uint256,address[],address,uint256)
7ff36ab5 => swapExactETHForTokens(uint256,address[],address,uint256)
4a25d94a => swapTokensForExactETH(uint256,uint256,address[],address,uint256)
18cbafe5 => swapExactTokensForETH(uint256,uint256,address[],address,uint256)
fb3bdb41 => swapETHForExactTokens(uint256,address[],address,uint256)
ad615dec => quote(uint256,uint256,uint256)
054d50d4 => getAmountOut(uint256,uint256,uint256)
85f8c259 => getAmountIn(uint256,uint256,uint256)
d06ca61f => getAmountsOut(uint256,address[])
1f00ca74 => getAmountsIn(uint256,address[])
af2979eb =>
removeLiquidityETHSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,uint256)
5b0d5984 =>
removeLiquidityETHWithPermitSupportingFeeOnTransferTokens(address,uint256,uint256,uint256,address,u
int256,bool,uint8,bytes32,bytes32)
```




```
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b6f9de95 => swapExactETHForTokensSupportingFeeOnTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
a457c2d7 => decreaseAllowance(address,uint256)
30e0789e => _transfer(address,address,uint256)
4e6ec247 => mint(address,uint256)
6161eb18 => burn(address,uint256)
104e81ff => _approve(address,address,uint256)
cad3be83 => beforeTokenTransfer(address,address,uint256)
edd6bf87 => distributeUSDTDividends(uint256)
373de4aa => withdrawDividendOfUser(address)
ab86e0a6 => _setBalance(address,uint256)
88bdd9be => updateDividendTracker(address)
65b8dbc0 => updateUniswapV2Router(address)
3b364da8 => updateMinimumBalanceForDividends(uint256)
c0246668 => excludeFromFees(address,bool)
c492f046 => excludeMultipleAccountsFromFees(address[],bool)
afa4f3b2 => setSwapTokensAtAmount(uint256)
296f0a0c => setLiquidityWallet(address)
ce2fea33 => setUSDTRewardsFee(uint256)
adefd90c => setLiquiditFee(uint256)
cb3843ca => setbuyBackAndBurnFee(uint256)
9a7a23d6 => setAutomatedMarketMakerPair(address,bool)
455a4396 => blacklistAddress(address,bool)
871c128d => updateGasForProcessing(uint256)
e98030c7 => updateClaimWait(uint256)
14dad69b => swap0nDemand(bool,bool)
a26579ad => getClaimWait()
30bb4cff => getTotalDividendsDistributed()
4fbee193 => isExcludedFromFees(address)
6843cd84 => dividendTokenBalanceOf(address)
31e79db0 => excludeFromDividends(address)
ad56c13c => getAccountDividendsInfo(address)
f27fd254 => getAccountDividendsInfoAtIndex(uint256)
700bb191 => processDividendTracker(uint256)
4e71d92d => claim()
3f249df0 => claimAddress(address)
e7841ec0 => getLastProcessedIndex()
286b3aa0 => setLastProcessedIndex(uint256)
64b0f653 => getNumberOfDividendTokenHolders()
e2981a58 => buyBackAndBurn(uint256)
9201158f => manualBuyBackAndBurn(uint256)
173865ad => swapAndLiquify(uint256)
b28805f4 => swapTokensForEth(uint256)
ce0594aa => swapTokensForUsdt(uint256)
9cd441da => addLiquidity(uint256,uint256)
818c19dc => swapAndSendDividends(uint256)
0dcb2e89 => updateMinimumTokenBalanceForDividends(uint256)
```



```
09bbedde => getNumberOfTokenHolders()
fbcbc0f1 => getAccount(address)
5183d6fd => getAccountAtIndex(uint256)
77fdb837 => canAutoClaim(uint256)
e30443bc => setBalance(address,uint256)
ffb2c479 => process(uint256)
bc4c4b37 => processAccount(address,bool)
```

Inheritance Graph



Smart Contract
Security Audit



Smart Contract - Manual Analysis

Function Description		Tested	Verdict
provides information of Total Supply	about the total token	.,	
supply		Yes	Passed
provides account bal	ance of the owner's		
account		Yes	Passed
executes transfers of a	a specified number of		
tokens to a specified add	dress	Yes	Passed
allow a spender to with	ndraw a set number of		
Approve tokens from a specified	account	Yes	Passed
returns a set number of t	okens from a spender to		
the owner		Yes	Passed
executes transfers of a	specified number of		
tokens to a burn address	3	NA	NA
stops specific wallets or o	addresses from contract		
interaction		NA	NA

Note

- ❖ Active Owner: 0xfa56140ab2d2404cb8d539d4c7e8af703c5d4516
- * Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Owner can-not lock or burn user assets.
- Owner can-not stop or pause the smart contract.
- Owner can-not mint tokens after public launch on the dex.



Important Information

1. YearRise's smart contract utilizes "SafeMath" function to avoid common smart contract vulnerabilities.

```
library SafeMath {
function add(uint256 a, uint256 b) internal pure returns (uint256) {
    uint256 c = a + b;
    require(c >= a, 'SafeMath: addition overflow');

    return c;
}
function sub(uint256 a, uint256 b) internal pure returns (uint256) {
    return sub(a, b, 'SafeMath: subtraction overflow');
}
uint256 c = a * b;
    require(c / a == b, 'SafeMath: multiplication overflow');

    return c;
}
```

Smart Contract Security Audit



Smart Contract - SWC Attacks

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	Passed
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smart Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
swc-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



Smart Contract - Risk Status & Radar Chart

Risk Severity	Status
! Critical	None critical severity issues identified
! High	None high severity issues identified
! Medium	None medium severity issues identified
! Low	1 low severity issue identified
Passed	A0 functions and instances verified and passed Score out of 100 Compiler Check 100 95 90 Static Analysis Manual Analysis Software Analysis
	Compiler Check 87

Compiler Check	87
Static Analysis	93
Software Analysis	94
Manual Analysis	96
Interface Safety	96



Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

YearRise's smart contract source code has LOW RISK SEVERITY.

YearRise has PASSED the smart contract audit.



Auditor's Note:

- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Project's liquidity pair isn't checked and verified due to out of scope.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit https://interfi.network

To view our audit portfolio, visit https://github.com/interfinetwork

To book an audit, message https://t.me/interfiaudits





