



# SMART CONTRACT SECURITY AUDIT OF ETHSNIPER



**SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION**

**RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA** 

# Summary

<b>Auditing Firm</b>	InterFi Network
<b>Architecture</b>	InterFi "Echelon" Auditing Standard
<b>Smart Contract Audit Approved By</b>	Chris   Blockchain Specialist at InterFi Network
<b>Project Overview Approved By</b>	Albert   Marketing Specialist at InterFi Network
<b>Platform</b>	Solidity
<b>Audit Check (Mandatory)</b>	Static, Software, Auto Intelligent & Manual Analysis
<b>Project Check (Optional)</b>	KYC
<b>Consultation Request Date</b>	November 05, 2021
<b>Report Date</b>	November 08, 2021

## Audit Summary

### Smart Contract Security Audit

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- ❖ **EthSniper's smart contract source code has **LOW RISK SEVERITY**.**
- ❖ **EthSniper has **PASSED** the smart contract audit.**
- ❖ **EthSniper uses Rebase & Rewards (R&R) function modules.** This means the circulating token supply adjusts (increases or decreases) according to token's price fluctuations.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.



# Table Of Contents

## **Project Information**

Overview .....	4
----------------	---

## **InterFi “Echelon” Audit Standard**

Audit Scope & Methodology .....	6
InterFi’s Risk Classification.....	8

## **Smart Contract Risk Assessment**

Static Analysis.....	9
Software Analysis .....	12
Manual Analysis.....	15
SWC Attacks.....	18
Risk Status & Radar Chart.....	20

## **Report Summary**

Auditor’s Verdict .....	21
-------------------------	----

## **Legal Advisory**

Important Disclaimer .....	22
About InterFi Network.....	23



# Project Overview

InterFi was consulted by EthSniper on November 05, 2021 to conduct a smart contract security audit of their token source code.

## **About EthSniper:**

Ethsniper is the next generation gaming NFT platform.

Ethsniper is the first blockchain powered shooting game with Ethereum reflection.

Hold Ets tokens and get rewarded in Ethereum on every transaction.

<b>Project</b>	EthSniper
<b>Blockchain</b>	Binance Smart Chain
<b>Language</b>	Solidity
<b>Block Explorer</b>	<a href="https://bscscan.com/token/0x080f2ed125C2E41E979d1Ae9F8EF8c262B344855">https://bscscan.com/token/0x080f2ed125C2E41E979d1Ae9F8EF8c262B344855</a>
<b>Contract</b>	0x080f2ed125C2E41E979d1Ae9F8EF8c262B344855
<b>Website</b>	<a href="https://ethsniper.com">https://ethsniper.com</a>
<b>Telegram</b>	<a href="https://t.me/Ethsniper1">https://t.me/Ethsniper1</a>
<b>Announcements</b>	<a href="https://t.me/Ethsniper2">https://t.me/Ethsniper2</a>
<b>Twitter</b>	<a href="https://twitter.com/ethsniper">https://twitter.com/ethsniper</a>
<b>Facebook</b>	<a href="https://www.facebook.com/EthSniperCrypto/">https://www.facebook.com/EthSniperCrypto/</a>



## **Public logo**



## **Solidity Source Code On Blockchain (BscScan Verified Contract Source Code)**

<https://bscscan.com/token/0x080f2ed125C2E41E979d1Ae9F8EF8c262B344855#code>

Contract Name: Ethersniper

Compiler Version: v0.7.4+commit.3f05b770

Optimization Enabled: Yes with 200 runs

## **Solidity Source Code On InterFi GitHub**

<https://github.com/interfinetwork/audited-codes/blob/main/EthSniper.sol>

## **InterFi GitHub Commit**

Solidity source code is committed at: 1f9944b6cd79e666bf2867fb52cf2e84ff1c0b96

## **SHA-1 Hash**

Solidity source code is audited at hash #c09a20ade43e99a51ffd552b9743c0472780dc67



# Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of EthSniper. The source code can be viewed in its entirety on

<https://bscscan.com/token/0x080f2ed125C2E41E979d1Ae9F8EF8c262B344855#code>

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

## Category

---

### Smart Contract Vulnerabilities

- ❖ Re-entrancy (RE)
- ❖ Unhandled Exceptions (UE)
- ❖ Transaction Order Dependency (TO)
- ❖ Integer Overflow (IO)
- ❖ Unrestricted Action (UA)
- ❖ Ownership Takeover
- ❖ Gas Limit and Loops

### Source Code Review

- ❖ Deployment Consistency
- ❖ Repository Consistency
- ❖ Data Consistency
- ❖ Token Supply Manipulation
- ❖ Access Control and Authorization
- ❖ Operations Trail and Event Generation

### Functional Assessment

- ❖ Assets Manipulation
- ❖ Liquidity Access



## **InterFi's Echelon Audit Standard**

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

1. Solidity smart contract source code reviewal:
  - ❖ Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
  - ❖ Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
2. Static, Manual, and Automated AI analysis:
  - ❖ Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
  - ❖ Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

## **Automated 3P frameworks used to assess the smart contract vulnerabilities**

- ❖ Slither
- ❖ Consensys MythX
- ❖ Consensys Surya
- ❖ Open Zeppelin Code Analyzer
- ❖ Solidity Code Compiler



# InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

**Vulnerable:** A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

**Exploitable:** A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

**Exploited:** A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

Risk severity	Meaning
<b>! Critical</b>	This level vulnerabilities could be exploited easily, and can lead to asset loss, data loss, asset manipulation, or data manipulation. They should be fixed right away.
<b>! High</b>	This level vulnerabilities are hard to exploit but very important to fix, they carry an elevated risk of smart contract manipulation, which can lead to critical risk severity
<b>! Medium</b>	This level vulnerabilities are should be fixed, as they carry an inherent risk of future exploits, and hacks which may or may not impact the smart contract execution.
<b>! Low</b>	This level vulnerabilities can be ignored. They are code style violations, and informational statements in the code. They may not affect the smart contract execution














































# Smart Contract – Static Analysis

Symbol	Meaning
	Function can be modified
	Function is payable
	Function is locked
	Function can be accessed
	Important functionality

```

**SafeMath** | Library |   |
| L | add | Internal  |   |
| L | sub | Internal  |   |
| L | sub | Internal  |   |
| L | mul | Internal  |   |
| L | div | Internal  |   |
| L | div | Internal  |   |
| | | |
| **SafeMathInt** | Library |   |
| L | mul | Internal  |   |
| L | div | Internal  |   |
| L | sub | Internal  |   |
| L | add | Internal  |   |
| L | abs | Internal  |   |
| | | |
| **IBEP20** | Interface |   |
| L | totalSupply | External  | NO  |
| L | decimals | External  | NO  |
| L | symbol | External  | NO  |
| L | name | External  | NO  |
| L | getOwner | External  | NO  |
| L | balanceOf | External  | NO  |
| L | transfer | External   | NO  |
| L | allowance | External  | NO  |
| L | approve | External   | NO  |
| L | transferFrom | External   | NO  |
| | | |
| **Auth** | Implementation |   |
| L | <Constructor> | Public   | NO  |
| L | authorize | Public   | onlyOwner |
| L | unauthorize | Public   | onlyOwner |

```



```

| L | isOwner | Public ! | |NO ! |
| L | isAuthorized | Public ! | |NO ! |
| L | transferOwnership | Public ! | ● | onlyOwner |
|||||
| **IDEXFactory** | Interface | |||
| L | createPair | External ! | ● |NO ! |
|||||
| **InterfaceLP** | Interface | |||
| L | sync | External ! | ● |NO ! |
|||||
| **IDEXRouter** | Interface | |||
| L | factory | External ! | |NO ! |
| L | WETH | External ! | |NO ! |
| L | addLiquidity | External ! | ● |NO ! |
| L | addLiquidityETH | External ! | $ |NO ! |
| L | swapExactTokensForTokensSupportingFeeOnTransferTokens | External ! | ● |NO ! |
| L | swapExactETHForTokensSupportingFeeOnTransferTokens | External ! | $ |NO ! |
| L | swapExactTokensForETHSupportingFeeOnTransferTokens | External ! | ● |NO ! |
|||||
| **IDividendDistributor** | Interface | |||
| L | setDistributionCriteria | External ! | ● |NO ! |
| L | setShare | External ! | ● |NO ! |
| L | deposit | External ! | $ |NO ! |
| L | process | External ! | ● |NO ! |
|||||
| **DividendDistributor** | Implementation | IDividendDistributor |||
| L | <Constructor> | Public ! | ● |NO ! |
| L | setDistributionCriteria | External ! | ● | onlyToken |
| L | setShare | External ! | ● | onlyToken |
| L | deposit | External ! | $ | onlyToken |
| L | process | External ! | ● | onlyToken |
| L | shouldDistribute | Internal 🔒 | | |
| L | distributeDividend | Internal 🔒 | ● | |
| L | claimDividend | External ! | ● |NO ! |
| L | getUnpaidEarnings | Public ! | |NO ! |
| L | getCumulativeDividends | Internal 🔒 | | |
| L | addShareholder | Internal 🔒 | ● | |
| L | removeShareholder | Internal 🔒 | ● | |
|||||
| **Ethersniper** | Implementation | IBEP20, Auth |||
| L | rebase_percentage | Public ! | ● | onlyOwner |
| L | rebase | Public ! | ● | onlyMaster |
| L | <Constructor> | Public ! | ● | Auth |
| L | <Receive Ether> | External ! | $ |NO ! |
| L | totalSupply | External ! | |NO ! |
| L | decimals | External ! | |NO ! |
| L | symbol | External ! | |NO ! |
| L | name | External ! | |NO ! |
| L | getOwner | External ! | |NO ! |
| L | balanceOf | Public ! | |NO ! |

```



```

| L | allowance | External ! | NO ! |
| L | approve | Public ! | NO ! |
| L | approveMax | External ! | NO ! |
| L | transfer | External ! | NO ! |
| L | transferFrom | External ! | NO ! |
| L | _transferFrom | Internal | |
| L | _basicTransfer | Internal | |
| L | checkTxLimit | Internal | |
| L | shouldTakeFee | Internal | |
| L | takeFee | Internal | |
| L | shouldSwapBack | Internal | |
| L | clearStuckBalance | External ! | authorized |
| L | clearStuckBalance_sender | External ! | authorized |
| L | set_sell_multiplier | External ! | onlyOwner |
| L | tradingStatus | Public ! | onlyOwner |
| L | launchStatus | Public ! | onlyOwner |
| L | enable_hotel_CaliforniaMode | Public ! | onlyOwner |
| L | set_max_roomrent | Public ! | onlyOwner |
| L | manage_houseguests | Public ! | onlyOwner |
| L | cooldownEnabled | Public ! | onlyOwner |
| L | swapBack | Internal | swapping |
| L | setIsDividendExempt | External ! | authorized |
| L | setIsFeeExempt | External ! | authorized |
| L | setIsTxLimitExempt | External ! | authorized |
| L | setIsTimelockExempt | External ! | authorized |
| L | setFees | External ! | authorized |
| L | setFeeReceivers | External ! | authorized |
| L | setSwapBackSettings | External ! | authorized |
| L | setTargetLiquidity | External ! | authorized |
| L | manualSync | External ! | NO ! |
| L | setLP | External ! | onlyOwner |
| L | setMaster | External ! | onlyOwner |
| L | isNotInSwap | External ! | NO ! |
| L | checkSwapThreshold | External ! | NO ! |
| L | setDistributionCriteria | External ! | authorized |
| L | setDistributorSettings | External ! | authorized |
| L | rescueToken | Public ! | onlyOwner |
| L | getCirculatingSupply | Public ! | NO ! |
| L | getLiquidityBacking | Public ! | NO ! |
| L | isOverLiquified | Public ! | NO ! |
| L | checkMaxWalletToken | External ! | NO ! |
| L | checkMaxTxAmount | External ! | NO ! |
| L | setMaxWalletPercent_base1000 | External ! | onlyOwner |
| L | setMaxTxPercent_base1000 | External ! | onlyOwner |
| L | multiTransfer | External ! | onlyOwner |
| L | multiTransfer_fixed | External ! | onlyOwner |
| L | rebase_updatebalance | External ! | onlyOwner |

```



# Smart Contract – Software Analysis

## Function Signatures

```

43509138 => div(int256,int256)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
bbe93d91 => mul(int256,int256)
adefc37b => sub(int256,int256)
a5f3c23b => add(int256,int256)
1b5ac4b5 => abs(int256)
18160ddd => totalSupply()
313ce567 => decimals()
95d89b41 => symbol()
06fdde03 => name()
893d20e8 => getOwner()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
b6a5d7de => authorize(address)
f0b37c04 => unauthorize(address)
2f54bf6e => isOwner(address)
fe9fbb80 => isAuthorized(address)
f2fde38b => transferOwnership(address)
c9c65396 => createPair(address,address)
fff6cae9 => sync()
c45a0155 => factory()
ad5c4648 => WETH()
e8e33700 => addLiquidity(address,address,uint256,uint256,uint256,uint256,address,uint256)
f305d719 => addLiquidityETH(address,uint256,uint256,uint256,address,uint256)
5c11d795 =>
swapExactTokensForTokensSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
b6f9de95 => swapExactETHForTokensSupportingFeeOnTransferTokens(uint256,address[],address,uint256)
791ac947 =>
swapExactTokensForETHSupportingFeeOnTransferTokens(uint256,uint256,address[],address,uint256)
2d48e896 => setDistributionCriteria(uint256,uint256)
14b6ca96 => setShare(address,uint256)
d0e30db0 => deposit()
ffb2c479 => process(uint256)
8c21cd52 => shouldDistribute(address)
5319504a => distributeDividend(address)
f0fc6bca => claimDividend()
28fd3198 => getUnpaidEarnings(address)

```




```

e68af3ac => getCumulativeDividends(uint256)
db29fe12 => addShareholder(address)
9babdad6 => removeShareholder(address)
93028afd => rebase_percentage(uint256,bool)
7a43e23f => rebase(uint256,int256)
571ac8b0 => approveMax(address)
cb712535 => _transferFrom(address,address,uint256)
f0774e71 => _basicTransfer(address,address,uint256)
4afa518a => checkTxLimit(address,uint256)
e7c44c69 => shouldTakeFee(address)
a7dd4bbc => takeFee(address,uint256,bool)
0d5c6cea => shouldSwapBack()
1da1db5e => clearStuckBalance(uint256)
44a33fd2 => clearStuckBalance_sender(uint256)
ec72d65f => set_sell_multiplier(uint256)
26e353b8 => tradingStatus(bool,uint256)
9ba1fc4c => launchStatus(uint256)
ff7da74e => enable_hotel_CaliforniaMode(bool)
fe2840e4 => set_max_roomrent(uint256)
ca1d908c => manage_houseguests(address[],bool)
2d594567 => cooldownEnabled(bool,uint8)
6ac5eeee => swapBack()
f708a64f => setIsDividendExempt(address,bool)
658d4b7f => setIsFeeExempt(address,bool)
f84ba65d => setIsTxLimitExempt(address,bool)
50db71fb => setIsTimelockExempt(address,bool)
04a66b48 => setFees(uint256,uint256,uint256,uint256,uint256)
d7c01032 => setFeeReceivers(address,address,address)
df20fd49 => setSwapBackSettings(bool,uint256)
201e7991 => setTargetLiquidity(uint256,uint256)
753d02a1 => manualSync()
2f34d282 => setLP(address)
26fae0d3 => setMaster(address)
83b4ac68 => isNotInSwap()
6d351d1a => checkSwapThreshold()
9d1944f5 => setDistributorSettings(uint256)
33f3d628 => rescueToken(address,uint256)
2b112e49 => getCirculatingSupply()
d51ed1c8 => getLiquidityBacking(uint256)
1161ae39 => isOverLiquified(uint256,uint256)
b43b7835 => checkMaxWalletToken()
6149a20a => checkMaxTxAmount()
09302dc6 => setMaxWalletPercent_base1000(uint256)
bd9ab537 => setMaxTxPercent_base1000(uint256)
1ca0a28d => multiTransfer(address,address[],uint256[])
335f6a43 => multiTransfer_fixed(address,address[],uint256)
60dbacdf => rebase_updatebalance(address[])

```



## Inheritance Graph



# InterFi

Smart Contract  
Security Audit



# Smart Contract – Manual Analysis

Function	Description	Tested	Verdict
<b>Total Supply</b>	provides information about the total token supply	Yes	<b>Passed</b>
<b>Balance Of</b>	provides account balance of the owner's account	Yes	<b>Passed</b>
<b>Transfer</b>	executes transfers of a specified number of tokens to a specified address	Yes	<b>Passed</b>
<b>Approve</b>	allow a spender to withdraw a set number of tokens from a specified account	Yes	<b>Passed</b>
<b>Allowance</b>	returns a set number of tokens from a spender to the owner	Yes	<b>Passed</b>
<b>Buy Back</b>	is an action in which the project buys back its tokens from the existing holders usually at a market price	NA	NA
<b>Burn</b>	executes transfers of a specified number of tokens to a burn address	NA	NA
<b>Mint</b>	executes creation of a specified number of tokens and adds it to the total supply	NA	NA
<b>Rebase</b>	circulating token supply adjusts (increases or decreases) automatically according to a token's price fluctuations	Yes	<b>Passed</b>
<b>Blacklist</b>	stops specified wallets from interacting with the smart contract function modules	NA	NA
<b>Lock</b>	stops or locks all function modules of the smart contract	NA	NA



## Important Information

- ❖ Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- ❖ EthSniper uses Rebase & Rewards (R&R) function modules. This means the circulating token supply adjusts (increases or decreases) according to token's price fluctuations.
- ❖ EthSniper smart contract had mentioned fees, and wallets at the time of audit:

```
contract Ethersniper is IBEP20, Auth {
    using SafeMath for uint256;
    using SafeMathInt for int256;

    address WBNB = 0xbb4CdB9CBd36B01bD1cBaEBF2De08d9173bc095c;
    address DEAD = 0x00000000000000000000000000000000dEaD;
    address ZERO = 0x0000000000000000000000000000000000000000;

    string constant _name = "Ethersniper";
    string constant _symbol = "ETHS";
    uint8 constant _decimals = 18;

    uint256 public liquidityFee = 2;
    uint256 public reflectionFee = 8;
    uint256 public marketingFee = 3;
    uint256 public BuyBack = 2;
    uint256 public totalFee = marketingFee + reflectionFee + liquidityFee + BuyBack;
    uint256 public feeDenominator = 100;
```

- ❖ Owner can-not lock or burn user assets.
- ❖ Owner can-not mint tokens after launch.
- ❖ Owner can-not stop or pause the smart contract.





- ❖ EthSniper's smart contract utilizes "SafeMath" function to avoid common smart contract vulnerabilities.

```
library SafeMath {
function add(uint256 a, uint256 b) internal pure returns (uint256) {
    uint256 c = a + b;
    require(c >= a, 'SafeMath: addition overflow');

    return c;
}
function sub(uint256 a, uint256 b) internal pure returns (uint256) {
    return sub(a, b, 'SafeMath: subtraction overflow');
}
uint256 c = a * b;
require(c / a == b, 'SafeMath: multiplication overflow');

return c;
}
```

interfi

- ❖ EthSniper smart contract utilizes anti-snipe functions.....

Smart Contract

```
// lobby manager
function enable_hotel_CaliforniaMode(bool _status) public onlyOwner {
    BotkillerMode = _status;
}

function set_max_roomrent(uint256 _rent_withoutdecimal) public onlyOwner {
    maxRoomRent = _rent_withoutdecimal * 10**9;
}

function manage_houseguests(address[] calldata addresses, bool status) public onlyOwner {
    for (uint256 i; i < addresses.length; ++i) {
        isHouseguest[addresses[i]] = status;
    }
}
```



# Smart Contract – SWC Attacks

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	! Low
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation	Passed
SWC-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
SWC-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed




<b>SWC-119</b>	Shadowing State Variables	<b>Passed</b>
<b>SWC-120</b>	Weak Sources of Randomness from Chain Attributes	<b>Passed</b>
<b>SWC-121</b>	Missing Protection against Signature Replay Attacks	<b>Passed</b>
<b>SWC-122</b>	Lack of Proper Signature Verification	<b>Passed</b>
<b>SWC-123</b>	Requirement Violation	<b>Passed</b>
<b>SWC-124</b>	Write to Arbitrary Storage Location	<b>Passed</b>
<b>SWC-125</b>	Incorrect Inheritance Order	<b>Passed</b>
<b>SWC-126</b>	Insufficient Gas Griefing	<b>Passed</b>
<b>SWC-127</b>	Arbitrary Jump with Function Type Variable	<b>Passed</b>
<b>SWC-128</b>	DoS With Block Gas Limit	<b>Passed</b>
<b>SWC-129</b>	Typographical Error	<b>Passed</b>
<b>SWC-130</b>	Right-To-Left-Override control character (U+202E)	<b>Passed</b>
<b>SWC-131</b>	Presence of unused variables	<b>Passed</b>
<b>SWC-132</b>	Unexpected Ether balance	<b>Passed</b>
<b>SWC-133</b>	Hash Collisions With Multiple Variable Length Arguments	<b>Passed</b>
<b>SWC-134</b>	Message call with hardcoded gas amount	<b>Passed</b>
<b>SWC-135</b>	Code With No Effects (Irrelevant/Dead Code)	<b>! Low</b>
<b>SWC-136</b>	Unencrypted Private Data On-Chain	<b>Passed</b>



# Smart Contract - Risk Status & Radar Chart

Risk Severity	Status
<b>! Critical</b>	None critical severity issues identified
<b>! High</b>	None high severity issues identified
<b>! Medium</b>	None medium severity issues identified
<b>! Low</b>	<b>1 low severity issue identified</b>
<b>Passed</b>	<b>41 functions and instances verified and passed</b>



Compiler Check	91
Static Analysis	89
Software Analysis	89
Manual Analysis	92
Interface Safety	91



## Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

**EthSniper's smart contract source code has LOW RISK SEVERITY.**

**EthSniper has PASSED the smart contract audit.**

# InterFi

Smart Contract  
Security Audit

### Auditor's Note:

- ❖ **Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.**
- ❖ Project's liquidity pair isn't checked and verified due to out of scope.
- ❖ Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



# Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. **This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.**

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only – we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. **Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.**

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

**This report should not be considered as an endorsement or disapproval of any project or team.**

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



# About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. **InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.**

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. **InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.**

To learn more, visit <https://interfi.network>

To view our audit portfolio, visit <https://github.com/interfinetwork>.....

To book an audit, message <https://t.me/interfiaudits>





**@INTERFINETWORK**

**RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA 🇨🇦**