

# SMART CONTRACT SECURITY AUDIT OF Aurous Argentum

SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

# Summary

**Auditing Firm** InterFi Network

**Architecture** InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Project Overview Approved BY

Albert | Project Specialist at InterFi Network

**Platform** Solidity

**Audit Check (Mandatory)** Static, Software, Auto Intelligent & Manual Analysis

Project Check (Optional) KYC Verified

Consultation Request Date October 15, 2021

Report Date October 20, 2021

#### **Audit Summary**

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- Aurous Argentum's smart contract source code has LOW RISK SEVERITY.
- Aurous Argentum has PASSED the smart contract audit.
- Aurous Argentum has PASSED the KYC verification. Please check the KYC report here.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.



# **Table Of Contents**

## **Project Information**

Overview	4
InterFi "Echelon" Audit Standard	
Audit Scope & Methodology	6
InterFi's Risk Classification	8
Smart Contract Risk Assessment	
Contract Overview	9
Static Analysis	10
Software Analysis	12
Manual Analysis	14
SWC Attacks	16
Risk Status & Radar Chart	
Report Summary	
Auditor's Verdict	19
<u>Legal Advisory</u>	
Important Disclaimer	20
About InterFi Network	21



# **Project Overview**

InterFi was consulted by Aurous Argentum on October 15, 2021 to conduct a smart contract security audit of their token source code.

Aurous Argentum is built upon a radical and innovative idea. What started as an experiment with NFT has evolved into a monster ecosystem for Artists and Independent Creators to safeguard their work and royalties without the need of a stingy Production label. While these NFTs can shoot up to astronomical prices, they all are fairly inexpensive at launch as they need team of fans and supporters behind them. Aurous Argentum will ensure Art and Music that is of high quality finds its way to the NFT marketplace and the HODlers of the coin get airdrops of future Picassos as long as they are onboard. Win-Win for everyone in this NFT community.

A Low market cap Aurous Argentum token presale and a team of passionate artists and musicians will ensure the community strives on creating a pie of the NFT crypto market in the future as secure royalties with the funds generated from the token. No Dev Wallets, Steady Burn rate and Anti whale features makes it a safe and proud partnership with investors.

Project	Aurous Argentum
Blockchain	Ethereum Chain / Etherscan.io Block Explorer
Language	Solidity
Contract	0x24C61d32D1127Ca6C76B706826d63Ee6Bc7Da612
Website	https://www.aurousargentum.com/
Telegram	https://t.me/AuAgCoin
Twitter	https://twitter.com/AurousArgentum



#### Solidity Source Code On Blockchain (EtherScan Verified Contract Source Code)

https://etherscan.io/address/0x24c61d32d1127ca6c76b706826d63ee6bc7da612#code

Contract Name: CommonERC20

Compiler Version: v0.8.7+commit.e28d00a7

Optimization Enabled: Yes with 200 runs

#### Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/AurousArgentum.sol

Interfi



# **Audit Scope & Methodology**

The scope of this report is to audit the smart contract source code of Aurous Argentum. The source code can be viewed in its entirety on

#### https://etherscan.io/address/0x24c61d32d1127ca6c76b706826d63ee6bc7da612#code

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

#### Category

Re-entrancy (RE)

Unhandled Exceptions (UE)

Transaction Order Dependency (TO)

Integer Overflow (IO)

Unrestricted Action (UA)

Ownership Takeover

Gas Limit and Loops

Deployment Consistency

Repository Consistency

Data Consistency

Token Supply Manipulation

Access Control and Authorization

Operations Trail and Event Generation

Assets Manipulation

Liquidity Access

#### **Source Code Review**

**Smart Contract Vulnerabilities** 

#### **Functional Assessment**



#### InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- Solidity smart contract source code reviewal:
  - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
  - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Automated Al analysis:
  - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
  - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

#### Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



## InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

**Vulnerable**: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

**Exploitable:** A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

**Exploited:** A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

		Smart Contract
Risk severity	Meaning	Security Audit
! Critical	This level vulner	rabilities could be exploited easily, and can lead to asset loss, data
	loss, asset mani	pulation, or data manipulation. They should be fixed right away.
! High	This level vulner	rabilities are hard to exploit but very important to fix, they carry an
	elevated risk of	smart contract manipulation, which can lead to critical risk severity
! Medium	This level vulner	abilities are should be fixed, as they carry an inherent risk of future
	exploits, and ha	cks which may or may not impact the smart contract execution.
	This level vulne	erabilities can be ignored. They are code style violations, and
! Low	informational s	tatements in the code. They may not affect the smart contract
	execution	



## **Smart Contract - Overview**

#### **Contract information**

Query	Result
Name	Aurous Argentum
Symbol	AUAG
Decimals	18
Total Supply	1,000,000,000,000
Owner	<u>0xa3b46d0cece461ca1a6329aeb6802369d32c9cd3</u>





# **Smart Contract - Static Analysis**

Symbol	Meaning
•	Function can be modified
	Function is payable
	Function is locked
	Function can be accessed
!	Important functionality

```
**Context** | Implementation | |||
 └ | _msgSender | Internal 🛍 |  | |
 └ | _msgData | Internal 🗎 | | |
 **Ownable** | Implementation | Context |||
 L | <Constructor> | Public ! | — |NO! |
 L | owner | Public | | |NO! |
 L | renounceOwnership | Public 📒 | 🥌
 L | _setOwner | Private 🔐 | 🥮 | |
**IERC20** | Interface | |||
 L | totalSupply | External | | |NO! |
L| transfer | External | | 🛑 |NO! |
 L | allowance | External |
 L | approve | External | | 🛑 |NO! |
 👢 | transferFrom | External 📒 | 🥮 |NO 📒 |
| **IERC20Metadata** | Interface | IERC20 |||
| <sup>L</sup> | name | External <mark>!</mark> | |NO! |
 L | symbol | External | | NO! |
\Pi\Pi\Pi\Pi
 **ERC20** | Implementation | Context, IERC20, IERC20Metadata |||
 L | <Constructor> | Public | | 🛑 |NO! |
 L | name | Public | | NO! |
 L | symbol | Public | | |NO | |
 L | decimals | Public | | NO! |
 balanceOf | Public | |
```



```
L | transfer | Public 👢 | 🥌
                          |N0 |
 L | allowance | Public | |
                          |NO |
 L | approve | Public 📒 | 🥌
                         |N0 |
 👢 | transferFrom | Public 👢 | 🥌
                             |NO |
 👢 | increaseAllowance | Public 📒 | 🥌
                                  |N0 |
 L | decreaseAllowance | Public !
                                  |NO | |
 📙 | _transfer | Internal 🛍 | 🥮 | |
 👢 | _mint | Internal 🖴 | 🥌 | |
 L | _burn | Internal 🛍 | 🥮 | |
 L | _approve | Internal 🗎 | 🤛 | |
 L | _beforeTokenTransfer | Internal 🔒 | 🥮 | |
 👢 | _afterTokenTransfer | Internal 🚨 | 🥌 | |
| **ERC20Capped** | Implementation | ERC20 |||
 └ | <Constructor> | Public ! | ●
 L | cap | Public | | NO | |
 👢 | _mint | Internal 🗎 | 🥮 | |
 **ERC20Burnable** | Implementation | Context, ERC20 |||
 L | burn | Public ! | 🛑 |NO! |
| L | burnFrom | Public | | 🛑 |NO! |
| **ERC20Decimals** | Implementation | ERC20 |||
 **ERC20Mintable** | Implementation | ERC20 |||
 | L | mint | External | | 🔴 | canMint |
 👢 | _finishMinting | Internal 🔒 | 🥮 | |
 **IPayable** | Interface | |||
**ServicePayer** | Implementation | |||
| L | <Constructor> | Public | | 💌 |NO! |
| **AurousArgentum** | Implementation | ERC20Decimals, ERC20Capped, ERC20Mintable, ERC20Burnable,
Ownable, ServicePayer |||
| L | <Constructor> | Public | | 🝱 | ERC20 ERC20Decimals ERC20Capped ServicePayer |
 L | decimals | Public | | NO | |
 └ | _mint | Internal 🔒 | 🥌 | onlyOwner |
    finishMinting | Internal 🛍 | 🥮 | onlyOwner |
```




# **Smart Contract - Software Analysis**

#### **Function Signatures**

```
39509351 => increaseAllowance(address,uint256)
119df25f => msgSender()
8b49d47e => msgData()
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
fc201122 => _setOwner(address)
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address,uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
a457c2d7 => decreaseAllowance(address,uint256)
30e0789e => _transfer(address,address,uint256)
4e6ec247 => mint(address,uint256)
6161eb18 => _burn(address,uint256)
104e81ff => approve(address,address,uint256)
cad3be83 => _beforeTokenTransfer(address,address,uint256)
8f811a1c => afterTokenTransfer(address,address,uint256)
355274ea => cap()
42966c68 => burn(uint256)
79cc6790 => burnFrom(address,uint256)
05d2035b => mintingFinished()
40c10f19 => mint(address,uint256)
7d64bcb4 => finishMinting()
8b16f900 => finishMinting()
2b66d72e \Rightarrow pay(string)
```



### <u>Inheritance Graph</u>





# **Smart Contract - Manual Analysis**

Function	Description	Tested	Verdict
TotalSupply	provides information about the total token	Yes	Passed
	supply		
BalanceOf	provides account balance of the owner's	Yes	Passed
	account	163	
Turn of an	executes transfers of a specified number of	Yes	Passed
Transfer	tokens to a specified address		
America	allow a spender to withdraw a set number of	Yes	Passed
Approve	tokens from a specified account		
Allannanaa	returns a set number of tokens from a spender to	Yes	Passed
Allowance	the owner		
burn	executes transfers of a specified number of	Yes	Passed
burn	tokens to a burn address		

#### Verified

- ❖ Active Owner: 0xa3b46d0cece461ca1a6329aeb6802369d32c9cd3
- When the smart contract has an active owner address, some of the smart contract functions can be edited, modified or altered.
- Owner can mint token.
- Owner can-not lock or burn user assets.
- Owner can-not stop or pause the smart contract.



#### **Important Information**

}

1. Aurous Argentum smart contract has 1 low severity issue which may or may not create any functional vulnerability.

```
"resource": " / AurousArgentum.sol",

"owner": "_generated_diagnostic_collection_name_#0",

"severity": 8, (! Low Severity)

"Expected pragma, import directive or contract/interface/library definition",

"source": "solc",
```



# **Smart Contract - SWC Attacks**

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	! Low
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	Passed
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy Control Co	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smort Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
swc-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
SWC-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Security Audit Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	! Low
SWC-136	Unencrypted Private Data On-Chain	Passed



# **Smart Contract - Risk Status & Radar Chart**

Risk Severity	Status
! Critical	None critical severity issues identified
! High	None high severity issues identified
! Medium	None medium severity issues identified
! Low	3 Low severity issues identified
Passed	39 functions and instances verified and passed
	Score out of 100
	Compiler Check
	Interface Safety  85  Static Analysis  80  75
	Manual Analysis Software Analysis
	Compiler Check 91
	Static Analysis 90

Software Analysis

Manual Analysis

Interface Safety

92

89

94



## **Auditor's Verdict**

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Aurous Argentum's smart contract source code has LOW RISK SEVERITY.

Aurous Argentum has PASSED the smart contract audit.

Aurous Argentum has PASSED the KYC verification. Please check the KYC report here.



#### **Auditor's Note:**

- Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security.
- Project's liquidity pair isn't checked and verified due to out of scope.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.



# **Important Disclaimer**

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



## **About InterFi Network**

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit <a href="https://interfi.network">https://interfi.network</a>

To view our audit portfolio, visit <a href="https://github.com/interfinetwork">https://github.com/interfinetwork</a>

To book an audit, message <a href="https://t.me/interfiaudits">https://t.me/interfiaudits</a>





