

SMART CONTRACT SECURITY AUDIT OF Hina Inu



SMART CONTRACT AUDIT | TEAM KYC | PROJECT EVALUATION

RELENTLESSLY SECURING THE PUBLIC BLOCKCHAIN | MADE IN CANADA

Summary

Auditing Firm InterFi Network

Architecture InterFi "Echelon" Auditing Standard

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi Network

Project Overview Approved By

Albert | Marketing Specialist at InterFi Network

Platform Solidity

Mandatory Audit Check Static, Software, Auto Intelligent & Manual Analysis

Consultation Request Date November 08, 2021

Report Date November 15, 2021

Audit Summary

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit:

- Hing Inu's smart contract source code has LOW RISK SEVERITY.
- Hing Inu has PASSED the smart contract audit.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.

Verify the authenticity of this report on InterFi's GitHub: https://github.com/interfinetwork



Hina Inu has no active smart contract owner. The contract ownership has been renounced.
Please check the transaction hash below.

https://etherscan.io/tx/0xf2b08f3d2d6648ac39cbe506d36a126e0f66e6526942402f4e3a721852e67 8d9

Hina Inu's LP tokens are BURNT. Please check the transaction hash below:

https://etherscan.io/tx/0x0039e477f8c9541729d81fc2a97f4743d668e988dc59af401c11f08dddfa629

<u>b</u>

Smart Contract Security Audit



Table Of Contents

Project Information

Overview	5
InterFi "Echelon" Audit Standard	
Audit Scope & Methodology	7
InterFi's Risk Classification	9
Smart Contract Risk Assessment	
Static Analysis	10
Software Analysis	12
Manual Analysis	14
SWC Attacks	16
Risk Status & Radar Chart	18
Report Summary	
Auditor's Verdict	19
<u>Legal Advisory</u>	
Important Disclaimer	20
About InterFi Network	21



Project Overview

InterFi was consulted by Hina Inu to conduct the smart contract security audit of their solidity source code.

About Hina Inu

Hina Inu (\$HINA) is a deflationary community token and also the Governance Token of the "Super Pack", consisting of promising dog token projects including Keisuke Inu, Kuma Inu (\$LEASH Developer), Fat Doge, Kitty Inu and more projects to be onboarded.

The vision of the Super Pack is to bring all dog/inu/animal token communities as a partnered-unit that moves together, building innovative applications and providing a platform for like-minded individuals to share unique ideas that get executed. We are one movement.

Project	Hina figh art Contract
Blockchain	Ethereum Chain Mit Audit
Language	Solidity
Contract	0xbD0a4bf098261673d5E6e600Fd87ddcd756e6764
Website	https://realhinainu.com/
Telegram	https://t.me/hinainu
Twitter	https://twitter.com/realhinainu/
Reddit	https://www.reddit.com/r/RealHinalnu/



Public logo



Solidity Source Code On Blockchain (Verified Contract Source Code)

https://etherscan.io/address/0xbd0a4bf098261673d5e6e600fd87ddcd756e6764#code

Contract Name: Hinalnu

Symbol: HINA

Compiler Version: v0.6.12

Optimization Enabled: No with 200 runs

OTULIS

Solidity Source Code On InterFi GitHub

https://github.com/interfinetwork/audited-codes/blob/main/HinaInu.sol

SHA-1 Hash

Solidity source code is audited at hash #8addflb63448036c89d5072f00acc68eacdd59b6



Audit Scope & Methodology

The scope of this report is to audit the smart contract source code of Hina Inu. InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

- Re-entrancy
- Unhandled Exceptions
- Transaction Order Dependency
- Integer Overflow
- Unrestricted Action
- Incorrect Inheritance Order
- Typographical Errors
- Requirement Violation
- Ownership Takeover
- Gas Limit and Loops
- Deployment Consistency
- Repository Consistency
- Data Consistency
- Token Supply Manipulation
- Access Control and Authorization
- Operations Trail and Event Generation
- Assets Manipulation
- Liquidity Access

Smart Contract Vulnerabilities

Source Code Review

Functional Assessment



InterFi's Echelon Audit Standard

The aim of InterFi's "Echelon" standard is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by ECHELON-1 to assess the smart contract:

- 1. Solidity smart contract source code reviewal:
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Static, Manual, and Software analysis:
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- 3. Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the smart contract vulnerabilities

- Slither
- Consensys MythX
- Consensys Surya
- Open Zeppelin Code Analyzer
- Solidity Code Complier



InterFi's Risk Classification

Smart contracts are generally designed to manipulate and hold funds denominated in ETH/BNB. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on the main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

-• •		SHIGH CONTINCT
Risk severity	Meaning	Security Audit
! Critical	This level vulner	rabilities could be exploited easily, and can lead to asset loss, data
	loss, asset mani	pulation, or data manipulation. They should be fixed right away.
! High	This level vulner	rabilities are hard to exploit but very important to fix, they carry an
	elevated risk of	smart contract manipulation, which can lead to critical risk severity
! Medium	This level vulner	abilities are should be fixed, as they carry an inherent risk of future
	exploits, and ha	cks which may or may not impact the smart contract execution.
	This level vulne	erabilities can be ignored. They are code style violations, and
! Low	informational s	tatements in the code. They may not affect the smart contract
	execution	



Smart Contract - Static Analysis

Symbol	Meaning
•	Function can be modified
□ s□	Function is payable
	Function is locked
	Function can be accessed
!	Important functionality

```
**Context** | Implementation | |||
 └ | _msgData | Internal 🗎 |
 **IERC20** | Interface | |||
 L | totalSupply | External 📒 |
 L | balanceOf | External | |
                                |N0 |
 👢 | transfer | External 📒 | 🥌
   | allowance | External | |
                                |N0 |
 📘 | approve | External 📒 | 🥌
                               |NO | |
 👢 | transferFrom | External 📒 | 🥮 |NO 📙 |
 **SafeMath** | Library |
 └ | add | Internal 🔓 |
    sub | Internal 🖴
     sub | Internal 🖴
     mul | Internal 🖴
     div | Internal 🖴
     div | Internal 🔒
     mod | Internal 🖴
     mod | Internal 🖴
\parallel \parallel \parallel \parallel \parallel \parallel \parallel
 **Address** | Library | |||
 📙 | sendValue | Internal 🗎 | 🥌
 L | functionCall | Internal 🛍 | 🥌
 👢 | functionCall | Internal 🛍 | 🥌
 👢 | functionCallWithValue | Internal 🖴
 └ | functionCallWithValue | Internal 🔒
    _functionCallWithValue | Private 💕
```



```
| Implementation | Context |||
 | <Constructor> | Internal 🗎 | 🥊 | |
  owner | Public | | |NO! |
  renounceOwnership | Public 👎 | 🛑
                                 | onlyOwner |
 <mark>⊳kHinaInu**</mark> | Implementation | Context, IERC20, Ownable |||
 | <Constructor> | Public | | • | NO! |
  name | Public <mark>!</mark> | <u>|</u>NO <mark>!</mark> |
   symbol | Public | | NO | |
   decimals | Public | | NO! |
  L | transfer | Public | | 🛑 |NO |
  allowance | Public | |
                         |N0 |
L | approve | Public | | 🛑
                        transferFrom | Public 🚺 | 🥮 |NO 🎚 |
👢 | increaseAllowance | Public 🏮 | 🥌
                                  |NO |
                                 |NO |
  decreaseAllowance | Public 📒 | 🥮
L | isExcluded | Public | | NO! |
  totalFees | Public | | |NO! |
  setMaxTxPercent | External 📘 | 🥌
                                 | onlyOwner |
L | reflect | Public ! | 🛑 |NO! |
 | reflectionFromToken | Public | |
                                  |N0
|NO |
 | excludeAccount | External | | 🛑
                                | onlyOwner |
📙 | includeAccount | External 📒 | 🥌 | onlyOwner |
 | _approve | Private 🗳 | 🥌 | |
L | _transfer | Private 😭 | 🥮 | |
👢 | _transferStandard | Private 🛍 | 🥌
L | _transferToExcluded | Private 😭 | 🥌
L | _transferFromExcluded | Private 🗳 | 🥌
📙 | _transferBothExcluded | Private 🔐 | 🥌
👢 | _reflectFee | Private 🛍 | 🥮 | |
 L | _getTValues | Private 😭 |
 | getRValues | Private 💕 |
 | _getRate | Private 臂 |   | |
   _getCurrentSupply | Private 🔐
```



Smart Contract - Software Analysis

Function Signatures

```
1902160 => _getTValues(uint256)
16279055 => isContract(address)
39509351 => increaseAllowance(address,uint256)
119df25f => _msgSender()
8b49d47e => msqData()
18160ddd => totalSupply()
70a08231 => balanceOf(address)
a9059cbb => transfer(address.uint256)
dd62ed3e => allowance(address,address)
095ea7b3 => approve(address,uint256)
23b872dd => transferFrom(address,address,uint256)
771602f7 => add(uint256,uint256)
b67d77c5 => sub(uint256,uint256)
e31bdc0a => sub(uint256,uint256,string)
c8a4ac9c => mul(uint256,uint256)
a391c15b => div(uint256,uint256)
b745d336 => div(uint256,uint256,string)
f43f523a => mod(uint256,uint256)
71af23e8 => mod(uint256,uint256,string)
24a084df => sendValue(address,uint256)
a0b5ffb0 => functionCall(address,bytes)
241b5886 => functionCall(address,bytes,string)
2a011594 => functionCallWithValue(address,bytes,uint256)
d525ab8a => functionCallWithValue(address,bytes,uint256,string)
36455e42 => _functionCallWithValue(address,bytes,uint256,string)
8da5cb5b => owner()
715018a6 => renounceOwnership()
f2fde38b => transfer0wnership(address)
06fdde03 => name()
95d89b41 => symbol()
313ce567 => decimals()
a457c2d7 => decreaseAllowance(address,uint256)
cba0e996 => isExcluded(address)
13114a9d => totalFees()
d543dbeb => setMaxTxPercent(uint256)
053ab182 => reflect(uint256)
4549b039 => reflectionFromToken(uint256,bool)
2d838119 => tokenFromReflection(uint256)
f2cc0c18 => excludeAccount(address)
f84354f1 => includeAccount(address)
104e81ff => approve(address,address,uint256)
30e0789e => _transfer(address,address,uint256)
2852df65 => _transferStandard(address,address,uint256)
16f1cc83 => _transferToExcluded(address,address,uint256)
c7d9be66 => transferFromExcluded(address,address,uint256)
```



6ff6cdf4 => _transferBothExcluded(address,address,uint256)

184d894e => _reflectFee(uint256,uint256)


d4780e36 => _getValues(uint256)

c2264c6a => _getRValues(uint256,uint256,uint256)

94e10784 => _getRate()

97a9d560 => _getCurrentSupply()

Inheritance Graph





Smart Contract – Manual Analysis

Function	Description	Tested	Verdict
Total Supply	provides information about the total token	Yes	Passed
	supply		
Balance Of	provides account balance of the owner's	Yes	Passed
	account		
Transfer	executes transfers of a specified number of	Yes	Passed
	tokens to a specified address		1 40004
Approve	allow a spender to withdraw a set number of	Yes	Passed
присос	tokens from a specified account	162	
Allowance	returns a set number of tokens from a spender to the owner	Yes	Passed
	is an action in which the project buys back its		
Buy Back	tokens from the existing holders usually at a	NA	NA
	market price nort Contract		
Parent.	executes transfers of a specified number of	NA	NA
Burn	tokens to a burn address		
B.d.i.o.t	executes creation of a specified number of	NA	NA
Mint	tokens and adds it to the total supply		
	circulating token supply adjusts (increases or		
Rebase	decreases) automatically according to a token's	NA	NA
	price fluctuations		
Blacklist	stops specified wallets from interacting with the		
BIOCKIIST	smart contract function modules	NA	NA
Lock	stops or locks all function modules of the smart		
LOCK	contract	NA	NA



Review

- SMART CONTRACT OWNERSHIP IS RENOUNCED! NO ACTIVE OWNER IS IDENTIFIED AT THE TIME OF THE AUDIT.
- Owner can-not lock or burn user assets.
- Owner can-not stop or pause the smart contract.
- Owner can-not mint tokens after launch.
- The smart contract utilizes "SafeMath" function to avoid common smart contract vulnerabilities.

```
string private _name = "Hina Inu";
string private _symbol = "HINA";
library SafeMath {
  function add(uint256 a, uint256 b) internal pure returns (uint256) {
     uint256 c = a + b;
     require(c >= a, "SafeMath: addition overflow");

function sub(uint256 a, uint256 b) internal pure returns (uint256) {
     return sub(a, b, "SafeMath: subtraction overflow");

     uint256 c = a * b;
     require(c / a == b, "SafeMath: multiplication overflow");

     return c;

function div(uint256 a, uint256 b) internal pure returns (uint256) {
     return div(a, b, "SafeMath: division by zero");

function mod(uint256 a, uint256 b) internal pure returns (uint256) {
     return mod(a, b, "SafeMath: modulo by zero");
```



Smart Contract - SWC Attacks

SWC ID	Description	Verdict
SWC-101	Integer Overflow and Underflow	Passed
SWC-102	Outdated Compiler Version	! Low
SWC-103	Floating Pragma	Passed
SWC-104	Unchecked Call Return Value	Passed
SWC-105	Unprotected Ether Withdrawal	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed
SWC-107	Re-entrancy	Passed
SWC-108	State Variable Default Visibility	Passed
SWC-109	Uninitialized Storage Pointer	Passed
SWC-110	Assert Violation Smart Contract	Passed
swc-111	Use of Deprecated Solidity Functions	Passed
SWC-112	Delegate Call to Untrusted Callee	Passed
SWC-113	DoS with Failed Call	Passed
SWC-114	Transaction Order Dependence	Passed
SWC-115	Authorization through tx.origin	Passed
SWC-116	Block values as a proxy for time	Passed
swc-117	Signature Malleability	Passed
SWC-118	Incorrect Constructor Name	Passed



SWC-119	Shadowing State Variables	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed
SWC-122	Lack of Proper Signature Verification	Passed
SWC-123	Requirement Violation	Passed
SWC-124	Write to Arbitrary Storage Location	Passed
SWC-125	Incorrect Inheritance Order	Passed
SWC-126	Insufficient Gas Griefing	Passed
SWC-127	Arbitrary Jump with Function Type Variable	Passed
SWC-128	DoS With Block Gas Limit	Passed
SWC-129	Typographical Error	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed
SWC-131	Presence of unused variables	Passed
SWC-132	Unexpected Ether balance	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed
SWC-134	Message call with hardcoded gas amount	Passed
SWC-135	Code With No Effects (Irrelevant/Dead Code)	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed



Smart Contract - Risk Status & Radar Chart

Risk Severity	Status
! Critical	None critical severity issues identified
! High	None high severity issues identified
! Medium	None medium severity issues identified
! Low	None low severity issues identified
Passed	Al functions and instances verified and passed Score out of 100 Compiler Check 100 95 90 90 Static Analysis Manual Analysis Software Analysis

Compiler Check	95
Static Analysis	98
Software Analysis	98
Manual Analysis	97
Interface Safety	99



Auditor's Verdict

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Hina Inu's smart contract source code has LOW RISK SEVERITY.

Hina Inu has PASSED the smart contract audit.



Smart Contract Security Audit



Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Be aware that active smart contract owner privileges constitute an elevated impact to smart contract's safety and security. Therefore, InterFi does not guarantee the explicit security of the audited smart contract.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.



About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

To learn more, visit https://interfi.network

To view our audit portfolio, visit https://github.com/interfinetwork

To book an audit, message https://t.me/interfiaudits





