

© @ @interfinetwork

SMART CONTRACT SECURITY AUDIT Dogs United Token



AUDITED ON AUGUST 31, 2021

USING INTERFI AUDITING ARCHITECTURE

Summary

Audit:

Auditing Firm InterFi Network

Architecture InterFi Auditing Architecture

Smart Contract Audit Approved By Chris | Blockchain Specialist at InterFi

Project Overview Approved BY Albert | Project Specialist at InterFi

Platform Solidity / Ethereum / Polygon

Audit Check (Mandatory)

Vulnerability Check, Source Code Review, Functional

Test

Website Review, Socials Review, Token Review (Not

Applicable)

Consultation Request Date August 28, 2021

Report Date August 31, 2021

Risk profile:

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks. According to the smart contract audit, **Dogs United Token's** smart contract source code has Low Risk Severity.

For the detailed understanding of risk severity, source code vulnerability, and functional test, kindly refer to the audit.

Table of contents

| Project Overview | ∠ |
|---------------------------|-----|
| Audit Scope & Methodology | 6 |
| General Risk Factors | 8 |
| Audit Overview | 9 |
| Conclusion |]∠ |
| mportant Disclaimer | 15 |
| About InterFi Network | .16 |

Rlockchain Security

Confidential Audit

Project overview

InterFi was consulted by Dogs United Token on August 28, 2021 to conduct a smart contract security audit. The contract code under scope is:

https://bscscan.com/address/0x2cebeb83d8b7lf39eb405ad97284c7c468c543lf#code

Public information

Dogs United is a community focused, fully decentralized ecosystem, powered by the utility token \$DUT - Dogs United Token. Where NFT driven Games come to fulfill the DOG meme space.

| Information | Dogs United Token |
|-------------|--|
| Blockchain | Binance Smart Chain |
| Language | Solidity |
| Contract | 0x2cebeb83d8b71f39eb405ad97284c7c468c5431f |
| Website | https://dogsunitedtoken.com/ |
| Twitter | https://twitter.com/dogsunitedtoken |
| Telegram | https://t.me/dogsunitedtoken |
| DexTools | https://www.dextools.io/app/bsc/pair- |
| Dexidois | <u>explorer/0xd509f6aa1de87e123da0811e1c80995e715ec85f</u> |
| Email | support@dogsunitedtoken.com |

Public logo



Deployed smart contract

https://bscscan.com/address/0x2cebeb83d8b7lf39eb405ad97284c7c468c543lf

Dogs United Token contract source code is verified on Solidity: v0.8.4+commit.c7e474f2

Interfi

Blockchain Security

Confidential Audit

Audit scope and methodology

The scope of this report is to audit the smart contract source code of Dogs United Token. The source code can be viewed in its entirety on

https://bscscan.com/address/0x2cebeb83d8b7lf39eb405ad97284c7c468c543lf#code#L4

InterFi has scanned the contract and reviewed the project for common vulnerabilities, exploits, hacks, and back-doors. Below is the list of commonly known smart contract vulnerabilities, exploits, and hacks:

Category

| · | |
|--------------------------------|--|
| | Re-entrancy (RE)Unhandled Exceptions (UE) |
| Smart Contract Vulnerabilities | Transaction Order Dependency (TO) |
| | Integer Overflow (IO) |
| | Unrestricted Action (UA) |
| | Ownership Takeover |
| | Gas Limit and Loops |
| | Deployment Consistency |
| Source Code Review | Repository Consistency |
| | Data Consistency |
| | Code Typo Error |
| | Token Supply Manipulation |
| | Access Control and Authorization |
| | Operations Trail and Event Generation |
| Functional Assessment | Assets Manipulation |
| | Liquidity Access |
| | |

InterFi methodology

The aim of this report is to analyze the smart contract and identify the vulnerabilities and the hacks in the smart contract. Mentioned are the steps used by InterFi to assess the smart contract:

- 1. Code review that includes the following
 - Review of the specifications, sources, and instructions provided to InterFi to make sure we understand the size, scope, and functionality of the smart contract.
 - Manual review of code, which is the process of reading source code line-byline to identify potential vulnerabilities.
- 2. Testing and automated analysis that includes the following
 - Test coverage analysis, which is the process of determining whether the test cases are covering the code and how much code is exercised when we run those test cases.
 - Symbolic execution, which is analysing a program to determine what inputs causes each part of a program to execute.
- Best practices review, which is a review of the smart contracts to improve efficiency, effectiveness, clarify, maintainability, security, and control based on the established industry and academic practices, recommendations, and research.
- 4. Specific, itemized, actionable recommendations to help you take steps to secure your smart contracts

Automated 3P frameworks used to assess the vulnerabilities

- Slither
- MythX
- Uniswap V2
- Open Zeppelin
- Solidity Code Complier

General risk factors

Smart contracts are generally designed to manipulate and hold funds denominated in Ether. This makes them very tempting attack targets, as a successful attack may allow the attacker to directly steal funds from the contract. Below are the typical risk levels of a smart contract:

Vulnerable: A contract is vulnerable if it has been flagged by a static analysis tool as such. As we will see later, this means that some contracts may be vulnerable because of a false-positive.

Exploitable: A contract is exploitable if it is vulnerable and the vulnerability could be exploited by an external attacker. For example, if the "vulnerability" flagged by a tool is in a function which requires to own the contract, it would be vulnerable but not exploitable.

Exploited: A contract is exploited if it received a transaction on Ethereum's main network which triggered one of its vulnerabilities. Therefore, a contract can be vulnerable or even exploitable without having been exploited.

| Risk severity | Meaning |
|------------------|--|
| ! Critical | This level vulnerabilities could be exploited easily, and can lead to asset loss, data loss, asset manipulation, or data manipulation. They should be fixed right away. |
| ! High | This level vulnerabilities are hard to exploit but very important to fix, they carry an elevated risk of smart contract manipulation, which can lead to critical risk severity |
| ! Medium | This level vulnerabilities are should be fixed, as they carry an inherent risk of future exploits, and hacks which may or may not impact the smart contract execution. |
| ! Low | This level vulnerabilities can be ignored. They are code style violations, and informational statements in the code. They may not affect the smart contract execution |

Audit overview

Functions used in the smart contract

| Query | Result |
|--|--|
| _liquidityFee | 8 |
| _maxTxAmount | 20000000000000000 |
| marketingAddress | 0xe5aae5899f8c6aa0c00cabled4e9f09deba23e61 |
| _taxFee | 2 |
| allowance | NULL |
| balanceOf | NULL |
| decimals | 9 |
| getUnlockTime | 0 |
| buyBackEnabled | True |
| buyBackUpperLimitAmount | 200000000000000000000000000000000000000 |
| name | DogsUnitedToken |
| numTokensSellToAddLiquidity | 21000000000000000000000 |
| owner | 0xa4a6db60a345e40f389792952149b2d1255b9542 |
| reflectionFromToken | NULL |
| swapAndLiquifyEnabled | True |
| symbol | DUT |
| tokenFromReflection | NULL |
| totalFees | 29420204631882377323 |
| totalSupply | 100000000000000000000000000000000000000 |
| uniswapV2Pair | 0xd509f6aa1de87e123da0811e1c80995e715ec85f |
| uniswapV2Router | 0x10ed43c718714eb63d5aa57b78b54704e256024e |
| CMART CONTRACT SECURITY ALIDIT OF DOCS LINITED TOKEN | 0 |

Verifying token functions

| Function | Description | Tested | Verdict |
|---------------|---|--------|---------|
| TotalSupply | provides information about the total token | Yes | Passed |
| TotalSupply | supply | | |
| BalanceOf | provides account balance of the owner's | Yes | Passed |
| BalariceOi | account | | |
| Transfer | executes transfers of a specified number of | Yes | Passed |
| Hullstel | tokens to a specified address | | |
| TransferFrom | executes transfers of a specified number of | Yes | Passed |
| HullstellToll | tokens from a specified address | | |
| Approve | allow a spender to withdraw a set number of | Yes | Passed |
| Approve | tokens from a specified account | | |
| Allowance | returns a set number of tokens from a spender | Yes | Passed |
| Allowarioe | to the owner Blockchain Security | | |

Verified

- Owner can not mint new tokens
- Owner can not burn/lock users' assets
- Owner can not pause the contract

Note

- ❖ Active Owner: oxe5age5899f8c6ag0c00cabled4e9f09deba23e61
- Owner can change transaction tax, allowances, etc.

Points To Note

1. The smart contract utilizes the SafeMath to prevent Integer Overflow.

```
UnitTest stub | dependencies | unit | draw.io | library SafeMath {

firace | funcSig | function add(uint256 a1, uint256 b1) internal pure returns (uint256) {

uint256 c = a1 + b1; require(c >= a1, "SafeMath: addition overflow");

return c;
}

firace | funcSig | function sub(uint256 a1, uint256 b1) internal pure returns (uint256) {


return sub(a1, b1, "SafeMath: subtraction overflow");

firace | funcSig | function sub(uint256 a1, uint256 b1, string memory errorMessage1) internal pure returns (uint256) {

require(b1 <= a1, errorMessage1); uint256 c = a1 - b1;

return c;
}
```

2. The source code has a low-risk severity. No major impactful event identified.



| Vulnerability | Status |
|--|--------|
| Compiler errors | ! Low |
| Re-entrancy. Race conditions and cross function race conditions (RE) | Passed |
| Possible delays in data delivery | Passed |
| Gas optimization | Passed |
| Integer Underflow and overflow | Passed |
| Oracle Calls | Passed |
| Call stack depth attack | Passed |
| Parity Multisig Bug | Passed |
| Tx ordering dependency (TO) | Passed |
| DOS with revert and block gas limit | Passed |
| Private user data leaks | Passed |
| Malicious event log Blockchain Security | Passed |
| Safe open zeppelin contract implementation and usage | Passed |
| The impact of exchange rate on the logic | Passed |
| Functions that are not used (dead-code) | Passed |
| Typographical Errors | Passed |
| Signature Malleability | Passed |
| Floating Pragma | Passed |
| Scoping and declarations | Passed |

Risk Severity Status

! Critical None critical severity issues identified


! High None high severity issues identified

! Medium None medium severity issues identified

! Low None medium severity issues identified



Block Assessment Curity



Conclusion

InterFi team has performed a line-by-line manual analysis and automated review of the smart contract. The smart contract was analyzed mainly for common smart contract vulnerabilities, exploits, and manipulation hacks.

Dogs United Token's smart contract source code has LOW RISK SEVERITY.

Dogs United Token has PASSED the InterFi's ECHELON-1 standard smart contract audit.



Auditor's Footnote:

- Liquidity pair contract's security is not checked due to out of scope. Liquidity locking details NOT provided by the team.
- Project website is not checked due to out of scope. The website hasn't been reviewed for SSL and lighthouse report.
- Project team, and the project's social channels are not checked due to out of scope.

Important Disclaimer

InterFi Network provides contract auditing and project verification services for blockchain projects. The purpose of the audit is to analyse the on-chain smart contract source code, and to provide basic overview of the project. This report should not be transmitted, disclosed, referred to, or relied upon by any person for any purposes without InterFi's prior written consent.

InterFi provides the easy-to-understand assessment of the project, and the smart contract (otherwise known as the source code). The audit makes no statements or warranties on the security of the code. It also cannot be considered as an enough assessment regarding the utility and safety of the code, bug-free status, or any other statements of the contract. While we have used all the data at our disposal to provide the transparent analysis, it is important to note that you should not rely on this report only — we recommend proceeding with several independent audits and a public bug bounty program to ensure the security of smart contracts. Be aware that smart contracts deployed on a blockchain aren't resistant from external vulnerability, or a hack. Therefore, InterFi does not guarantee the explicit security of the audited smart contracts.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

This report should not be considered as an endorsement or disapproval of any project or team.

The information provided on this report does not constitute investment advice, financial advice, trading advice, or any other sort of advice and you should not treat any of the report's content as such. Do conduct your own due diligence and consult your financial advisor before making any investment decisions.

About InterFi Network

InterFi Network provides intelligent blockchain solutions. InterFi is developing an ecosystem that is seamless and responsive. Some of our services: Blockchain Security, Token Launchpad, NFT Marketplace, etc. InterFi's mission is to interconnect multiple services like Blockchain Security, DeFi, Gaming, and Marketplace under one ecosystem that is seamless, multi-chain compatible, scalable, secure, fast, responsive, and easy-to-use.

InterFi is built by a decentralized team of UI experts, contributors, engineers, and enthusiasts from all over the world. Our team currently consists of 6+ core team members, and 10+ casual contributors. InterFi provides manual, static, and automatic smart contract analysis, to ensure that project is checked against known attacks and potential vulnerabilities.

For more information, visit https://interfi.network

To book an audit, message https://t.me/interfiaudits

Confidential Audit