

Feature			Scer	nario			St	ер	
Name	Duration	T	P	F	S	T	P	F	S
Login to HRM application	23.130 s	1	0	1	0	3	1	1	1

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Login to HRM application	Login with valid credentials


TAG		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ValidCredentials	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Login to HRM application	1	0	1	0	23.130 s

SCENARIOS SUMMARY -- 6 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to HRM application	Login with valid credentials	3	1	1	1	23.127 s

DETAILED SECTION -- 7 --

Login to HRM application

FAILED	DURATION - 23.130 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 5:31:43.185 pm //	/ 5:32:06.315 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User is on HRMLogin page "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	4.074 s
2	When User enters username and password	FAILED	11.765 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name=' password']"} (Session info: chrome=134.0.6998.178) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.30.0', revision: '509c7f17cc*' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3824797a03e3539730986ec30172dc9c, findElement {using=name, value= password}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 134.0.6998.178, chrome: {chromedriverVersion: 134.0.6998.165 (fd886e2cb29, userDataDir: C:\Users\DANUS-1\AppDataL\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:50297}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws:/localhost:50297/devtoo, se:cdp\Version: 134.0.6998.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3824797a03e3539730986ec30172dc9c at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.CerrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:545)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:368)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:362)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source)		
	at com.actions.LoginPageActions.setPassword(LoginPageActions.java:29)		
	at com.actions.LoginPageActions.login(LoginPageActions.java:58)		
	at com.defifnitions.LoginPageDefinitions.gotoHomePage(LoginPageDefinitions.java:25)		
	at ?.User enters username and password(file:///D:/CucumberPageObjectModel/src/test/resources/features/LoginPage.feature:7)		
	* Not displayable characters are replaced by '?'.		
3	Then User should be able to login successfully and new page open	SKIPPED	0.002 s