①. Possible X path.

```
// li
// li[@id='choice']
~~// li[@id~~=
// li [@class='opt']
// li [@id='choice' and @class='opt']
// li[text()='Fruits']
// li[contains(text(),'Fruit')]
// span/div/ol/li
```

②. possible CSSSelector:

```
#ok
.btn
input[type='button']
div input
div > input
div div input.
```

③. Selenium code for login page.

```
import. org. openqa. Selenium. By;
import. org. openqa. Selenium. webDriver;
import. org. openqa. Selenium. Chrome. ChromeDriver;

Public class LoginPage {

    Public Static void main (String []args) {
        WebDriver driver = new ChromeDriver();
        driver. manage(). window(). maximize();
        driver. get ("https: // www. Saucedemo. com/");
        driver. findElement (By.id ("user-name")). SendKeys
                ("standard_user");
        driver. findElement (By.id ("password")). SendKeys
                ("Secret_Sauce");
        driver. findElement (By.id ("login_button")). click();
        system. out. println ("Page Title : " + driver. getTitle());
        driver. quit();
    }
}
```

③. Java program to print 1 to 50 but skip of Multiple of 3.

```
public class SkipMultiplesOfThree {
    public static void main (String [] args) {
        for (int i=1; i<=50; i++) {
            ~~if~~
            if (i %3==0) {
                continue;
            }
            system. out. println (i);
        }
    }
}.
```