RGE Invoice Data Extraction Rules

Field-by-Field Extraction Guidelines | English · Bahasa Indonesia · Mandarin

Note: Fields marked 'To be confirmed with the client' are pending clarification. Orange font annotations in source documents take priority over standard values where indicated.

Section 1 — English Invoices

Field	Extraction Rule
1. Company Code	Fixed value: 8439
2. Supplier	Extract the 6-digit vendor code. If the vendor code appears in orange font, prioritise that value over others. If no orange-highlighted vendor code is found, extract the vendor code that is explicitly mentioned or labelled in the document.
3. Reference	Extract the invoice number as stated in the invoice document.
4. Amount in Document	Extract the total amount stated in the invoice.
5. Document Currency	Extract the currency mentioned near the grand total amount. If the currency appears in orange font, prioritise that value.
6. Document Date	Extract the invoice date. Prioritise the date that has an orange font tick mark annotated next to it in the document.
7. Text	Extract the content written next to the label "Text:" as digitally annotated in the document. The annotation may appear in orange or black font.
8. Document Header Text	Priority 1: If "HT:" is digitally annotated (orange or black font) and the value starts with LNG1, use this value. Priority 2: If "HT:" is present but the value does not start with LNG1, capture the value and continue checking. Priority 3 (Fallback): If neither condition yields a valid LNG1 value, use the value from the Text field.
9. Assignment	Same as Reference (invoice number).

Field	Extraction Rule
10. Baseline Payment Date	Same as Document Date.
11. CBS	Extract the CBS number in the format X.X.X.X(e.g., 1.1.4.1). Identify by: a digital tick or annotation placed next to the number, an explicit label 'CBS' near the number, or the number appearing near the Payment Certificate section. If no CBS value is present in the document, leave this field blank.
12. Internal Order 🔍 **Lookup Required**	Retrieved from the lookup table: CO_Internal Order_EP5. Use the extracted CBS value to locate the matching row. Extract the corresponding value from the Order Number column as the Internal Order. If CBS is absent, this field will also be left blank.

Section 2 — Bahasa Indonesia Invoices

Field	Extraction Rule
1. Company Code	Extract from the first four (4) digits of the barcode on the invoice.
2. Vendor Code	Extract from the Vendor Information section. Typically found in the PO section or within the invoice header under vendor details.
3. Reference	Must contain the Invoice Number of the invoice.
4. Amount	Must reflect only the total value of the line items billed. Must exclude tax, PPN, and any additional charges.
5. Currency	If the invoice is in Bahasa Indonesia or a Faktur Pajak is present → set currency as IDR. If the invoice is in another language → identify and extract the currency directly from the invoice.
6. Document Date	Must be the invoice date (Tanggal Invoice) stated on the invoice.
7. Tax Code 🔍 **Lookup Required**	Use the first 3 digits of the Faktur Pajak top header code as the lookup key (e.g., 040). Filter the Apical Tax Code lookup table using the column 'Kode Seri Faktur Pajak'. Retrieve the corresponding value from the 'VAT (Rate)' column. Note: Ensure the lookup table is updated to use the 3-digit padded format (e.g., 040, not 40).
8. Tax Amount	Must be the same value as the Amount.
9. PO Number	Must be a 10-digit number. May be found in: the attached PO document, under Surat Pesanan, or handwritten on the invoice.

Field	Extraction Rule
10. Assignment	Same value as the PO Number.
11. Text	Extract one line item. (To be confirmed with the client.)
12. Document Header Text	Use the full Faktur Pajak header code as printed at the top of the Faktur Pajak (e.g., 04002500388182779).
13. Baseline Payment Date	Use the stamp date stamped on the invoice. If no stamp is present, use the Document Date.
14. Business Area	To be confirmed with the client.

Section 3 — Mandarin Invoices

Field	Extraction Rule
1. Company Code	Source: First 4 digits of the barcode. Barcode structure: [CompanyCode(4)][Location(2)][Function(2)][DocType(2)][Year(2)][RunningNumber(n)] Example: 2309NWAPTA25101835 → 2309
2. Vendor Code	Source: Purchase Order. Extract as a numeric value.
3. Reference	Source: Invoice number field. Extract the last 8 digits only. Example: 25362000000085009056 → 85009056
4. Amount	Source: Total amount including tax. Extract the total amount including tax.
5. Currency	Priority 1: If the currency symbol is explicitly stated → use that currency. Priority 2: If ¥ or RMB symbol is present → RMB. Priority 3: If $ symbol is present → USD. Priority 4 (Default): If no symbol is present and the invoice language is Chinese → RMB. Output: Currency code (e.g., RMB, USD).
6. Document Date	Source: Invoice date field. Format: DD-MM-YYYY
7. Tax Code 🔍 **Lookup Required**	Source: Tax rate field. Extract the percentage value (e.g., 13%). Return as a percentage. Use the SAP ASP PRD lookup table to find the corresponding code value based on vendor type. Note: Ensure the SAP ASP PRD table uses the 3-digit padded format (e.g., 040, not 40).

Field	Extraction Rule
8. Tax Amount	Source: Total tax amount (合计 section, 税额 column). Extract the total tax value.
9. PO Number 🔍 **Lookup Required**	PO numbers are 10-digit numeric sequences. Step 1 — Invoice Remarks: Check the remarks area at the bottom of the invoice for a 10-digit sequence. Step 2 — Next Page / Attached Documents: Look for document headers such as 'Po:' or 'Purchase Order'. Proceed to Step 3 if not found. Step 3 — Handwritten Annotations: Check blank spaces, stamps, or margins (especially the bottom-right corner). Look for annotations starting with 'po.', 'PO:', 'Po;', or 'po:' (case-insensitive). Extract the numeric sequence immediately following the label. If a document contains multiple PO numbers, process each PO as a separate entry.
10. Assignment	Same as PO Number.
11. Text	Purchase order description. Format: POnumber - line item value Example: 4500123456 - 00010
12. Document Header Text	Purchase order description. Format: POnumber - line item Example:4500123456 - 00010
13. Baseline Payment Date	If Company Code = '2318' → Use the posting date (current date when the invoice is processed). Otherwise → Use the Document Date. Format: DD/MM/YYYY (e.g., 31/08/2025)
14. Business Area	To be confirmed with the client.

Section 4 — Lookup Table Reference

The table below summarises all lookup operations required across the three invoice types. Fields highlighted in orange within the extraction rule tables above correspond to the entries listed here.

Sheet Name	Language	Field Name	Source Value	Target Value
CO_Internal Order_EP5	English	Internal Order	CBS value	Order Number
Apical Tax Code	Bahasa	Tax Code	Header Code (e.g., 040)	VAT Rate
SAP ASP PRD	Mandarin	Tax Code	Tax Value (e.g., 6%)	VAT Rate
SAP ASP PRD **	Mandarin	PO Number	Company Code	PO Number (e.g., 1234***)

***Action Required: The SAP ASP PRD lookup table must be updated to use 3-digit zero-padded codes (e.g., 040 instead of 40) to align with the format extracted from Faktur Pajak and Mandarin invoice headers.*

Section 5 — Questions & Clarifications

The following Q&A captures clarifications raised during review sessions. These supplement the extraction rules above and should be treated as authoritative guidance where rules were previously ambiguous or incomplete.

English Invoices

Q1: English invoices do not contain a PO number. What field should be used instead?

A: English invoices are non-PO documents. They use a Reference Number instead of a PO number. The Reference field should be populated with this invoice reference number. The static value to be used for non-PO documents is to be discussed and confirmed with the SAP client.

Q2: CBS and Assignment rules are inconsistent between the two English rule sets. Which should be followed?

A: The English v2 rule set takes precedence. Assignment is included in v2, and CBS values are present in the v2 document set. Use the v2 rules for all English invoice processing.

Q3: Some English documents do not contain a CBS value. What should be done?

A: If no CBS value is present in the document, leave the CBS field blank. The Internal Order field, which depends on CBS, will also be left blank in this case. Manual intervention may be required.

Q4: Should the Company Code be extracted from the barcode or provided as a static value?

A: Use the same static Company Code (8439) consistently across all English invoice documents. It does not need to be extracted from a barcode.

Q5: For the Internal Order lookup table (CO_Internal Order_EP5), which column should be extracted?

A: Extract the value from the Order Number column. Use the CBS value to locate the matching row, then take the corresponding Order Number as the Internal Order value.

Q6: What should happen if the CBS value is extracted incorrectly?

A: If the extracted CBS value is found to be incorrect, it can be corrected manually. The mapping logic supports manual overrides — update the CBS field with the correct value and re-run the lookup.

Q7: What are the rules for the Business Area field?

A: Business Area rules are pending clarification from the client. This field should be left blank until the client provides the applicable logic or static values.

Bahasa Indonesia Invoices

Q1: Several fields (Tax Code, Text, Doc Header Text, Business Area) are not mentioned in the original Bahasa Indonesia rule document. How should these be handled?

A: These fields have since been clarified: Doc Header Text refers to the full numeric header code present on the Faktur Pajak. Tax Code is derived via lookup (see below). Text requires client confirmation — extract one line item for now. Business Area is pending client confirmation.

Q2: How should the Tax Code be determined for Bahasa Indonesia invoices?

A: Use the first 3 digits of the Faktur Pajak top header code (e.g., 040) as the lookup key. Filter the Apical Tax Code reference table using the column 'Kode Seri Faktur Pajak' and retrieve the corresponding value from the 'VAT (Rate)' column.

Q3: The SAP ASP PRD lookup table currently uses 2-digit values (e.g., 40). Should this be updated?

A: Yes. The lookup table needs to be updated to use the 3-digit zero-padded format (e.g., 040 instead of 40) to match the format extracted from the Faktur Pajak header code. The client or system owner should apply this update before processing.

Q4: The TEXT field has multiple candidate values across several pages. Which value should be used?

A: If multiple values are found for the TEXT field, the correct one for SAP comparison is pending client confirmation. In the interim, extract one line item only.

Q5: What does the Document Header Text field contain for Bahasa Indonesia invoices?

A: The Document Header Text must be the full Faktur Pajak header code as printed at the top of the Faktur Pajak (e.g., 04002500388182779).

Q6: What should be done if NON PKP has multiple rows for the same value?

A: If a NON PKP entry has multiple rows with the same value in the lookup table, the correct row to use is pending clarification. This scenario should be flagged for manual review and escalated to the client for a tie-breaking rule or de-duplication of the lookup table.

Q7: What are the rules for the Business Area field?

A: Business Area rules are pending client clarification. This field should be left blank until the client provides the applicable logic or static mapping.

Mandarin Invoices

Q1: Several fields (Assignment, Text, Doc Header Text, Business Area) are not mentioned in the Mandarin rule document. How should these be handled?

A: Assignment follows the same rule as Bahasa Indonesia — it is the same as the PO Number. Text is the PO description in the format: POnumber - line item value. Doc Header Text uses the format: Pur.order des POnumber - line item. Business Area is pending client confirmation.

Q2: For the Tax Code lookup (SAP ASP PRD), which fields should be used and on what basis?

A: The lookup returns percentage values (e.g., 6%). The lookup key is the vendor type. Identify the vendor type from the invoice and use it to retrieve the applicable tax rate from the SAP ASP PRD table. Note: The SAP ASP PRD table must be updated to use the 3-digit padded format before use.

Q3: A single Mandarin document contains multiple PO numbers. How should this be handled?

A: Each PO number should be processed as a separate entry. Most other field values will remain the same across entries — only PO-specific fields (PO Number, Assignment, Text, Doc Header Text) will vary per PO.

Q4: What are the rules for the Business Area field?

A: Business Area rules are pending client clarification. This field should be left blank until the client provides the applicable logic or static mapping.

Rare Events & Edge Cases

Q1: The Mandarin PO number (10 digits) cannot be found on the invoice. What is the fallback process?

A: Follow the 3-step protocol: (1) Check the remarks area at the bottom of the invoice. (2) If not found, check the next page or attached documents for headers such as 'Po:' or 'Purchase Order'. (3) If still not found, search for handwritten annotations in blank spaces, margins, stamps, or the bottom-right corner. If all steps fail, use the company code and lookup values to verify against the input document.

Q2: Some Mandarin documents contain only a single page and the vendor name is not available. What happens to the Tax Code?

A: If the vendor name is not available and the document is single-page, the Tax Code cannot be determined because the lookup is based on vendor type. In this scenario, the Tax Code field should be left blank and flagged for manual review.

Pending — Requires SAP Client Clarification

The items below are open questions that must be resolved directly with the SAP client before these scenarios can be processed. Do not assume default behaviour — escalate for confirmation.

Q1: Non-PO documents (English) — what static value should be used in SAP?

English invoices are non-PO documents and do not carry a PO number. The appropriate static value or field to populate in SAP for these documents is yet to be confirmed. This must be discussed and agreed with the SAP client before processing can be finalised.

Q2: How should multi-line item invoices be handled?

The handling of invoices with multiple line items is pending clarification from the SAP client. It is not yet confirmed whether each line item should generate a separate SAP entry or be consolidated. This must be confirmed before processing multi-line documents.

Q3: How should invoices with multiple PO numbers parked against a single document be handled?

The process for parking multiple PO numbers against a single document is pending clarification from the SAP client. Until confirmed, each PO should be treated as a separate processing entry where possible.