

SWIFT SHIP TRACKER

User Story

The SwiftShip Tracker is designed to provide a centralized Salesforce-based parcel management solution that enables customers to book parcels, track delivery status, and manage shipments through an intuitive interface and conversational AI support. The system manages Parcel, Delivery, Sender, and Receiver information using Salesforce custom objects and relationships. Flows automate parcel operations and notifications, while Agentforce AI and Prompt Builder enable customers to retrieve parcel information and interact with the system conversationally. Delivery agents can update parcel status in real time, while Experience Cloud, security controls, reports, and dashboards provide secure customer access and operational visibility.

1. Introduction

1.1 Project Overview:

The SwiftShip Tracker is a Salesforce CRM solution developed to simplify parcel booking, shipment tracking, and delivery management. It supports the complete parcel lifecycle from booking and dispatch through tracking and delivery confirmation. Customers can access shipment information, while delivery agents can update parcel details and delivery status.

1.2 Purpose:


- Centralize parcel and delivery information.
- Simplify parcel booking and tracking.
- Provide real-time shipment visibility.
- Automate delivery updates and customer notifications.
- Enable conversational parcel tracking using Agentforce AI and Prompt Builder.
- Improve agent efficiency through Salesforce Flows and dashboards.
- Provide secure, role-based access to customers, agents, support staff, and administrators.

2. Ideation Phase

2.1 Problem Statement

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Customer / Sender	book a parcel easily	booking requires support assistance or multiple applications	parcel operations are not centralized	frustrated
PS-2	Customer / Sender	track my parcel	no simple real-time tracking experience	shipment information is difficult to access	confused
PS-3	Delivery Agent	update parcel status	status updates require manual handling	need for centralized operational tracking	concerned

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-4	Customer	receive delivery updates	notifications may not be available at every stage	communication needs to be automated	uncertain
PS-5	Admin	monitor parcel operations	parcel flow and delivery performance are difficult to monitor	operational data needs centralized reporting	concerned



2.2 Empathy Map Canvas

User Persona: Customer / Sender

- **Think & Feel:** Wants a simple, convenient way to book and track parcels without repeatedly contacting support.
- **Hear:** Receives delivery confirmations and status updates from the parcel service.
- **See:** Parcel status, tracking information, delivery details and estimated delivery date.
- **Say & Do:** Books parcels through the portal, checks tracking information, asks for delivery updates.
- **Pain:** Delays, confusion due to lack of clear tracking information, dependence on support or multiple apps.
- **Gain:** Real-time visibility, self-service tracking, convenient booking, and timely notifications.



2.3 Brainstorming & Idea Prioritization

Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone parcel portal
- Salesforce CRM with Agentforce AI

Final Selection

Salesforce CRM selected due to:

- Centralized parcel management
- Automation through Flows
- Real-time tracking visibility
- Conversational AI assistance
- Secure role-based access
- Reports and dashboards



3. Requirement Analysis Phase

3.1 Customer Journey Map

Stages: Parcel Inquiry → Parcel Booking → Record Creation → Dispatch → In-Transit Tracking → Out for Delivery → Delivery Confirmation → Customer Notification → Reporting.



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Parcel booking and record creation
FR-2	Parcel status tracking
FR-3	Weight management
FR-4	Estimated delivery date management
FR-5	Sender information management
FR-6	Receiver information management
FR-7	Delivery and current-location tracking
FR-8	Agent parcel status updates
FR-9	Automated customer notifications
FR-10	AI-powered parcel tracking
FR-11	Reports and dashboards
FR-12	Customer access through Experience Cloud

Non-Functional Requirements

NFR	Description
Usability	Intuitive Salesforce and customer-facing interface
Security	Role-based and field-level access control
Reliability	Accurate parcel status and delivery information
Performance	Timely Flow and Agentforce responses
Availability	Salesforce cloud-based access
Scalability	Supports growing parcel and delivery operations
Data Integrity	Controlled access and relationship-based parcel data
Maintainability	Flows, prompts, topics, and configurations can be updated

3.3 Data Flow Diagram

End-to-end parcel data flow from booking to reporting:

AI Tracking Flow: Customer Query → Agentforce AI → Prompt Builder (Retrieve Parcel Details) → Parcel Record → Status / Weight / Estimated Delivery → Conversational Response. The Prompt Builder implementation retrieves Parcel ID, Status, Weight, and Estimated Delivery Date for tracking responses.




Figure 1: Data Flow Diagram

3.4 Technology Stack


Layer	Technology
Platform	Salesforce Developer Edition
UI	Lightning App Page, Lightning Record Pages, Experience Cloud
Database	Salesforce Custom & Standard Objects
Business Logic	Salesforce Flows, Apex Classes
Automation	Record-Triggered Flows, Auto-Launched Flows, Scheduled Flows
AI	Agentforce AI, Prompt Builder
Notifications	Email Alerts & Email Templates
Processing	Batch Apex
Security	Profiles, Permission Sets, Role Hierarchy, Field-Level Security, Sharing Rules
Reporting	Reports & Dashboards

4. Project Design Phase

4.1 Problem-Solution Fit

Problem	Solution	Benefit
Parcel booking is difficult	Salesforce parcel management with booking interface (UI / Experience Cloud)	Centralized, easy booking
Tracking requires support	Agentforce AI + Prompt Builder	Self-service, real-time tracking
Manual status updates	Salesforce Flows	Automated, faster updates
Delivery communication gaps	Email Alerts	Timely notifications
Scattered shipment information	Parcel, Delivery, Sender & Receiver objects	Structured data
Difficult operational monitoring	Reports & Dashboards	Better visibility

Problem	Solution	Benefit
Different users need different access	Profiles, Roles & Permission Sets	Secure access



4.2 Proposed Solution

Parameter	Description
Problem	Difficult and inefficient parcel booking and tracking
Solution	Salesforce-based Parcel Management System
Innovation	Agentforce AI + Prompt Builder for conversational self-service tracking and automated Salesforce Flows
Impact	Centralized booking, real-time tracking visibility, timely notifications, and efficient delivery management
Business Model	Parcel, customer, delivery-agent, support, and administrator operations
Scalability	Supports growing parcel operations, Experience Cloud, and integration with external logistics systems

4.3 Solution Architecture





Figure 2: Solution Architecture

5. Project Planning & Scheduling

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog & Sprint Schedule

Sprint	Epic	USN	User Story / Task	Points	Priority	Member
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure the Salesforce environment so that I can build the	3	High	Dhanushkumar D

Sprint	Epic	USN	User Story / Task	Points	Priority	Member
			SwiftShip Tracker parcel management system.			
Sprint-2	Data Modeling	USN-2	As an admin, I want to create Parcel, Delivery, Sender, and Receiver objects with proper relationships so that parcel and delivery data is stored and managed systematically.	5	High	Dhanushkumar D
Sprint-2	Data Modeling	USN-3	As a staff member, I want dedicated tabs and a Lightning App for SwiftShip modules so that I can easily navigate and manage parcel and delivery operations.	5	High	Vigneshwaran M & Sivakumar S
Sprint-3	Automation	USN-4	As a system, I want to validate parcel details, mandatory fields, and booking inputs so that invalid or incomplete parcel records are prevented.	3	High	Vigneshwaran M
Sprint-3	Automation	USN-5	As a delivery coordinator, I want automated Flows to update parcel status and delivery information so that parcel processing requires minimal manual effort.	3	High	Jeyapriyan S
Sprint-4	Apex	USN-6	As a system, I want Apex triggers and classes to automatically perform critical parcel and delivery actions so that important processes are handled accurately.	5	High	Jayapriyan S
Sprint-4	Apex	USN-7	As an operations manager, I want Batch Apex jobs to process and update parcel or delivery records automatically so that operational data remains accurate and up to date.	5	High	Saran K
Sprint-5	Reports	USN-8	As a manager, I want reports showing parcel status, delivery performance, and operational metrics so that I can monitor SwiftShip operations and make informed decisions.	4	High	Sivakumar S
Sprint-6	Dashboards & AI	USN-9	As a manager, I want dashboards showing parcel status, delivery performance, and key metrics, while Agentforce provides AI-powered tracking assistance, so that I can monitor operations efficiently.	4	Medium	Saran K

Project Tracker, Velocity & Burndown Chart

Sprint	Total Points	Duration	Start Date	End Date (Planned)	Points Completed	Release Date (Actual)
Sprint-1	3	1 Day	26 Sep 2026	26 Sep 2026	3	26 Sep 2026
Sprint-2	10	1 Day	27 Sep 2026	27 Sep 2026	10	27 Sep 2026
Sprint-3	6	1 Day	28 Sep 2026	28 Sep 2026	6	28 Sep 2026
Sprint-4	10	1 Day	29 Sep 2026	29 Sep 2026	10	29 Sep 2026
Sprint-5	4	1 Day	30 Oct 2026	30 Oct 2026	4	30 Oct 2026
Sprint-6	4	2 Days	01 Oct 2026	02 Oct 2026	4	02 Oct2026

6. Project Development Phase

Phase 1: Requirement Analysis & Planning

Objective: Customers often face delays and confusion while booking, tracking, and managing parcel deliveries because they need to call support or use multiple apps. A conversational AI agent can simplify this by allowing customers to book parcels, get live tracking, and manage deliveries in one place.

Defining Project Scope & Objectives

- Build a scalable CRM solution for parcel delivery businesses to manage customer bookings, shipments, and delivery operations efficiently.
- Support the end-to-end parcel lifecycle — from parcel booking → dispatch → tracking → delivery confirmation.
- Include comprehensive data model design, automation (Flows, Apex, Email Alerts), AI-powered prompt builder, and reporting dashboards for effective management.
- Provide role-based access for admins, delivery agents, and customers through Salesforce profiles, permission sets, and Experience Cloud.
- Ensure real-time parcel visibility for customers and simplified operational tracking for agents through AI-integrated conversational support.

Objectives Summary

- Streamline parcel operations by automating booking, tracking, and delivery notifications to reduce manual updates.
- Improve customer satisfaction with transparent, real-time shipment status and self-service tracking options.
- Enhance agent efficiency through centralized dashboards and guided Flows for quick status updates.
- Enable business insights with reports and dashboards showing parcel trends, delivery performance, and agent activity.
- Ensure security and reliability by implementing Salesforce role hierarchies, sharing rules, and audit-based data access.

Gathering & Analysing User Needs

Users Involved: Customers/Senders, Delivery Agents, Customer Support Team, Admin Team, System Integrator/Developer.

Identifying Key Salesforce Features & Tools Required

Custom Objects: Parcel__c, Delivery__c, Sender__c, Receiver__c. Standard Objects: Account, Contact, Case, Task, EmailMessage, User. Automations: Record-Triggered Flows, Auto-Launched Flows, Approval Processes, Scheduled Flows. Security: Profiles, Permission Sets, Role Hierarchies, Field-Level Security, Sharing Rules.

Designing Data Model and Security Model

Role Hierarchy: Administrator → Delivery Manager → Agent → Customer. Profiles: Admin (full access), Delivery Agent (Read/Edit on Parcel, Delivery, Sender, Receiver), Customer (read-only via Experience Cloud), Support Staff (Cases and Parcel details).




Figure 3: Entity Relationship Diagram

Phase 2: Salesforce Development – Backend & Configurations

Custom objects were created for Parcel, Sender, Receiver, and Delivery with relationships. Automations were built using Flows for parcel status updates and the parcel-tracking Prompt Template.

Milestone 1 – Salesforce Account


1. Go to <https://developer.salesforce.com/signup>.

The screenshot shows the Salesforce Developer Edition sign-up page. The page has a blue header with the Salesforce logo and the text "Build for the Agentic Enterprise. Sign up for your Developer Edition." Below this, there is a list of bullet points describing the benefits of the Developer Edition. On the right side, there is a sign-up form with fields for First name, Last name, Job title, Company, Country/region, and Work email. The form is partially filled out with the following information:


- First name: Dhanushkumar
- Last name: D
- Job title: developer
- Company: CCET
- Country/region: India
- Work email: greshwarann972@gmail.co

Below the form, there is a checkbox for "I agree to the Salesforce Developer Edition Terms of Service" and a "Sign up" button. A small notification bubble is visible in the bottom right corner of the form area.

2. Enter First & Last name, Email, Job Title: Developer, Company: College Name, Country: India, then click Sign Me Up.
3. Open the verification email and click Verify Account.
4. Set a password, answer the security question, and click Change Password.



5. You are redirected to the Salesforce Setup Home page.




Milestone 2 – Objects Creation


Four custom objects were created: Parcel, Delivery, Sender, Receiver. Steps for each: Setup → Object Manager → Create → Custom Object → enter Label, Plural Label, Record Name (text) → enable Allow Reports, Allow Search, Track Field History → Save.

Object	API Name	Purpose
Parcel	Parcel__c	Store parcel information
Delivery	Delivery__c	Store delivery-specific tracking information
Sender	Sender__c	Store sender information
Receiver	Receiver__c	Store receiver information


1. Parcel:




2. Delivery:



3. Sender:




4. Receiver:



Milestone 3 - Tabs

A custom tab was created for each object: Setup → Tabs → New (Custom Object Tabs) → select the object and a tab style → keep default profile visibility → uncheck "Include Tab" on the Add to Custom App step → ensure "Append tab to the user's personal customizations" is checked → Save. Repeated for Parcel, Delivery, Sender, and Receiver.




Milestone 4 - Fields & Relationships

Parcel__c

Field Name	API Name	Data Type	Description
Parcel ID	Parcel_ID__c	Auto Number (P-{000})	Unique ID for each parcel
Status	Status__c	Picklist	Booked, In Transit, Out for Delivery, Delivered
Weight	Weight__c	Number	Weight of parcel
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected delivery date

Field Name	API Name	Data Type	Description
Sender	Sender__c	Lookup Relationship	Gets details from Sender




The screenshot shows the Salesforce Setup interface for the 'Parcel' object. The 'Fields & Relationships' section is active, displaying a list of 9 fields. The fields are: Created By (Lookup(User)), Estimated Delivery (Date), Last Modified By (Lookup(User)), Owner (Lookup(User)), Parcel ID (Auto Number), Parcel Name (Text(80)), Sender (Lookup(Sender)), Status (Picklist), and Weight (Number(16, 0)). The 'Sender' field is highlighted in blue.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Estimated Delivery	Estimated_Delivery__c	Date		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User Group)		✓
Parcel ID	Parcel_ID__c	Auto Number		
Parcel Name	Name	Text(80)		✓
Sender	Sender__c	Lookup(Sender)		✓
Status	Status__c	Picklist		
Weight	Weight__c	Number(16, 0)		

Delivery__c

Field Name	API Name	Data Type	Description
Current Location	Current_Location__c	Geolocation	Location in longitude and latitude
Estimated Delivery	Estimated_Delivery_Date__c	Date	Expected delivery date
Sender	Sender__c	Lookup Relationship	Gets details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets details from Parcel




The screenshot shows the Salesforce Setup interface for the 'Delivery' object. The 'Fields & Relationships' section is active, displaying a list of 8 fields. The fields are: Created By (Lookup(User)), Current Location (Geolocation), DeliveryName (Text(80)), Estimated Delivery (Date), Last Modified By (Lookup(User)), Owner (Lookup(User)), Parcel (Lookup(Parcel)), and Sender (Lookup(Sender)). The 'Parcel' field is highlighted in blue.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Created By	CreatedById	Lookup(User)		
Current Location	Current_Location__c	Geolocation		
DeliveryName	Name	Text(80)		✓
Estimated Delivery	Estimated_Delivery__c	Date		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User Group)		✓
Parcel	Parcel__c	Lookup(Parcel)		✓
Sender	Sender__c	Lookup(Sender)		✓


Sender__c

Field Name	API Name	Data Type	Description
Sender Address	Sender_Address__c	Geolocation	Location in longitude and latitude
Sender Contact	Sender_Contact__c	Phone	To contact the sender
Sender Email	Sender_Email__c	Email	To send email notification




Receiver__c

Field Name	API Name	Data Type	Description
Receiver Address	Receiver_Address__c	Geolocation	Location in longitude and latitude
Receiver Contact	Receiver_Contact__c	Phone	To contact the receiver
Receiver Email	Receiver_Email__c	Email	To send email notification
Sender	Sender__c	Lookup Relationship	Gets details from Sender
Parcel	Parcel__c	Lookup Relationship	Gets details from Parcel




Milestone 5 – Prompt Builder

6. Setup → Quick Find → Prompt Builder → New Prompt Template → select Record Summary type.




7. Object Type: Parcel (Parcel__c).
8. Label: Retrieve Parcel Details. API Name: Retrieve_Parcel_Details.
9. Prompt text: "Retrieve details from Parcel__c where Parcel_ID__c matches user input. Return response in this format: Parcel Tracking Update – Parcel Name, Parcel ID, Status, Weight, Estimated Delivery Date."
10. Insert Resource → Object → Parcel__c → add fields Name, Parcel_ID__c, Status__c, Weight__c, Estimated_Delivery_Date__c.



11. Click Save, then Activate.


Testing: opened the Agent preview and typed "Track parcel P-123"; the prompt correctly returned the parcel name, ID, status, weight, and estimated delivery date.




Milestone 6 – Flows

12. Setup → Flows → New Flow → Auto-Launched Flow (No Trigger) → Create.


13. Added input/output variables: ids (Text, Available for Input), output (Text, Available for Output).



14. Added a Get Records element, Label: get parcel records, Object: Parcel, filter Parcel_ID__c Equals ids.
15. Added an Action element referencing the Retrieve Parcel Details prompt template, with objectToSummarize set to the parcel from Get Records.



16. Added an Assignment element to set output = Outputs from Action > Prompt Response.
17. Connected Start → Get Records → Action → Assignment → End.
18. Saved as "Parcel Details" and activated the Flow.
19. Opened Edit Access on the flow and enabled the relevant user profiles so the Agent can run it.



Phase 3: UI/UX Development & Customization

This phase enables agents to efficiently manage parcel operations and ensures secure, AI-driven access control through permission sets and Agentforce.

Milestone 1 – Creating Permission Sets

20. Setup → Quick Find → Permission Sets → New.
21. Label: Swift Ship. License: Einstein Agent. Save.
22. Under Apps → Object Settings, open each object (Parcel__c, Delivery__c, Sender__c, Receiver__c) and enable Read, Create, Edit object permissions.
23. Under Field Permissions for each object, enable Read/Edit Access on all key fields. Save after each object
 1. Parcel__c

The screenshot shows the 'Permission Sets' setup page in Salesforce. The 'Permission Set' is named 'Swift Ship'. The 'Object Settings' tab is active, and the 'Parcel' object is selected. The 'Tab Settings' section shows the 'Available' checkbox is checked. The 'Object Permissions' table is as follows:

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐
Modify All Records	☐
View All Fields	☐

2. Delivery__c


The screenshot shows the 'Permission Sets' setup page in Salesforce. The 'Permission Set' is named 'Swift Ship'. The 'Object Settings' tab is active, and the 'Delivery' object is selected. The 'Tab Settings' section shows the 'Available' checkbox is checked. The 'Object Permissions' table is as follows:

Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐

3. Sender__c

The screenshot shows the 'Permission Sets' setup page in Salesforce. The 'Permission Set' is named 'Swift Ship'. The 'Object Settings' tab is active, and the 'Sender' object is selected. The 'Tab Settings' section shows the 'Available' checkbox is checked. The 'Object Permissions' table is as follows:


Permission Name	Enabled
Read	☒
Create	☒
Edit	☒
Delete	☐
View All Records	☐



Receiver__c


Milestone 2 – Assigning Permissions to the Agent User

24. Setup → Users → open the Einstein Service Agent user record.
25. Scroll to Permission Set Assignments → Edit Assignments.
26. Move "Swift Ship" from Available to Enabled Permission Sets → Save.




Milestone 3 – Org Setup for Agentforce

27. Setup → Quick Find → "Salesforce Go" → find the Default Agent → Get Started → turn it on → refresh the page.




28. Setup → Quick Find → Einstein Setup → Turn On Einstein, Global Languages, Deploy Prompt Templates.




29. Setup → Quick Find → Agentforce Agents → turn on Agentforce → Enable Agentforce (Default) Agent.

Milestone 4 – Building the Agent

30. Setup → Agentforce Agents → open the default Agent → Open in Builder.




31. Subagents → New Subagent → described its job as retrieving parcel details by asking the user for the Parcel ID.




32. Added an Agent Action of type Flow, referencing the "Parcel Details" flow created in Milestone 6.

33. Opened the subagent's Actions, added the action from the Asset Library, and selected the Parcel Details action.



34. Renamed the agent to "SwiftShip Tracker" under Settings → Edit Agent Details → Save.

35. Reviewed and ignored the configuration-issues checklist, then clicked Activate.



Phase 4: Data Migration, Testing & Security

This phase validates the functionality and reliability of the Parcel Tracking Agent created in Agent Builder, confirming it correctly recognizes topics, triggers the Flow, retrieves parcel data, and performs its actions without access or permission issues.


36. Setup → Agentforce Agents → confirmed the agent "SwiftShip Tracker" appears and is Active.

37. Opened the Subagent and verified the topic description references parcel management and is linked to the Parcel Details action; confirmed the topic is Active.

38. Setup → Flows → confirmed the "Parcel Details" flow is Activated and includes Parcel ID input, parcel detail retrieval, and a response assignment.

39. Tested the agent in Preview / Try it Out mode with queries such as "Track parcel ID P-123" and confirmed the correct parcel name, ID, status, and weight were returned.

40. Opened App Launcher → Parcels and verified the Parcel record referenced in the test matches the data returned by the agent.



Phase 5: Deployment, Documentation & Maintenance

This phase validates that the Parcel Tracking Agent, built using Agentforce Builder, works as intended inside the Salesforce Developer Org. Testing is conducted within the Developer Org to simulate production behavior, ensuring permissions, Flows, and interactions function correctly.

Real-world production testing (UAT or sandbox deployment) is not performed in this project because Developer Edition orgs are standalone environments that do not support production-linked testing, and enterprise-level Agentforce deployment involves sandbox testing, staging environments, and CI/CD automation that are outside the scope of this academic/prototype implementation.

Maintenance, Monitoring & Troubleshooting

Ongoing maintenance ensures Parcel, Customer, and Delivery data stay accurate and synchronized. Monitoring helps detect misrouted agent queries, failed Flow executions, or slow Agentforce responses. Troubleshooting covers resolving configuration errors, updating Flow logic, refining agent topics, and improving prompts.

7. Functional & Performance Testing

Screenshots were captured from Salesforce to validate object creation, field and relationship configuration, Flow execution, Prompt Template responses, permission set access, and Agentforce conversation accuracy. Each feature was tested to confirm correct functionality and expected performance.

Test Area	Test Performed	Result
Object & Field Setup	Created Parcel, Delivery, Sender, Receiver with all fields and relationships	Pass
Prompt Template	Queried a known Parcel ID through the Prompt Builder preview	Pass – correct parcel details returned
Flow Execution	Ran the Parcel Details flow with a valid Parcel ID	Pass – record retrieved and assigned to output
Agentforce Conversation	Asked the SwiftShip Tracker agent to track a parcel	Pass – agent asked for Parcel ID and returned correct details
Permission Sets	Verified Swift Ship permission set grants Read/Create/Edit on all four objects	Pass

8. Advantages & Disadvantages

Advantages

- Centralized parcel and customer information in Salesforce.

- Provides better visibility into parcel booking and delivery tracking.
- Automates key logistics processes using Salesforce Flow.
- Agentforce enables conversational customer support and parcel-status assistance.
- Prompt Builder supports AI-powered responses and self-service.
- Reduces manual effort for customers, support teams, and administrators.
- Provides timely notifications and updates during the delivery process.
- Experience Cloud can provide customers with convenient access to tracking information.
- Supports integration with external logistics systems.
- Can scale to support multiple locations and growing parcel operations.

Disadvantages

- Requires accurate and up-to-date parcel and customer data.
- Dependence on Salesforce configuration and automation.
- Agentforce responses depend on properly configured prompts and available data.
- External logistics integrations may increase implementation complexity.
- Flow and automation logic require regular maintenance when business processes change.
- Users need appropriate Salesforce or Experience Cloud access to use the system.
- Initial Salesforce implementation and configuration can require significant effort.
- Expanding the system to additional locations or integrations may require further customization.

9. Conclusion

The SwiftShip Tracker demonstrates how Salesforce can be used to build a centralized parcel management and tracking solution. The project integrates custom objects, relationships, Flows, Email Alerts, Experience Cloud, Agentforce AI, Prompt Builder, security controls, and reporting to support parcel booking, delivery tracking, status updates, and customer communication.

The integration of Agentforce AI with Prompt Builder and Salesforce Flow provides a conversational approach to parcel tracking, enabling customers to obtain shipment information without depending entirely on manual support. The project provides a practical foundation for a scalable and user-friendly parcel management solution.

10. Future Scope

- Extend Agentforce capabilities for more parcel-management queries.
- Enhance real-time delivery tracking.
- Expand customer self-service through Experience Cloud.
- Add more advanced delivery-performance analytics.
- Integrate additional external logistics systems.
- Improve AI prompts and conversational experiences.
- Introduce enterprise-level sandbox and CI/CD deployment.
- Expand automation for additional parcel operations.

11. Appendix

- **A.** Custom Objects: Parcel, Delivery, Sender, Receiver
- **B.** Standard Objects: Account, Contact, Case, Task, EmailMessage, User
- **C.** Automation: Flows, Approval Processes, Email Alerts
- **D.** AI: Agentforce AI, Prompt Builder
- **E.** UI: Lightning App, Lightning Record Pages, Experience Cloud
- **F.** Security: Profiles, Roles, Permission Sets, Sharing Rules, Field-Level Security
- **G.** Analytics: Reports & Dashboards
- **H.** Testing: Flow, Agentforce, data retrieval, security and permission validation