

DIGITAL ACCESSIBILITY IN PRACTICE

A clear, action-oriented guide for businesses, nonprofits, schools, and community groups.

UNDERSTAND

CHECK

IMPROVE

SUSTAIN



ACCESS IS PART OF THE EXPERIENCE.

USE THIS GUIDE WITHOUT GETTING OVERWHELMED

You do not need to fix everything at once. Start with one important task, remove the barrier, and repeat.

CHOOSE A STARTING POINT

A restaurant might review its menu and ordering system. A clinic might test appointment scheduling. A nonprofit might begin with event registration and donations.

EACH PRACTICE PAGE ANSWERS FOUR QUESTIONS

1. Why does this matter?
2. What can I check now?
3. What does better look like?
4. What should I send to the owner?

Short on time? Read pages 26–29 first: priorities, the 30-day plan, and the barrier tracker. Come back to the practice chapters as questions come up.

INSIDE THE GUIDE

01	Understand access	Pages 3–9
02	See and read	Pages 10–13
03	Watch and listen	Pages 14–15
04	Navigate and complete tasks	Pages 16–21
05	Publish and purchase	Pages 22–25
06	Test, plan, and sustain	Pages 26–30

Scope note: This is a practical starting guide, not a complete audit or a substitute for applicable standards, qualified evaluation, user research, or legal advice.

WHAT DIGITAL ACCESSIBILITY MEANS

Digital accessibility means designing websites, applications, documents, media, and online services so people with disabilities can **perceive, understand, navigate, and interact with them independently**.

PERCEIVE

RECEIVE THE INFORMATION

Text can be read. Images have alternatives. Video has captions. Meaning is not conveyed only through color or sound.

Example: a menu is real text, not a photo of a menu.

UNDERSTAND

KNOW WHAT TO DO

Instructions are clear.
Navigation is predictable.
Forms identify errors and explain how to correct them.

Example: an error says which field to fix and how.

NAVIGATE + INTERACT

COMPLETE THE TASK

Controls work with a keyboard and assistive technology.
Focus is visible. Time limits and motion do not create barriers.

Example: booking works without ever touching a mouse.

“

The power of the Web is in its universality. Access by everyone regardless of disability is an essential aspect.

TIM BERNERS-LEE, INVENTOR OF THE WORLD WIDE WEB

ACCESS IS PART OF EVERY IMPORTANT TASK

For many people, the website is the front door. A barrier can interrupt a task that affects health, education, work, money, participation, or belonging.

FIND a menu, schedule, policy, or phone number	DECIDE whether a service, event, or opportunity fits	ACT book, apply, register, buy, donate, or ask for help	CONFIRM know the action succeeded and what happens next
--	--	---	---

A BARRIER

THE APPOINTMENT FORM CANNOT BE USED WITHOUT A MOUSE.

The customer cannot select a time or submit the request.

The result: a lost booking, a longer phone queue, and a person who plans around your website instead of with it.

AN ACCESSIBLE PATH


THE FORM WORKS BY KEYBOARD AND GIVES A CLEAR CONFIRMATION.

The customer completes the same task independently.

The result: the task is done in one visit, and the confirmation says exactly what happens next.

Accessibility improves access, clarity, resilience, and trust. It also reduces the cost of correcting the same barrier after it has spread across pages, documents, and campaigns.

PEOPLE SEE AND HEAR DIGITAL CONTENT DIFFERENTLY



SOMEONE MAY READ BY SOUND, BRAILLE, MAGNIFICATION, OR CUSTOMIZED COLORS.

People who are blind may use a screen reader. People with low vision may zoom, magnify, enlarge text, or replace colors and fonts.

What helps

Real text alternatives, strong contrast, named controls, and layouts that hold together when enlarged.

Common barriers

Missing text alternatives, low contrast, unlabeled controls, and layouts that break when enlarged.



SOMEONE MAY DEPEND ON CAPTIONS, TRANSCRIPTS, VISUAL ALERTS, OR SIGN LANGUAGE.

Deaf and hard-of-hearing people may use text alternatives to speech and meaningful sound.

What helps

Accurate captions, complete transcripts, visual versions of audio alerts, and text-based ways to get support.

Common barriers

Uncaptioned video, audio-only instructions, inaccurate auto-captions, and alerts communicated only through sound.

Remember: Assistive technology can only communicate the structure and alternatives that the content provides.

PEOPLE MOVE, PROCESS, AND COMMUNICATE DIFFERENTLY

01

MOTOR ACCESS

Someone may navigate with a keyboard, switch, voice control, eye tracking, head pointer, or adapted input device.

Watch for mouse-only controls, tiny targets, drag-only actions, short time limits, and keyboard traps.

02

COGNITIVE + LEARNING ACCESS

Someone may benefit from clear language, visible instructions, consistent layouts, and the ability to pause or take more time.

Watch for vague instructions, dense text, unexpected changes, lost form data, and distracting motion.

03

SPEECH ACCESS

Someone may not be able to use voice-based support, phone systems, or voice identity checks.

Provide another effective way to communicate or verify identity.

04

TEMPORARY + SITUATIONAL ACCESS

A broken arm, fatigue, glare, a noisy room, slow connection, or an eye or ear injury can change what someone needs.

Flexible design supports people whose needs change across a day or a lifetime.

One takeaway: Design for flexibility. The same page is read by ear, by touch, by keyboard, and at very different sizes.

THREE EVERYDAY ACCESS STORIES



01

RESTAURANT

A blind customer uses a screen reader to find the menu and place an order.

Needs: text menu, logical headings, named buttons.

02

CLINIC

A customer with limited hand movement schedules an appointment by keyboard.

Needs: visible focus, labeled fields, clear confirmation.

03

COMMUNITY EVENT

A Deaf visitor watches the event introduction with accurate captions.

Needs: captions, transcript, readable controls.

The same lesson three times: the barrier was never the person. It was a design choice—and every one of these choices can be made differently.

THE FOUR FOUNDATIONS: POUR

The Web Content Accessibility Guidelines (WCAG) rest on four principles—**Perceivable**, **Operable**, **Understandable**, and **Robust**, remembered as POUR. Use them as a shared vocabulary, not as four isolated checklists.



PERCEIVABLE

People can receive the information.

Alt text, captions, contrast, adaptable structure.



OPERABLE

People can navigate and use the interface.

Keyboard access, visible focus, enough time, motion controls.



UNDERSTANDABLE

Information and interactions make sense.

Clear instructions, predictable patterns, useful errors.



ROBUST

Content works across technologies.

Semantic structure, accurate names, roles, states, and values.

ABOUT CONFORMANCE

WCAG 2.2 includes testable success criteria at Levels A, AA, and AAA. Passing a few checks does not establish conformance for an entire site. Use this guide to begin; use the complete standard and qualified evaluation when assessing conformance.

A USEFUL TEST HAS MORE THAN ONE LAYER

No single method finds every barrier. Combine three layers, and treat each one as evidence rather than a verdict.

AUTOMATED CHECKS

FAST SIGNAL

Find some code-based issues at scale: contrast failures, missing attributes, empty labels, and repeated patterns.

Cannot decide: whether alt text is useful, focus order is logical, or a task is understandable.

MANUAL CHECKS

HUMAN JUDGMENT

Review keyboard use, zoom, focus, forms, headings, media, and instructions—and complete real tasks.

Cannot replace: the lived experience of disabled users.

EVALUATION WITH DISABLED PEOPLE

REAL EXPERIENCE

Reveal barriers, workarounds, and confusing patterns that technical checks may miss.

Complements: standards-based evaluation; it does not replace it.

Better evidence

automated signal

+

manual review

+

disabled user feedback

COLOR CONTRAST: MAKE IMPORTANT TEXT EASY TO READ

SAME MESSAGE, TWO PRESENTATIONS

Important update

Registration closes Friday.

FAILS ABOUT 1.6:1 CONTRAST

Important update

Registration closes Friday.

PASSES ABOUT 17.9:1 CONTRAST

Low contrast can make text difficult to distinguish, especially over images, in faint interface states, or on a screen affected by glare.

CHECK THESE COMBINATIONS

-  Body text and its background
-  Text placed over photographs
-  Links, buttons, and form borders
-  Hover, focus, selected, error, and disabled states

WCAG 2.2 Level AA contrast reference

Generally 4.5:1 for normal text and 3:1 for large text. Review the complete criterion before making a conformance claim.

4.5:1

NORMAL TEXT

3:1

LARGE TEXT

3:1


ICONS + PARTS
OF CONTROLS

Copy into a report: “The foreground and background colors may not provide sufficient contrast in the normal and interactive states. Please test every state and update the palette while preserving a visible focus indicator.”

CAN THE PAGE ADAPT WITHOUT LOSING INFORMATION?


“Reflow” means enlarged content rearranges into one readable column instead of forcing sideways scrolling. Use the three checks below to make sure nothing is lost when a page is enlarged, resized, or read without color.

BEFORE
PROBLEM



CLIPPED TEXT, OVERLAP, AND HORIZONTAL SCROLLING

AFTER
REFLOWS



NO INFORMATION OR FUNCTIONALITY IS LOST

01

ZOOM TO 200%

Confirm that text remains readable and every control remains available.

02

RESIZE THE WINDOW

Confirm that content wraps without overlap, clipping, or horizontal scrolling.

03

CHECK COLOR CUES

Confirm that errors and selected states also include text, an icon, or another visible indicator.


ACCESSIBLE ERROR EXAMPLE

Email address

 Enter your email address.

WRITE ALTERNATIVE TEXT FOR THE IMAGE'S PURPOSE

Alternative text communicates the information or purpose of an image when the image is not seen.



TWO ATTEMPTS, ONE IMAGE

WEAK

image123.jpg

CONTEXTUAL

"Volunteer demonstrates the accessible check-in tablet at the community event."

ASK BEFORE YOU WRITE

1. What job is this image doing here?
2. Is the same information already nearby?
3. Does the image perform an action?
4. Would details require a longer explanation?

Write for context. The same photograph may need different alternative text on a staff page, an event recap, and a product page.

WHAT JOB IS THE IMAGE DOING?

Before writing alternative text, identify the job the image is doing. Start at the top and use the first description that fits.



FUNCTIONAL IMAGE

DOES IT PERFORM AN ACTION?

Example: a magnifying-glass image is the button that opens search.

NAME THE ACTION

Describe what happens when it is selected—not what the icon looks like.

```
alt="Search"
```



COMPLEX IMAGE

IS IT A CHART, MAP, OR DIAGRAM?

Example: a chart compares enrollment across four years.

PROVIDE TWO LEVELS

Identify it briefly, then provide the main message and detailed values nearby.

```
alt="Four-year enrollment chart"
```



INFORMATIVE IMAGE


DOES IT COMMUNICATE USEFUL INFORMATION?

Example: an event photograph shows a volunteer using an accessible tablet.

DESCRIBE WHAT MATTERS

Write the information or purpose that is important in this specific context.

```
alt="Volunteer demonstrates the accessible check-in tablet"
```



DECORATIVE IMAGE

WOULD REMOVING IT CHANGE NOTHING?

Example: a flourish or background shape repeats no necessary information.

LET SCREEN READERS SKIP IT

Keep it available visually but give it an empty alternative.

```
alt=""
```

ALTERNATIVE TEXT SHOULD MATCH PURPOSE—NOT MERELY DESCRIBE APPEARANCE.

The same image may need different text in a different context.

CAPTIONS AND TRANSCRIPTS PRESERVE THE MESSAGE



Start with auto-captions; finish with human review. Automatic output can be useful, but it often misses names, accents, punctuation, and specialized language.

CAPTIONS

Synchronized text that plays with the video, representing speech and meaningful sound as they happen.

-  Review names and technical terms
-  Include meaningful sounds
-  Keep captions clear of essential visuals
-  Identify speakers when needed
-  Use readable punctuation and timing

TRANSCRIPTS

A separate text version of the full content. It supports search, translation, quiet settings, and people who prefer reading.

A transcript complements captions; it does not always replace synchronized captions in video.

MAKE VISUAL ACTION, CONTROLS, AND MOTION UNDERSTANDABLE



DESCRIBE ESSENTIAL VISUALS

If a video communicates necessary information visually that is not explained in the existing audio, add audio description or integrate the information into the narration.

Example: say which control is selected, not only “complete these steps.”



MAKE CONTROLS OPERABLE

People should be able to play, pause, adjust volume, enable captions, stop autoplaying audio, and find controls when zoomed.

Test controls by keyboard and with assistive technology.



CONTROL MOTION

Avoid unnecessary flashing. Give people a way to pause significant animation, scrolling, blinking, or automatic updates.

Respect reduced-motion preferences where possible.

Autoplay rule of thumb: nothing should start moving or making sound on its own without an obvious, keyboard-reachable way to stop it.

ONE CONTENT REVIEW, THREE QUESTIONS

Can the message be understood without hearing?

Can essential visuals be understood without seeing?

Can the experience be controlled?

KEYBOARD ACCESS: FOLLOW THE SAME PATH WITHOUT A MOUSE



Some people cannot use a mouse or touchscreen precisely. Every important task should work with a keyboard or keyboard-like input.


Tab move forward	Shift + Tab move backward	Enter activate links	Space activate buttons	Esc close many dialogs
----------------------------	-------------------------------------	--------------------------------	----------------------------------	----------------------------------

FIVE-MINUTE PATH	1 Put the mouse out of reach	2 Tab through the whole page	3 Complete one real task	4 Return without getting stuck
-------------------------	--	--	------------------------------------	--

Copy into a report: “The [control] cannot be reached or activated using a keyboard. Please implement standard keyboard behavior and confirm a visible focus indicator.”

VISIBLE FOCUS, LOGICAL ORDER, AND NO TRAPS

Keyboard users watch the focus indicator the way mouse users watch the pointer. Follow it through this five-minute check: put the mouse aside, press `Tab`, and complete one real task.



01

VISIBLE

You can always tell which element will receive the next keypress.

Check: an outline appears on every link, button, and field.

02

LOGICAL

Focus generally follows the reading and visual order, including inside dialogs.

Check: tab through once; focus never jumps somewhere surprising.

03

ESCAPABLE

Focus does not become trapped in a menu, widget, embedded frame, or media player.

Check: Esc or Tab always leads out of whatever was opened.

Custom control warning: A styled `<div>` does not automatically behave like a button. Prefer native controls; if a custom component is necessary, provide the correct name, role, state, keyboard behavior, and focus management.

Copy into a report: “While tabbing through the page, the focus indicator disappears after the [element], and the focus order skips the [control]. Please restore a visible indicator and a logical order.”

FORMS: LABEL THE TASK BEFORE ASKING FOR INPUT

APPOINTMENT REQUEST

Full name *

Example: Jordan Lee

Email address *

name@example.com

Phone number (optional)

Example: 555-201-7788

Preferred day

Example: Tuesday morning

Required fields are marked with an asterisk. Nothing is submitted from this printed example.

Request appointment

A form should explain what belongs in each field, what is required, and what will happen next.

- Permanent labels** remain visible while the person types.
- Instructions** appear before they are needed.
- Required status** is communicated in text, not color alone.
- Formats** include a useful example when necessary.
- Buttons** describe the result: “Request appointment,” not “Submit.”

Placeholder text is a hint, not a label. It disappears, may have low contrast, and can be confused with entered data.

Copy into a report: “The [field] has no visible label, and required fields are marked only by color. Please add permanent labels and a text indication of required status.”

ERRORS SHOULD POINT TO A SOLUTION

HARD TO RECOVER

Email

Invalid.

The message is vague, relies on color, and does not explain the expected format. The person is stuck.

CLEAR RECOVERY

Email address

Error: Enter an email address in the format name@example.com.

The message identifies the field, names the problem, and gives a correction.

1	2	3	4	5
Identify the field	Explain the problem	Preserve correct data	Move attention to the error	Confirm success

TIME AND INTERRUPTION

Avoid unnecessary time limits. When timing is essential, warn people and provide an extension when appropriate.

CONFIRMATION

After submission, confirm that the action succeeded, summarize what was received, and explain what happens next.

Copy into a report: “The error message ‘Invalid.’ does not identify the field, the problem, or the correction, and the only indicator is color. Please state what to fix and how, in text.”

STRUCTURE HELPS PEOPLE SCAN AND NAVIGATE

Appointments | Green Valley Clinic

NAV Home Services Appointments Contact

APPOINTMENTS

Book a visit

Instructions

- Choose a service
- Select a date
- Confirm by email

Prepare for your visit

Documents

Form	Due
History	Before visit
Insurance card	Day of visit

PAGE TITLE

Identifies the page in browser tabs and history.

HEADINGS

Represent the content hierarchy; do not choose levels only for visual size.

LISTS + TABLES

Use real list structure for groups and tables for data relationships, with identified headers.

Also identify page language. Screen readers use it to choose appropriate pronunciation.

WRITE LINKS AND INSTRUCTIONS THAT MAKE SENSE ALONE

WEAK

CLICK HERE

Select the green button on the right.

→

MORE USEFUL

**DOWNLOAD THE PATIENT
REGISTRATION FORM**

Select **Continue** to payment.

MEANINGFUL LINKS

Link text should identify its destination or action when read without the surrounding sentence. Avoid identical link text for different destinations.

PREDICTABLE NAVIGATION

Repeated navigation, search, help, and controls should remain reasonably consistent across pages.

PLAIN, DIRECT LANGUAGE

- ☐ Use familiar words when possible.
- ☐ Explain necessary technical terms.
- ☐ Present steps in the order completed.
- ☐ Expand acronyms the first time.
- ☐ Avoid relying only on color, shape, sound, or position.

INSTEAD OF

“Click here” · “Learn more” · “Read this”

TRY

“Download the form” · “Start your application” · “Contact the clinic”

Copy into a report: “Several links on the page read only ‘click here’ or ‘learn more.’ Please rewrite each link so it names its destination or action.”

Quick test: Scan only the headings, links, and buttons. Can you predict the page structure and the result of each action?

ACCESSIBLE DOCUMENTS BEGIN IN THE SOURCE

01 STRUCTURE THE SOURCE Use heading styles, real lists, table headers, descriptive links, and meaningful document titles. Where: the Styles panel, list buttons, and table header row settings.	02 ADD ALTERNATIVES Describe meaningful images, preserve readable contrast, and establish a logical reading order. Where: the alt-text pane and your tool's color and order settings.	03 EXPORT CAREFULLY Use an accessible export path. Do not print to PDF when it removes document structure. Where: "Save as PDF" with tagging on—not "Print to PDF."	04 TEST THE FINAL FILE Run the checker, inspect tags and order, and navigate the exported file by keyboard—not only the source. Where: the built-in accessibility checker, then a real read-through.
---	---	---	--

COMMON BARRIER

A SCANNED MENU OR FORM IS ONLY AN IMAGE.

It may be unreadable to a screen reader and difficult to enlarge or reflow.


BETTER PATH

PUBLISH THE INFORMATION AS ACCESSIBLE WEB TEXT.

If a document is needed, provide a properly structured version and verify the exported file.

The guide you are reading follows the same path: structured source, described images, tagged export, and a tested final file.

SOCIAL POSTS AND FLYERS NEED THE INFORMATION OUTSIDE THE IMAGE



A person should not have to see a graphic to learn the event name, date, time, location, cost, registration path, or accommodation contact.

- ☐ Add platform alternative text to meaningful images.
- ☐ Caption video and review accuracy.
- ☐ Repeat essential flyer information in the post or webpage.
- ☐ Use CamelCase for multiword hashtags, such as **#DigitalAccessibility**.
- ☐ Put the important message before a long group of hashtags.
- ☐ Use emoji thoughtfully and avoid long repeated sequences.

Publishing check: Read the post without viewing the image. Can someone still understand and act?


ADD AN ACCESS LINE TO EVERY EVENT POST

EXAMPLE

“Captions and ASL interpretation provided. For other access requests, email **access@oneweb.social** by September 11.”

Naming a contact and a date turns “accommodations available” from a slogan into a plan.

THIRD-PARTY TOOLS ARE PART OF YOUR EXPERIENCE



ASK BEFORE YOU BUY OR RENEW

- ☐ Can the complete service be used by keyboard?
- ☐ Has it been evaluated against WCAG 2.2?
- ☐ Is current accessibility documentation available?
- ☐ How are barriers reported, prioritized, and corrected?
- ☐ Are disabled people included in evaluation?
- ☐ What changes when the product is customized?

DO NOT STOP AT A PROMISE

Request evidence, test a realistic workflow, include accessibility expectations in the agreement, identify an escalation contact, and track defects after launch.

If replacement cannot happen immediately: provide an effective alternative way to complete the task, communicate it clearly, and create a time-bound plan to address the underlying barrier.

Copy into a vendor email: “Before we renew, please share current accessibility documentation for the version we use, and confirm that [our key task] can be completed by keyboard and with a screen reader. We would like a named contact for accessibility issues.”

Procurement note: An accessibility conformance report can inform review, but it does not replace product testing in the configuration your audience will use.

ACCESSIBILITY IS A WORKFLOW, NOT ONE PERSON'S CLEANUP JOB

Every role touches access. When each role owns its part of the workflow, barriers stop reappearing faster than they can be fixed.

LEADERS

Set scope, goals, ownership, and resources.

Approve policy. Review progress. Remove blockers.

CONTENT

Write clear copy and provide meaningful alternatives.

Use headings, links, alt text, captions, and accessible documents.

DESIGN

Create readable, flexible, predictable patterns.

Check contrast, focus, zoom, motion, errors, and component states.

DEVELOPMENT

Implement semantic, operable interfaces.

Use native controls, names, roles, states, keyboard behavior, and testing.

QA + USERS

Test tasks and verify corrections.

Combine automated, manual, and disabled-user evaluation.

PROCUREMENT

Require evidence and track vendor barriers.

Test before purchase and maintain an escalation path.

Make feedback visible: publish a contact method for accessibility problems, acknowledge reports, explain next steps, and communicate when the issue is resolved.

PLAN → CREATE → CHECK → PUBLISH → LISTEN → IMPROVE

START WITH PRIORITY TASKS, THEN RANK THE BARRIERS

Begin with the pages and processes people rely on most—not the pages that are easiest to test.

Navigation + contact	Service information
Scheduling	Registration
Checkout + payment	Applications
Documents	Support

Test each one in the configuration your audience actually uses—on a phone, zoomed in, and with assistive technology.

CRITICAL

FIX NOW

Prevents completion of an essential task.

HIGH

NEXT

Creates serious difficulty or blocks important information.

MEDIUM

SOON

Creates confusion, delay, or additional effort.

LOWER

SCHEDULE

An improvement that should be scheduled and tracked.

PRIORITY IS NOT PERMISSION TO IGNORE

Fix simple barriers when you can, even if they are not critical. Rank work so essential tasks are restored quickly while every known barrier remains visible and owned.

30-DAY PLAN: WEEKS 1 AND 2

DAY 01

DAY 14

The first half of the plan makes barriers visible: name an owner, choose the pages that matter, and correct the content problems you can reach today.

WEEK 1

UNDERSTAND + INVENTORY

Assign an owner

Name the person coordinating accessibility work.

Choose ten priority pages

Focus on the tasks people rely on most.

List external services

Include forms, payments, scheduling, chat, and documents.

Run a baseline review

Combine automated checks with keyboard, zoom, content, and form review.

Deliverable: a priority-page inventory with named owners.

WEEK 2

CORRECT CONTENT BARRIERS

Improve alternatives

Fix missing or unclear alt text.

Review captions

Correct names, terms, timing, and meaningful sounds.

Strengthen structure

Repair headings, links, lists, and document order.

Replace image-only information

Publish essential text in an accessible format.

Deliverable: a documented first round of content corrections.

30-DAY PLAN: WEEKS 3 AND 4

DAY 15 DAY 30

The second half makes the work stick: test real interactions, hold vendors to the same bar, and build the checks into how you publish.

WEEK 3

REVIEW INTERACTION

Complete keyboard paths

Check focus, order, traps, menus, and dialogs.

Inspect forms

Review labels, instructions, errors, timing, and confirmation.

Test high-value services

Use realistic scheduling, payment, registration, and donation scenarios.

Contact vendors

Share evidence, request timelines, and document alternatives.

Deliverable: a ranked interaction and vendor issue list.

WEEK 4

RETEST + SUSTAIN

Verify corrections

Reproduce the original barrier and test the updated task.

Record unresolved work

Assign an owner, target date, priority, and interim path.

Add release checks

Include accessibility before pages, posts, documents, and features publish.

Schedule the next review

Monitor priority pages and invite accessibility feedback.

Deliverable: an ongoing review cadence and public feedback route.

TRACK THE BARRIER, OWNER, CORRECTION, AND EVIDENCE

One tracked example is worth more than a long untracked list. Record every barrier with the fields below—shown here filled in for the keyboard barrier from page 26.

PAGE OR PROCESS Appointment scheduling	
BARRIER Date picker cannot be used by keyboard.	
TASK AFFECTED Select a date and request a visit.	PRIORITY Critical
OWNER Web platform lead	
PLANNED ACTION Replace with keyboard-operable date input; preserve visible focus.	
STATUS In progress	DATES Found: Aug 4 · Recheck: Aug 11
VERIFICATION EVIDENCE Complete booking with Tab, arrow keys, Enter, and screen reader.	

COPY-READY ISSUE REPORT
Location: [page address and element]
Observed barrier: [what happened]
Expected experience: [what should be possible]
Task or people affected: [impact]
How to reproduce: [short steps]
Requested review: [specific correction or standard to evaluate]
Verification: [how the corrected experience will be checked]

A barrier is not resolved when the code changes. It is resolved when the original task can be completed and the result has been verified.

KEEP LEARNING. KEEP CHECKING. KEEP LISTENING.

AUTHORITATIVE STARTING POINTS

W3C Web Accessibility Initiative (WAI)

Standards, tutorials, planning, evaluation, and education.

[w3.org/WAI](https://www.w3.org/WAI)

WCAG 2 overview

How the international standard is organized and used.

[w3.org/WAI/standards-guidelines/wcag](https://www.w3.org/WAI/standards-guidelines/wcag)

How to meet WCAG 2: quick reference

Customizable criteria, techniques, and failures.

[w3.org/WAI/WCAG22/quickref](https://www.w3.org/WAI/WCAG22/quickref)

W3C easy checks

A first review of selected accessibility basics.

[w3.org/WAI/test-evaluate/easy-checks](https://www.w3.org/WAI/test-evaluate/easy-checks)

U.S. DOJ: web accessibility and the ADA

Official general guidance; consult current law and counsel for legal decisions.

[ada.gov/resources/web-guidance](https://www.ada.gov/resources/web-guidance)

WAVE evaluation tool

Automated assistance that still requires human review.

wave.webaim.org

QUICK GLOSSARY

Alternative text

A written alternative communicating an image's purpose or information.

Captions

Synchronized text representing speech and meaningful sound.

Keyboard focus

The element currently selected to receive keyboard input.

Screen reader

Software that communicates digital content through speech, braille, or both.

Semantic structure

Meaning communicated through correctly identified elements, not appearance alone.

WCAG

Web Content Accessibility Guidelines, developed through the W3C process.

YOUR NEXT STEP

CHOOSE ONE IMPORTANT PAGE. COMPLETE A KEYBOARD, ZOOM, CONTENT, MEDIA, AND FORM CHECK. DOCUMENT ONE BARRIER, ASSIGN IT, IMPROVE IT, AND RECHECK.

CONTINUE WITH ONEWEB →