

```
select * from dataset_1;
```

dataset_1 1 x

select * from dataset_1; Enter a SQL expression to filter results (use Ctrl+Space)

	destination	passanger	weather	temperature	time	coupon	expiration
1	No Urgent Place	Alone	Sunny	55	2PM	Restaurant(<20)	1d
2	No Urgent Place	Friend(s)	Sunny	80	10AM	Coffee House	2h
3	No Urgent Place	Friend(s)	Sunny	80	10AM	Carry out & Take away	2h
4	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	2h
5	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	1d
6	No Urgent Place	Friend(s)	Sunny	80	6PM	Restaurant(<20)	2h
7	No Urgent Place	Friend(s)	Sunny	55	2PM	Carry out & Take away	1d
8	No Urgent Place	Kid(s)	Sunny	80	10AM	Restaurant(<20)	2h
9	No Urgent Place	Kid(s)	Sunny	80	10AM	Carry out & Take away	2h
10	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d
11	No Urgent Place	Kid(s)	Sunny	80	2PM	Restaurant(<20)	1d

Refresh Sa... Can... Export ... 200 200+ | IST en Writable Smart Insert 1:1 [26]

```
select * from dataset_1 limit 10;
```

dataset_1 1 x

select * from dataset_1 limit 10; Enter a SQL expression to filter results (use Ctrl+Space)

	destination	passanger	weather	temperature	time	coupon	expiration
1	No Urgent Place	Alone	Sunny	55	2PM	Restaurant(<20)	1d
2	No Urgent Place	Friend(s)	Sunny	80	10AM	Coffee House	2h
3	No Urgent Place	Friend(s)	Sunny	80	10AM	Carry out & Take away	2h
4	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	2h
5	No Urgent Place	Friend(s)	Sunny	80	2PM	Coffee House	1d
6	No Urgent Place	Friend(s)	Sunny	80	6PM	Restaurant(<20)	2h
7	No Urgent Place	Friend(s)	Sunny	55	2PM	Carry out & Take away	1d
8	No Urgent Place	Kid(s)	Sunny	80	10AM	Restaurant(<20)	2h
9	No Urgent Place	Kid(s)	Sunny	80	10AM	Carry out & Take away	2h
10	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d

Refresh Sa... Can... Export ... 200 10 | IST en Writable Smart Insert 3:34:61

```
select distinct passanger from dataset_1 ;
```

dataset_1 1 x

select distinct passenger from Enter a SQL expression to filter results (use Ctrl+Space)

Grid	passanger
1	Alon
2	Friend(s)
3	Kid(s)
4	Partner

Refresh | Sa... | Can... | Export ... | 200 | 4 |

```
select * from dataset_1 where destination='Home';
```

dataset_1 1 x

select * from dataset_1 where Enter a SQL expression to filter results (use Ctrl+Space)

Grid	destination	passanger	weather	temperature	time	coupon	expiration	g
1	Home	Alone	Sunny		55 6PM	Bar	1d	Fen
2	Home	Alone	Sunny		55 6PM	Restaurant(20-50)	1d	Fen
3	Home	Alone	Sunny		80 6PM	Coffee House	2h	Fen
4	Home	Alone	Sunny		55 6PM	Bar	1d	Ma
5	Home	Alone	Sunny		55 6PM	Restaurant(20-50)	1d	Ma
6	Home	Alone	Sunny		80 6PM	Coffee House	2h	Ma
7	Home	Alone	Sunny		55 6PM	Bar	1d	Ma
8	Home	Alone	Sunny		55 6PM	Restaurant(20-50)	1d	Ma
9	Home	Alone	Sunny		80 6PM	Coffee House	2h	Ma
10	Home	Alone	Sunny		55 6PM	Bar	1d	Ma
11	Home	Alone	Sunny		55 6PM	Restaurant(20-50)	1d	Ma

Refresh | Sa... | Can... | Export ... | 200 | 200+ |

IST | en | Writable | Smart Insert | 7:50:160 |

```
select destination as "Destination" from dataset_1;
```

dataset_1 1 x

select destination as "Destination" Enter a SQL expression to filter results (use Ctrl+Space)

Grid	Destination
1	No Urgent Place
2	No Urgent Place
3	No Urgent Place
4	No Urgent Place
5	No Urgent Place
6	No Urgent Place
7	No Urgent Place
8	No Urgent Place
9	No Urgent Place
10	No Urgent Place
11	No Urgent Place
12	No Urgent Place

Refresh | Save | Cancel | Export | 200 | 200+ |

IST | en | Writable | Smart Insert | 10:1 [53]

```
select * from dataset_1 order by coupon ;
```

dataset_1 1 x

select * from dataset_1 order by coupon Enter a SQL expression to filter results (use Ctrl+Space)


Grid	destination	passenger	weather	temperature	time	coupon	expiration	gender	age
36	Work	Kid(s)	Sunny	55	7AM	Bar	1d	Female	21
37	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Female	31
38	Home	Alone	Sunny	55	6PM	Bar	1d	Female	31
39	Work	Alone	Sunny	55	7AM	Bar	1d	Female	31
40	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Female	41
41	Home	Alone	Sunny	55	6PM	Bar	1d	Female	41
42	Work	Alone	Sunny	55	7AM	Bar	1d	Female	41
43	No Urgent Place	Kid(s)	Sunny	80	10AM	Bar	1d	Male	41
44	Home	Alone	Sunny	55	6PM	Bar	1d	Male	41
45	Work	Alone	Sunny	55	7AM	Bar	1d	Male	41

Refresh | Save | Cancel | Export | 200 | 200+ |

200 row(s) fetched - 0.032s (0.002s fetch), on 2025-06-11 at 18:52:18

IST | en | Writable | Smart Insert | 11:42 [41]

```
select occupation from dataset_1 group by occupation ;
```



dataset_1 1 x

Connection: SQLite Test.db
Time: 2025-06-11 18:54:23.993
Query: select occupation from dataset_1 group by occupation


SQL expression to filter results (use Ctrl+Space)

	occupation
1	Architecture & Engineering
2	Arts Design Entertainment Sports & Media
3	Building & Grounds Cleaning & Maintenance
4	Business & Financial
5	Community & Social Services
6	Computer & Mathematical
7	Construction & Extraction
8	Education&Training&Library
9	Farming Fishing & Forestry
10	Food Preparation & Serving Related
11	Healthcare Practitioners & Technical
12	Healthcare Support

Refresh • • Sa... • Can... | IST | en | Writable | Smart Insert | 13:55 [54] |

25 row(s) fetched - 0.010s (0.001s fetch), on 2025-06-11 at 18:54:23

```
select weather,AVG(temperature) as avg_temp from  
dataset_1 group by weather ;
```



dataset_1 1 x


SQL expression to filter results (use Ctrl+Space)

	weather	avg_temp
1	Rainy	55
2	Snowy	30
3	Sunny	68.9462707319

Refresh • • Sa... • Can... | IST | en | Writable | Smart Insert | 15:58 [77] |


3 row(s) fetched - 0.011s (0.002s fetch), on 2025-06-11 at 18:56:34

```
select weather, count(temperature) as count_temp from
dataset_1 group by weather;
```




	weather	count_temp
1	Rainy	1,210
2	Snowy	1,405
3	Sunny	10,069

```
select weather, count(DISTINCT temperAture) as
count_temp from dataset_1 group by weather;
```



	weather	count_temp
1	Rainy	1
2	Snowy	1
3	Sunny	3


```
select weather, sum(temperature) as count_temp from  
dataset_1 group by weather ;
```



The screenshot shows a SQL query editor with the query: `select weather, sum(temperature) as count_temp from dataset_1 group by weather ;`. The results are displayed in a table with two columns: 'weather' and 'count_temp'. The table has three rows: 'Rainy' with a value of 66,550, 'Snowy' with 42,150, and 'Sunny' with 694,220. The interface includes a sidebar with 'Grid', 'Text', and 'Record' views, and a bottom status bar showing 'IST | en | Writable | Smart Insert | 21:80 [79]'.

	weather	count_temp
1	Rainy	66,550
2	Snowy	42,150
3	Sunny	694,220

```
select weather, min(temperature) as min_temp from  
dataset_1 group by weather ;
```



The screenshot shows a SQL query editor with the query: `select weather, min(temperature) as min_temp from dataset_1 group by weather ;`. The results are displayed in a table with two columns: 'weather' and 'min_temp'. The table has three rows: 'Rainy' with a value of 55, 'Snowy' with 30, and 'Sunny' with 30. The interface includes a sidebar with 'Grid', 'Text', and 'Record' views, and a bottom status bar showing 'IST | en | Writable | Smart Insert | 23:78 [77]'.

	weather	min_temp
1	Rainy	55
2	Snowy	30
3	Sunny	30

```
select weather,max(temperature) as max_temp from  
dataset_1 group by weather ;
```

dataset_1 1 x

select weather,max(temperature) as max_temp from dataset_1 group by weather ;

	weather	max_temp
1	Rainy	55
2	Snowy	30
3	Sunny	80

Ref... | Sa... | Can... | Export... | 200 | 3 |

IST | en | Writable | Smart Insert | 25:78 [77]

```
select occupation from dataset_1 group by occupation  
HAVING occupation='Student';
```

dataset_1 1 x

select occupation from dataset_1 group by occupation HAVING occupation='Student';

	occupation
1	Student

Show attribute filters

```
SELECT DISTINCT destination FROM (SELECT * FROM
dataset_1 UNION SELECT * FROM table_to_union)
```

table_to_union 1 x

Enter a SQL expression to filter results (use Ctrl+Space)

Grid

Text

Record

	destination
1	Home
2	No Urgent Place
3	UNION
4	Work

Refr... | Sa... | Can... | K < > * | Export... | 200 | 4 |

IST | en | Writable | Smart Insert | 29:1 [93]

```
select a.destination ,a.time,b.part_of_day from
dataset_1 a inner join table_to_join b on
a.time=b.time;
```

dataset_1(+) 1 x

Enter a SQL expression to filter results (use Ctrl+Space)

Grid

Text

Record

	destination	time	part_of_day
1	No Urgent Place	2PM	Afternoon
2	No Urgent Place	10AM	Morning
3	No Urgent Place	10AM	Morning
4	No Urgent Place	2PM	Afternoon
5	No Urgent Place	2PM	Afternoon
6	No Urgent Place	6PM	Evening
7	No Urgent Place	2PM	Afternoon
8	No Urgent Place	10AM	Morning
9	No Urgent Place	10AM	Morning
10	No Urgent Place	10AM	Morning
11	No Urgent Place	2PM	Afternoon
12	No Urgent Place	2PM	Afternoon
13	No Urgent Place	6PM	Evening

Refr... | Sa... | Can... | K < > * | Export... | 200 | 200+ |

IST | en | Writable | Smart Insert | 32:1 [106]

```
select destination,passanger from (select * from
dataset_1 where passanger='Alone');
```

dataset_11

Enter a SQL expression to filter results (use Ctrl+Space)

select destination,passanger

Grid	destination	passanger
1	No Urgent Place	Alone
2	Home	Alone
3	Home	Alone
4	Home	Alone
5	Work	Alone
6	Work	Alone
7	Work	Alone
8	Work	Alone
9	Work	Alone
10	Work	Alone
11	No Urgent Place	Alone
12	No Urgent Place	Alone

Refr... | ● Sa... | ■ Can... | 200 | 200+ |

200 row(s) fetched - 0.001s, on 2025-06-11 at 19:16:00

IST | en | Writable | Smart Insert | 35:85 [94]

```
select * from dataset_1 d where d.weather like 'Sun%';
```

dataset_11

Enter a SQL expression to filter results (use Ctrl+Space)

select * from dataset_1 d where d.weather like 'Sun%'


Grid	destination	passanger	weather	temperature	time	coupon	expiration
1	No Urgent Place	Alone	Sunny		55 2PM	Restaurant(<20)	1d
2	No Urgent Place	Friend(s)	Sunny		80 10AM	Coffee House	2h
3	No Urgent Place	Friend(s)	Sunny		80 10AM	Carry out & Take away	2h
4	No Urgent Place	Friend(s)	Sunny		80 2PM	Coffee House	2h
5	No Urgent Place	Friend(s)	Sunny		80 2PM	Coffee House	1d
6	No Urgent Place	Friend(s)	Sunny		80 6PM	Restaurant(<20)	2h
7	No Urgent Place	Friend(s)	Sunny		55 2PM	Carry out & Take away	1d
8	No Urgent Place	Kid(s)	Sunny		80 10AM	Restaurant(<20)	2h
9	No Urgent Place	Kid(s)	Sunny		80 10AM	Carry out & Take away	2h
10	No Urgent Place	Kid(s)	Sunny		80 10AM	Bar	1d
11	No Urgent Place	Kid(s)	Sunny		80 2PM	Restaurant(<20)	1d

Refr... | ● Sa... | ■ Can... | 200 | 200+ |

200 row(s) fetched - 0.004s (0.003s fetch), on 2025-06-11 at 19:17:24

IST | en | Writable | Smart Insert | 37:55 [54]

```
select DISTINCT temperature from dataset_1 where
temperature between 29 and 75;
```



dataset_1 1 x

select DISTINCT temperature from dataset_1 where temperature between 29 and 75;

Grid

	temperature
1	55
2	30

Text


Record

Refr... | Sa... | Can... | Export... | 200 Result-set fetch size

2 row(s) fetched - 0.006s (0.005s fetch), on 2025-06-11 at 19:19:41

IST | en | Writable | Smart Insert | 39 : 1 [80]

```
select occupation from dataset_1 where occupation
in('Sales & Related', 'Management');
```



dataset_1 1 x

select occupation from dataset_1 where occupation in('Sales & Related', 'Management');

Grid

	occupation
1	Sales & Related
2	Sales & Related
3	Sales & Related
4	Sales & Related
5	Sales & Related
6	Sales & Related
7	Sales & Related
8	Sales & Related
9	Sales & Related
10	Sales & Related
11	Sales & Related
12	Sales & Related

Text

Record

Refr... | Sa... | Can... | Export... | 200 Result-set fetch size

200 row(s) fetched - 0.001s, on 2025-06-11 at 19:21:44

IST | en | Writable | Smart Insert | 42 : 87 [86]

