

Enter password: *****

Welcome to the MySQL monitor. Commands end with ; or \g.

Your MySQL connection id is 22

Server version: 8.0.38 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> show databases;

Database
hopegirls
hopegirlss
hydradb
information_schema
mysql
nits
performance_schema
pes
sys
world

10 rows in set (0.00 sec)

mysql> use hydradb;

Database changed

mysql> show tables;

Tables_in_hydradb
customers
employee
newemp
newemp1

4 rows in set (0.00 sec)

mysql> select* from customers;

CID	CNAME	CAGE	CADDRESS	CSALARY
1	ABHAY	21	AURANGABAD	30000.00
2	ADITYA	22	MUMBAI	40000.00
3	BHUSHAN	20	BEED	47000.00
4	BHARTI	21	NASIK	38000.00
6	KUNAL	22	HYDERABAD	42000.00
7	DHANWANTARI	22	MUMBAI	53000.00
8	SANKET	25	MUMBAI	52000.00
9	HEMANT	23	PUNE	47000.00
10	AMOL	22	MIYAPUR	41000.00
11	SEVAKRAM	23	GOLEGAON	32000.00
12	RUCHITA	21	AURANGABAD	33000.00

11 rows in set (0.00 sec)

mysql> create table student (NAME VARCHAR(20), ID INT NOT NULL PRIMARY KEY, ADDRESS VARCHAR(20),MARKS INT);

Query OK, 0 rows affected (0.03 sec)

```
mysql> SELECT * FROM STUDENT;
Empty set (0.00 sec)
```

```
mysql> DESC STUDENT;
```

Field	Type	Null	Key	Default	Extra
NAME	varchar(20)	YES		NULL	
ID	int	NO	PRI	NULL	
ADDRESS	varchar(20)	YES		NULL	
MARKS	int	YES		NULL	

4 rows in set (0.00 sec)

```
mysql> INSERT INTO STUDENT VALUES('Shrikant', 1, 'Jalgaon', 90),('Roshan', 2, 'Nasik', 93);
```

```
Query OK, 2 rows affected (0.01 sec)
Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> INSERT INTO STUDENT VALUES('Dolly', 38, 'Mumbai', 90),('Chiu', 56, 'Pune', 30);
```

```
Query OK, 2 rows affected (0.01 sec)
Records: 2 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
```

NAME	ID	ADDRESS	MARKS
Shrikant	1	Jalgaon	90
Roshan	2	Nasik	93
Dolly	38	Mumbai	90
Chiu	56	Pune	30

4 rows in set (0.00 sec)

```
mysql> ALTER TABLE STUDENT ADD PHONENO INT;
```

```
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
```

NAME	ID	ADDRESS	MARKS	PHONENO
Shrikant	1	Jalgaon	90	NULL
Roshan	2	Nasik	93	NULL
Dolly	38	Mumbai	90	NULL
Chiu	56	Pune	30	NULL

4 rows in set (0.00 sec)

```
mysql> UPDATE STUDENT SET PHONENO=123;
```

```
Query OK, 4 rows affected (0.00 sec)
Rows matched: 4 Changed: 4 Warnings: 0
```

```
mysql> UPDATE STUDENT SET PHONENO=789 WHERE NAME='ROSHAN';
```

```
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
mysql> SELECT * FROM STUDENT;
```

NAME	ID	ADDRESS	MARKS	PHONENO
------	----	---------	-------	---------

Shrikant	1	Jalgaon	90	123
Roshan	2	Nasik	93	789
Dolly	38	Mumbai	90	123
Chiu	56	Pune	30	123

4 rows in set (0.00 sec)

```
mysql> ALTER TABLW STUDENT ADD EXTRA INT;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'TABLW
STUDENT ADD EXTRA INT' at line 1
mysql> ALTER TABLE STUDENT ADD EXTRA INT;
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESC STUDENT;
```

Field	Type	Null	Key	Default	Extra
NAME	varchar(20)	YES		NULL	
ID	int	NO	PRI	NULL	
ADDRESS	varchar(20)	YES		NULL	
MARKS	int	YES		NULL	
PHONENO	int	YES		NULL	
EXTRA	int	YES		NULL	

6 rows in set (0.00 sec)

```
mysql> ALTER TABLE MODIFY EXTRA VARCHAR(20);
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near 'EXTRA
VARCHAR(20)' at line 1
mysql> ALTER TABLE STUDENT MODIFY EXTRA VARCHAR(20);
Query OK, 4 rows affected (0.07 sec)
Records: 4 Duplicates: 0 Warnings: 0
```

```
mysql> DESC STUDENT;
```

Field	Type	Null	Key	Default	Extra
NAME	varchar(20)	YES		NULL	
ID	int	NO	PRI	NULL	
ADDRESS	varchar(20)	YES		NULL	
MARKS	int	YES		NULL	
PHONENO	int	YES		NULL	
EXTRA	varchar(20)	YES		NULL	

6 rows in set (0.00 sec)

```
mysql> ALTER TABLE STUDENT DROP COLUMN EXTRA;
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> DESC STUDENT;
```

Field	Type	Null	Key	Default	Extra
NAME	varchar(20)	YES		NULL	
ID	int	NO	PRI	NULL	
ADDRESS	varchar(20)	YES		NULL	
MARKS	int	YES		NULL	
PHONENO	int	YES		NULL	

5 rows in set (0.00 sec)

```
mysql> DELETE FROM STUDENT WHERE NAME='ROSHAN';
Query OK, 1 row affected (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT;
```

```
+-----+-----+-----+-----+-----+
| NAME      | ID | ADDRESS | MARKS | PHONENO |
+-----+-----+-----+-----+-----+
| Shrikant  | 1  | Jalgaon | 90    | 123    |
| Dolly     | 38 | Mumbai  | 90    | 123    |
| Chiu      | 56 | Pune    | 30    | 123    |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT SUM(MARKS) FROM STUDENT;
```

```
+-----+
| SUM(MARKS) |
+-----+
|          210 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT AVG(MARKS) FROM STUDENT;
```

```
+-----+
| AVG(MARKS) |
+-----+
|      70.0000 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT COUNT(NAME) FROM STUDENT;
```

```
+-----+
| COUNT(NAME) |
+-----+
|           3 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT MAX(MARKS) FROM STUDENT;
```

```
+-----+
| MAX(MARKS) |
+-----+
|          90 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT MIN(MARKS) FROM STUDENT;
```

```
+-----+
| MIN(MARKS) |
+-----+
|          30 |
+-----+
```

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT ORDER BY MARKS;
```

```
+-----+-----+-----+-----+-----+
| NAME      | ID | ADDRESS | MARKS | PHONENO |
+-----+-----+-----+-----+-----+
| Chiu      | 56 | Pune    | 30    | 123    |
| Shrikant  | 1  | Jalgaon | 90    | 123    |
| Dolly     | 38 | Mumbai  | 90    | 123    |
+-----+-----+-----+-----+-----+
3 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT ORDER BY MARKS DESC;
```

NAME	ID	ADDRESS	MARKS	PHONENO
Shrikant	1	Jalgaon	90	123
Dolly	38	Mumbai	90	123
Chiu	56	Pune	30	123

3 rows in set (0.00 sec)

```
mysql> INSERT INTO STUDENT VALUES('Hari', 84, 'Hyderabad', 43),('Swami', 22, 'Nagar',31);
```

ERROR 1136 (21S01): Column count doesn't match value count at row 1

```
mysql> INSERT INTO STUDENT VALUES('Hari', 84, 'Hyderabad', 43, 897),('Swami', 22, 'Nagar',31, 387);
```

Query OK, 2 rows affected (0.01 sec)

Records: 2 Duplicates: 0 Warnings: 0

```
mysql> SELECT * FROM STUDENT;
```

NAME	ID	ADDRESS	MARKS	PHONENO
Shrikant	1	Jalgaon	90	123
Swami	22	Nagar	31	387
Dolly	38	Mumbai	90	123
Chiu	56	Pune	30	123
Hari	84	Hyderabad	43	897

5 rows in set (0.00 sec)

```
mysql> SELECT * FROM STUDENTS WHERE NAME LIKE 'C%';
```

ERROR 1146 (42S02): Table 'hydradb.students' doesn't exist

```
mysql> SELECT * FROM STUDENT WHERE NAME LIKE 'C%';
```

NAME	ID	ADDRESS	MARKS	PHONENO
Chiu	56	Pune	30	123

1 row in set (0.00 sec)

```
mysql> SELECT * FROM STUDENT WHERE NAME LIKE '%Y';
```

NAME	ID	ADDRESS	MARKS	PHONENO
Dolly	38	Mumbai	90	123

1 row in set (0.00 sec)

```
mysql> SELECT * FROM STUDENT WHERE NAME LIKE '_A';
```

Empty set (0.00 sec)

```
mysql> SELECT * FROM STUDENT WHERE NAME LIKE '_A%';
```

NAME	ID	ADDRESS	MARKS	PHONENO
Hari	84	Hyderabad	43	897

1 row in set (0.00 sec)

```
mysql> SELECT * FROM STUDENT WHERE NAME LIKE '%A__';
```

NAME	ID	ADDRESS	MARKS	PHONENO
Shrikant	1	Jalgaon	90	123

Swami	22	Nagar	31	387
Hari	84	Hyderabad	43	897

3 rows in set (0.00 sec)

```
mysql> CREATE TABLE EMP( ID INT NOT NULL PRIMARY KEY, SALARY INT, EMPCODE IN
T,NAME VARCHAR(30));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '' at
line 1
mysql> CREATE TABLE EMP( ID INT NOT NULL PRIMARY KEY, SALARY INT, EMPCODE
INT,NAME VARCHAR(30));
Query OK, 0 rows affected (0.03 sec)
```

```
mysql> SELECT * FROM EMP;
Empty set (0.00 sec)
```

```
mysql> INSERT INTO EMP(23, 44000, 123, 'RAM'),(66, 56000, 456, 'JAY'),(58,
23000, 258, 'RAJ'),(87, 90000, 896, 'SOMA'),(68, 81000, 357, 'MANI');
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that
corresponds to your MySQL server version for the right syntax to use near '23,
44000, 123, 'RAM'),(66, 56000, 456, 'JAY'),(58, 23000, 258, 'RAJ'),(87, 9000' at
line 1
mysql> INSERT INTO EMP VALUES (23, 44000, 123, 'RAM'),(66, 56000, 456, 'JAY'
),(58, 23000, 258, 'RAJ'),(87, 90000, 896, 'SOMA'),(68, 81000, 357, 'MANI');
Query OK, 5 rows affected (0.01 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM EMP;
+----+-----+-----+-----+
| ID | SALARY | EMPCODE | NAME |
+----+-----+-----+-----+
| 23 | 44000 | 123 | RAM |
| 58 | 23000 | 258 | RAJ |
| 66 | 56000 | 456 | JAY |
| 68 | 81000 | 357 | MANI |
| 87 | 90000 | 896 | SOMA |
+----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT;
+-----+-----+-----+-----+-----+
| NAME | ID | ADDRESS | MARKS | PHONENO |
+-----+-----+-----+-----+-----+
| Shrikant | 1 | Jalgaon | 90 | 123 |
| Swami | 22 | Nagar | 31 | 387 |
| Dolly | 38 | Mumbai | 90 | 123 |
| Chiu | 56 | Pune | 30 | 123 |
| Hari | 84 | Hyderabad | 43 | 897 |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM EMP;
+----+-----+-----+-----+
| ID | SALARY | EMPCODE | NAME |
+----+-----+-----+-----+
| 23 | 44000 | 123 | RAM |
| 58 | 23000 | 258 | RAJ |
| 66 | 56000 | 456 | JAY |
| 68 | 81000 | 357 | MANI |
| 87 | 90000 | 896 | SOMA |
+----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT INNER JOIN EMP ON STUDENT.ID=EMP.ID;
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM EMP INNER JOIN STUDENT ON EMP.ID=STUDENT.ID;
Empty set (0.00 sec)
```

```
mysql> SELECT * FROM EMPLOYEE INNER JOIN STUDENT ON EMPLOYEE.ID=STUDENT.ID;
ERROR 1054 (42S22): Unknown column 'EMPLOYEE.ID' in 'on clause'
```

```
mysql> DESC EMPLOYEE;
```

Field	Type	Null	Key	Default	Extra
EID	int	NO		NULL	
ENAME	varchar(25)	NO		NULL	
EAGE	int	NO		NULL	
EADDRESS	varchar(20)	YES		NULL	
ESALARY	decimal(18,2)	YES		NULL	

```
5 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM EMPLOYEE INNER JOIN STUDENT ON EMPLOYEE.EID=STUDENT.ID;
```

EID	ENAME	EAGE	EADDRESS	ESALARY	NAME	ID	ADDRESS	MARKS	PHONENO
1	SHRUTI	23	LASUR	40000.00	Shrikant	1	Jalgaon	90	123

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT INNER JOIN EMPLOYEE ON STUDENT.EID=EMPLOYEE.ID;
ERROR 1054 (42S22): Unknown column 'STUDENT.EID' in 'on clause'
```

```
mysql> SELECT * FROM STUDENT INNER JOIN EMPLOYEE ON STUDENT.ID=EMPLOYEE.EID;
```

NAME	ID	ADDRESS	MARKS	PHONENO	EID	ENAME	EAGE	EADDRESS	ESALARY
Shrikant	1	Jalgaon	90	123	1	SHRUTI	23	LASUR	40000.00

```
1 row in set (0.00 sec)
```

```
mysql> SELECT * FROM EMPLOYEE;
```

EID	ENAME	EAGE	EADDRESS	ESALARY
1	SHRUTI	23	LASUR	40000.00
2	ZARA	22	HYDERABAD	42000.00
3	DHANWANTARI	22	PUNE	45000.00
4	SANKET	25	MUMBAI	52000.00
5	ZOYA	23	LASUR	40000.00
6	SWAMI	22	HYDERABAD	42000.00
7	DHANWANTARI	22	PUNE	45000.00
8	SWAMI	25	MUMBAI	52000.00
10	MAYANK	23	LASUR	40000.00
11	ZARA	22	HYDERABAD	42000.00

```
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM STUDENT;
```

```
+-----+-----+-----+-----+-----+
| NAME      | ID | ADDRESS   | MARKS | PHONENO |
+-----+-----+-----+-----+-----+
| Shrikant  | 1  | Jalgaon   | 90    | 123     |
| Swami     | 22 | Nagar     | 31    | 387     |
| Dolly     | 38 | Mumbai    | 90    | 123     |
| Chiu      | 56 | Pune      | 30    | 123     |
| Hari      | 84 | Hyderabad | 43    | 897     |
+-----+-----+-----+-----+-----+
5 rows in set (0.00 sec)
```

```
mysql> select* from customers;
```

```
+-----+-----+-----+-----+-----+
| CID | CNAME      | CAGE | CADDRESS | CSALARY |
+-----+-----+-----+-----+-----+
| 1   | ABHAY      | 21   | AURANGABAD | 30000.00 |
| 2   | ADITYA     | 22   | MUMBAI    | 40000.00 |
| 3   | BHUSHAN    | 20   | BEED      | 47000.00 |
| 4   | BHARTI     | 21   | NASIK     | 38000.00 |
| 6   | KUNAL      | 22   | HYDERABAD | 42000.00 |
| 7   | DHANWANTARI | 22   | MUMBAI    | 53000.00 |
| 8   | SANKET     | 25   | MUMBAI    | 52000.00 |
| 9   | HEMANT     | 23   | PUNE      | 47000.00 |
| 10  | AMOL       | 22   | MIYAPUR   | 41000.00 |
| 11  | SEVAKRAM   | 23   | GOLEGAON  | 32000.00 |
| 12  | RUCHITA    | 21   | AURANGABAD | 33000.00 |
+-----+-----+-----+-----+-----+
11 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM EMPLOYEE;
```

```
+-----+-----+-----+-----+-----+
| EID | ENAME      | EAGE | EADDRESS | ESALARY |
+-----+-----+-----+-----+-----+
| 1   | SHRUTI     | 23   | LASUR    | 40000.00 |
| 2   | ZARA       | 22   | HYDERABAD | 42000.00 |
| 3   | DHANWANTARI | 22   | PUNE     | 45000.00 |
| 4   | SANKET     | 25   | MUMBAI    | 52000.00 |
| 5   | ZOYA       | 23   | LASUR    | 40000.00 |
| 6   | SWAMI      | 22   | HYDERABAD | 42000.00 |
| 7   | DHANWANTARI | 22   | PUNE     | 45000.00 |
| 8   | SWAMI      | 25   | MUMBAI    | 52000.00 |
| 10  | MAYANK     | 23   | LASUR    | 40000.00 |
| 11  | ZARA       | 22   | HYDERABAD | 42000.00 |
+-----+-----+-----+-----+-----+
10 rows in set (0.00 sec)
```

```
mysql> SELECT * FROM CUSTOMERS LEFT JOIN EMPLOYEE ON CUSTOMERS.CID=EMPLOYEE.EID;
ERROR 1146 (42S02): Table 'hydradb.employee' doesn't exist
```

```
mysql> SELECT * FROM CUSTOMERS LEFT JOIN EMPLOYEE ON CUSTOMERS.CID=EMPLOYEE.EID;
```

```
+-----+-----+-----+-----+-----+-----+-----+
| CID | CNAME      | CAGE | CADDRESS | CSALARY | EID | ENAME      | EAGE |
+-----+-----+-----+-----+-----+-----+-----+
| 1   | ABHAY      | 21   | AURANGABAD | 30000.00 | 1   | SHRUTI     | 23   |
LASUR | 40000.00 |
| 2   | ADITYA     | 22   | MUMBAI    | 40000.00 | 2   | ZARA       | 22   |
HYDERABAD | 42000.00 |
| 3   | BHUSHAN    | 20   | BEED      | 47000.00 | 3   | DHANWANTARI | 22   |
+-----+-----+-----+-----+-----+-----+-----+
```



```

PUNE      | 45000.00 |
| 4 | BHARTI | 21 | NASIK | 38000.00 | 4 | SANKET | 25 |
MUMBAI    | 52000.00 |
| 6 | KUNAL | 22 | HYDERABAD | 42000.00 | 6 | SWAMI | 22 |
HYDERABAD | 42000.00 |
| 7 | DHANWANTARI | 22 | MUMBAI | 53000.00 | 7 | DHANWANTARI | 22 |
PUNE      | 45000.00 |
| 8 | SANKET | 25 | MUMBAI | 52000.00 | 8 | SWAMI | 25 |
MUMBAI    | 52000.00 |
| 9 | HEMANT | 23 | PUNE | 47000.00 | NULL | NULL | NULL |
NULL      | NULL |
| 10 | AMOL | 22 | MIYAPUR | 41000.00 | 10 | MAYANK | 23 |
LASUR     | 40000.00 |
| 11 | SEVAKRAM | 23 | GOLEGAON | 32000.00 | 11 | ZARA | 22 |
HYDERABAD | 42000.00 |
| 12 | RUCHITA | 21 | AURANGABAD | 33000.00 | NULL | NULL | NULL |
NULL      | NULL |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+
11 rows in set (0.00 sec)

```

```

mysql> SELECT * FROM CUSTOMERS RIGHT JOIN EMPLOYEE ON
CUSTOMERS.CID=EMPLOYEE.EID;

```

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+
| CID | CNAME | CAGE | CADDRESS | CSALARY | EID | ENAME | EAGE |
EADDRESS | ESALARY |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+
| 1 | ABHAY | 21 | AURANGABAD | 30000.00 | 1 | SHRUTI | 23 |
LASUR | 40000.00 |
| 2 | ADITYA | 22 | MUMBAI | 40000.00 | 2 | ZARA | 22 |
HYDERABAD | 42000.00 |
| 3 | BHUSHAN | 20 | BEED | 47000.00 | 3 | DHANWANTARI | 22 |
PUNE | 45000.00 |
| 4 | BHARTI | 21 | NASIK | 38000.00 | 4 | SANKET | 25 |
MUMBAI | 52000.00 |
| NULL | NULL | NULL | NULL | NULL | 5 | ZOYA | 23 |
LASUR | 40000.00 |
| 6 | KUNAL | 22 | HYDERABAD | 42000.00 | 6 | SWAMI | 22 |
HYDERABAD | 42000.00 |
| 7 | DHANWANTARI | 22 | MUMBAI | 53000.00 | 7 | DHANWANTARI | 22 |
PUNE | 45000.00 |
| 8 | SANKET | 25 | MUMBAI | 52000.00 | 8 | SWAMI | 25 |
MUMBAI | 52000.00 |
| 10 | AMOL | 22 | MIYAPUR | 41000.00 | 10 | MAYANK | 23 |
LASUR | 40000.00 |
| 11 | SEVAKRAM | 23 | GOLEGAON | 32000.00 | 11 | ZARA | 22 |
HYDERABAD | 42000.00 |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+-----+
10 rows in set (0.00 sec)

```

```

mysql> SELECT * FROM CUSTOMERS CROSS JOIN EMP;

```

```

+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| CID | CNAME | CAGE | CADDRESS | CSALARY | ID | SALARY | EMPCODE |
NAME |
+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
| 1 | ABHAY | 21 | AURANGABAD | 30000.00 | 87 | 90000 | 896 |
SOMA |
| 1 | ABHAY | 21 | AURANGABAD | 30000.00 | 68 | 81000 | 357 |
MANI |

```

	1	ABHAY	21	AURANGABAD	30000.00	66	56000	456	JAY
	1	ABHAY	21	AURANGABAD	30000.00	58	23000	258	RAJ
	1	ABHAY	21	AURANGABAD	30000.00	23	44000	123	RAM
SOMA MANI	2	ADITYA	22	MUMBAI	40000.00	87	90000	896	
	2	ADITYA	22	MUMBAI	40000.00	68	81000	357	
	2	ADITYA	22	MUMBAI	40000.00	66	56000	456	JAY
	2	ADITYA	22	MUMBAI	40000.00	58	23000	258	RAJ
	2	ADITYA	22	MUMBAI	40000.00	23	44000	123	RAM
SOMA MANI	3	BHUSHAN	20	BEED	47000.00	87	90000	896	
	3	BHUSHAN	20	BEED	47000.00	68	81000	357	
	3	BHUSHAN	20	BEED	47000.00	66	56000	456	JAY
	3	BHUSHAN	20	BEED	47000.00	58	23000	258	RAJ
	3	BHUSHAN	20	BEED	47000.00	23	44000	123	RAM
SOMA MANI	4	BHARTI	21	NASIK	38000.00	87	90000	896	
	4	BHARTI	21	NASIK	38000.00	68	81000	357	
	4	BHARTI	21	NASIK	38000.00	66	56000	456	JAY
	4	BHARTI	21	NASIK	38000.00	58	23000	258	RAJ
	4	BHARTI	21	NASIK	38000.00	23	44000	123	RAM
SOMA MANI	6	KUNAL	22	HYDERABAD	42000.00	87	90000	896	
	6	KUNAL	22	HYDERABAD	42000.00	68	81000	357	
	6	KUNAL	22	HYDERABAD	42000.00	66	56000	456	JAY
	6	KUNAL	22	HYDERABAD	42000.00	58	23000	258	RAJ
	6	KUNAL	22	HYDERABAD	42000.00	23	44000	123	RAM
SOMA MANI	7	DHANWANTARI	22	MUMBAI	53000.00	87	90000	896	
	7	DHANWANTARI	22	MUMBAI	53000.00	68	81000	357	
	7	DHANWANTARI	22	MUMBAI	53000.00	66	56000	456	JAY
	7	DHANWANTARI	22	MUMBAI	53000.00	58	23000	258	RAJ
	7	DHANWANTARI	22	MUMBAI	53000.00	23	44000	123	RAM
SOMA MANI	8	SANKET	25	MUMBAI	52000.00	87	90000	896	
	8	SANKET	25	MUMBAI	52000.00	68	81000	357	
	8	SANKET	25	MUMBAI	52000.00	66	56000	456	JAY
	8	SANKET	25	MUMBAI	52000.00	58	23000	258	RAJ

	8	SANKET	25	MUMBAI	52000.00	23	44000	123	RAM
SOMA	9	HEMANT	23	PUNE	47000.00	87	90000	896	
	9	HEMANT	23	PUNE	47000.00	68	81000	357	
MANI	9	HEMANT	23	PUNE	47000.00	66	56000	456	JAY
	9	HEMANT	23	PUNE	47000.00	58	23000	258	RAJ
	9	HEMANT	23	PUNE	47000.00	23	44000	123	RAM
SOMA	10	AMOL	22	MIYAPUR	41000.00	87	90000	896	
	10	AMOL	22	MIYAPUR	41000.00	68	81000	357	
MANI	10	AMOL	22	MIYAPUR	41000.00	66	56000	456	JAY
	10	AMOL	22	MIYAPUR	41000.00	58	23000	258	RAJ
	10	AMOL	22	MIYAPUR	41000.00	23	44000	123	RAM
SOMA	11	SEVAKRAM	23	GOLEGAON	32000.00	87	90000	896	
	11	SEVAKRAM	23	GOLEGAON	32000.00	68	81000	357	
MANI	11	SEVAKRAM	23	GOLEGAON	32000.00	66	56000	456	JAY
	11	SEVAKRAM	23	GOLEGAON	32000.00	58	23000	258	RAJ
	11	SEVAKRAM	23	GOLEGAON	32000.00	23	44000	123	RAM
SOMA	12	RUCHITA	21	AURANGABAD	33000.00	87	90000	896	
	12	RUCHITA	21	AURANGABAD	33000.00	68	81000	357	
MANI	12	RUCHITA	21	AURANGABAD	33000.00	66	56000	456	JAY
	12	RUCHITA	21	AURANGABAD	33000.00	58	23000	258	RAJ
	12	RUCHITA	21	AURANGABAD	33000.00	23	44000	123	RAM

+-----+-----+-----+-----+-----+-----+-----+-----+-----+-----+
+-----+
55 rows in set (0.00 sec)

```
mysql> SELECT * FROM STUDENT CROSS JOIN EMP;
```

NAME	ID	ADDRESS	MARKS	PHONENO	ID	SALARY	EMPCODE	NAME
Hari	84	Hyderabad	43	897	23	44000	123	RAM
Chiu	56	Pune	30	123	23	44000	123	RAM
Dolly	38	Mumbai	90	123	23	44000	123	RAM
Swami	22	Nagar	31	387	23	44000	123	RAM
Shrikant	1	Jalgaon	90	123	23	44000	123	RAM
Hari	84	Hyderabad	43	897	58	23000	258	RAJ
Chiu	56	Pune	30	123	58	23000	258	RAJ
Dolly	38	Mumbai	90	123	58	23000	258	RAJ
Swami	22	Nagar	31	387	58	23000	258	RAJ
Shrikant	1	Jalgaon	90	123	58	23000	258	RAJ
Hari	84	Hyderabad	43	897	66	56000	456	JAY
Chiu	56	Pune	30	123	66	56000	456	JAY
Dolly	38	Mumbai	90	123	66	56000	456	JAY
Swami	22	Nagar	31	387	66	56000	456	JAY

Shrikant	1	Jalgaon	90	123	66	56000	456	JAY
Hari	84	Hyderabad	43	897	68	81000	357	MANI
Chiu	56	Pune	30	123	68	81000	357	MANI
Dolly	38	Mumbai	90	123	68	81000	357	MANI
Swami	22	Nagar	31	387	68	81000	357	MANI
Shrikant	1	Jalgaon	90	123	68	81000	357	MANI
Hari	84	Hyderabad	43	897	87	90000	896	SOMA
Chiu	56	Pune	30	123	87	90000	896	SOMA
Dolly	38	Mumbai	90	123	87	90000	896	SOMA
Swami	22	Nagar	31	387	87	90000	896	SOMA
Shrikant	1	Jalgaon	90	123	87	90000	896	SOMA

25 rows in set (0.00 sec)

```
mysql> SELECT * FROM EMPLOYEE;
ERROR 2013 (HY000): Lost connection to MySQL server during query
No connection. Trying to reconnect...
Connection id: 23
Current database: hydradb
```

EID	ENAME	EAGE	EADDRESS	ESALARY
1	SHRUTI	23	LASUR	40000.00
2	ZARA	22	HYDERABAD	42000.00
3	DHANWANTARI	22	PUNE	45000.00
4	SANKET	25	MUMBAI	52000.00
5	ZOYA	23	LASUR	40000.00
6	SWAMI	22	HYDERABAD	42000.00
7	DHANWANTARI	22	PUNE	45000.00
8	SWAMI	25	MUMBAI	52000.00
10	MAYANK	23	LASUR	40000.00
11	ZARA	22	HYDERABAD	42000.00

10 rows in set (0.21 sec)

```
mysql> select* from customers;
```

CID	CNAME	CAGE	CADDRESS	CSALARY
1	ABHAY	21	AURANGABAD	30000.00
2	ADITYA	22	MUMBAI	40000.00
3	BHUSHAN	20	BEED	47000.00
4	BHARTI	21	NASIK	38000.00
6	KUNAL	22	HYDERABAD	42000.00
7	DHANWANTARI	22	MUMBAI	53000.00
8	SANKET	25	MUMBAI	52000.00
9	HEMANT	23	PUNE	47000.00
10	AMOL	22	MIYAPUR	41000.00
11	SEVAKRAM	23	GOLEGAON	32000.00
12	RUCHITA	21	AURANGABAD	33000.00

11 rows in set (0.00 sec)

```
mysql> SELECT * FROM EMP;
```

ID	SALARY	EMPCODE	NAME
23	44000	123	RAM
58	23000	258	RAJ
66	56000	456	JAY
68	81000	357	MANI
87	90000	896	SOMA

5 rows in set (0.01 sec)

mysql> SELECT * FROM STUDENT CROSS JOIN EMP;

NAME	ID	ADDRESS	MARKS	PHONENO	ID	SALARY	EMPCODE	NAME
Hari	84	Hyderabad	43	897	23	44000	123	RAM
Chiu	56	Pune	30	123	23	44000	123	RAM
Dolly	38	Mumbai	90	123	23	44000	123	RAM
Swami	22	Nagar	31	387	23	44000	123	RAM
Shrikant	1	Jalgaon	90	123	23	44000	123	RAM
Hari	84	Hyderabad	43	897	58	23000	258	RAJ
Chiu	56	Pune	30	123	58	23000	258	RAJ
Dolly	38	Mumbai	90	123	58	23000	258	RAJ
Swami	22	Nagar	31	387	58	23000	258	RAJ
Shrikant	1	Jalgaon	90	123	58	23000	258	RAJ
Hari	84	Hyderabad	43	897	66	56000	456	JAY
Chiu	56	Pune	30	123	66	56000	456	JAY
Dolly	38	Mumbai	90	123	66	56000	456	JAY
Swami	22	Nagar	31	387	66	56000	456	JAY
Shrikant	1	Jalgaon	90	123	66	56000	456	JAY
Hari	84	Hyderabad	43	897	68	81000	357	MANI
Chiu	56	Pune	30	123	68	81000	357	MANI
Dolly	38	Mumbai	90	123	68	81000	357	MANI
Swami	22	Nagar	31	387	68	81000	357	MANI
Shrikant	1	Jalgaon	90	123	68	81000	357	MANI
Hari	84	Hyderabad	43	897	87	90000	896	SOMA
Chiu	56	Pune	30	123	87	90000	896	SOMA
Dolly	38	Mumbai	90	123	87	90000	896	SOMA
Swami	22	Nagar	31	387	87	90000	896	SOMA
Shrikant	1	Jalgaon	90	123	87	90000	896	SOMA

25 rows in set (0.01 sec)

mysql> SELECT * FROM STUDENT;

NAME	ID	ADDRESS	MARKS	PHONENO
Shrikant	1	Jalgaon	90	123
Swami	22	Nagar	31	387
Dolly	38	Mumbai	90	123
Chiu	56	Pune	30	123
Hari	84	Hyderabad	43	897

5 rows in set (0.00 sec)

mysql> SELECT * FROM EMP;

ID	SALARY	EMPCODE	NAME
23	44000	123	RAM
58	23000	258	RAJ
66	56000	456	JAY
68	81000	357	MANI
87	90000	896	SOMA

5 rows in set (0.00 sec)

mysql> SELECT * FROM STUDENT CROSS JOIN EMP;

NAME	ID	ADDRESS	MARKS	PHONENO	ID	SALARY	EMPCODE	NAME
Hari	84	Hyderabad	43	897	23	44000	123	RAM
Chiu	56	Pune	30	123	23	44000	123	RAM

Dolly	38	Mumbai	90	123	23	44000	123	RAM
Swami	22	Nagar	31	387	23	44000	123	RAM
Shrikant	1	Jalgaon	90	123	23	44000	123	RAM
Hari	84	Hyderabad	43	897	58	23000	258	RAJ
Chiu	56	Pune	30	123	58	23000	258	RAJ
Dolly	38	Mumbai	90	123	58	23000	258	RAJ
Swami	22	Nagar	31	387	58	23000	258	RAJ
Shrikant	1	Jalgaon	90	123	58	23000	258	RAJ
Hari	84	Hyderabad	43	897	66	56000	456	JAY
Chiu	56	Pune	30	123	66	56000	456	JAY
Dolly	38	Mumbai	90	123	66	56000	456	JAY
Swami	22	Nagar	31	387	66	56000	456	JAY
Shrikant	1	Jalgaon	90	123	66	56000	456	JAY
Hari	84	Hyderabad	43	897	68	81000	357	MANI
Chiu	56	Pune	30	123	68	81000	357	MANI
Dolly	38	Mumbai	90	123	68	81000	357	MANI
Swami	22	Nagar	31	387	68	81000	357	MANI
Shrikant	1	Jalgaon	90	123	68	81000	357	MANI
Hari	84	Hyderabad	43	897	87	90000	896	SOMA
Chiu	56	Pune	30	123	87	90000	896	SOMA
Dolly	38	Mumbai	90	123	87	90000	896	SOMA
Swami	22	Nagar	31	387	87	90000	896	SOMA
Shrikant	1	Jalgaon	90	123	87	90000	896	SOMA

25 rows in set (0.00 sec)

mysql> DESC STUDENT;

Field	Type	Null	Key	Default	Extra
NAME	varchar(20)	YES		NULL	
ID	int	NO	PRI	NULL	
ADDRESS	varchar(20)	YES		NULL	
MARKS	int	YES		NULL	
PHONENO	int	YES		NULL	

5 rows in set (0.07 sec)

mysql> ALTER TABLE STUDENT ADD PRIMARY KEY(NAME);
 ERROR 1068 (42000): Multiple primary key defined