



00:48

THE WORLD'S LARGEST WEB DEVELOPER SITE

HTML CSS JAVASCRIPT SQL PHP BOOTSTRAP HOW TO JQUERY MORE REFERENCES EXAMPLES

CSS Fonts

Previous Next

The CSS font properties define the font family, boldness, size, and the style of a text.

Difference Between Serif and Sans-serif Fonts

'F' F F
Sans-serif Serif Serif (red serifs)

CSS Font Families

In CSS, there are two types of font family names:

- generic family** - a group of font families with a similar look (like "Serif" or "Monospace")

01:18


```

1 body {
2   margin: 0;
3   text-align: center;
4   font-family: serif;
5 }
6
7 h1 {
8   margin-top: 10px;
9 }
10
11 .top-container {
12   background-color: #f0f0f0;
13   position: relative;
14   padding: 10px;
15 }
16
17 .middle-container {
18   background-color: red;
19   width: 200px;
20   height: 200px;
21 }
22

```

Line 11, Column 1

05:09



05:21

05:49

07:41

08:19

08:29

[08:33](#)

[09:24](#)

[09:49](#)

[09:37](#)

[09:41](#)

[09:43](#)

[09:45](#)

[10:04](#)

[10:16](#)

[10:23](#)

[10:30](#)

[10:43](#)

[10:50](#)

[11:07](#)

[11:12](#)

[11:22](#)

[11:38](#)

[11:45](#)

[11:48](#)

[11:54](#)

[12:38](#)

[12:49](#)

[12:54](#)

[12:57](#)

[13:01](#)

[13:18](#)



Now you can use Askify in any websites

[See How](#)