

App.jsx

```
import React, { useState } from "react";
import "./App.css";
export default function App() {
  const [data, setData] = useState({ name: "", email: "", password: "" });
  const [errors, setErrors] = useState({});
  const [show, setShow] = useState(false);
  const [submitted, setSubmitted] = useState(null);
  const validate = () => {
    let err = {};
    if (!data.name) err.name = "Name required";
    if (!/^\S+@\S+\.\S+$/ .test(data.email)) err.email = "Invalid email";
    if (data.password.length < 6) err.password = "Min 6 chars";
    setErrors(err);
    return Object.keys(err).length === 0;
  };
  const handleChange = (e) => {
    setData({ ...data, [e.target.name]: e.target.value.trimStart() });
  };
  const handleSubmit = (e) => {
    e.preventDefault();
    if (validate()) {
      setSubmitted(data); // 👉 store data to display
    }
  };
  return (
    <div className="container">
      <form onSubmit={handleSubmit}>
        <input
          name="name"
```

```
placeholder="Name"
onChange={handleChange}
className={errors.name && "error"}
/>
<p>{errors.name}</p>
```

```
<input
  name="email"
  placeholder="Email"
  onChange={handleChange}
  className={errors.email && "error"}
/>
<p>{errors.email}</p>
```

```
<input
  type={show ? "text" : "password"}
  name="password"
  placeholder="Password"
  onChange={handleChange}
  className={errors.password && "error"}
/>
<p>{errors.password}</p>
```

```
<label>
  <input type="checkbox" onChange={() => setShow(!show)} />
  Show Password
</label>
```

```
<button type="submit">Submit</button>
</form>
```

```
{submitted && (  
  <div className="output">  
    <h3>Submitted Data</h3>  
    <p><b>Name:</b> {submitted.name}</p>  
    <p><b>Email:</b> {submitted.email}</p>  
    <p><b>Password:</b> {submitted.password}</p>  
  </div>  
  )}  
</div>  
);  
}
```

App.css

```
form {  
  width: 250px;  
  margin: auto;  
  display: flex;  
  flex-direction: column;  
}  
input {  
  margin: 5px 0;  
  padding: 8px;  
}  
.error {  
  border: 2px solid red;  
}  
p {  
  color: red;  
  font-size: 12px;  
  margin: 0;  
}
```

