

Hyperspectral Detection Technology in Agriculture: A Review

Rongchang Jiang*

School of Information Engineering
Jiangsu College of Engineering and Technology
Nantong, China

* Corresponding author: jake_jrc@qq.com

Guijie Liu

School of Information Engineering
Jiangsu College of Engineering and Technology
Nantong, China
1773451077@qq.com

Song Chen

School of Aviation and Transportation
Jiangsu College of Engineering and Technology
Nantong, China
chensong@jssc.edu.cn

Dandan Qu

Personnel Department
Jiangsu College of Engineering and Technology
Nantong, China
812979714@qq.com

Shijie Xie

School of Information Engineering
Jiangsu College of Engineering and Technology
Nantong, China
52799972@qq.com

Yi Peng

School of Information Engineering
Jiangsu College of Engineering and Technology
Nantong, China
77691035@qq.com

Abstract—Hyperspectral imaging (HSI) is rapidly transforming agriculture by enabling rapid, non-destructive, and information-rich analysis of crops, soil, and agricultural products. This review provides a comprehensive overview of HSI, with a particular focus on its application in pesticide residue detection. We delve into the fundamental principles of HSI, its diverse applications in agriculture, and analyze recent advancements that leverage deep learning and artificial intelligence (AI) for enhanced pesticide residue detection. We present insightful case studies demonstrating the practical implications of HSI in real-world scenarios and discuss the challenges and future prospects of this transformative technology, highlighting its potential to contribute to a more precise, efficient, and sustainable food production system.

Keywords—hyperspectral imaging, agriculture, food safety, deep learning, crop health, soil analysis, pest detection, pesticide residues

I. INTRODUCTION

Modern agriculture faces the daunting challenge of increasing yields while minimizing environmental impact and resource use. Traditional methods for monitoring crops, assessing agricultural products, and ensuring food safety often rely on time-consuming, destructive, and inefficient techniques. Hyperspectral imaging (HSI) has emerged as a powerful tool to address these challenges, offering a rapid, non-destructive, and information-rich approach to agricultural analysis.

This review provides a comprehensive overview of HSI technology and its applications in agriculture, with a particular focus on pesticide residue detection. We explore the fundamental principles of HSI, discuss its diverse applications across various agricultural domains, and highlight recent advancements and research breakthroughs, particularly those leveraging deep learning and AI. This review aims to provide researchers and practitioners with a comprehensive understanding of the transformative potential of HSI in pesticide residue detection and its broader implications for agricultural practices.

II. PRINCIPLES OF HYPERSPECTRAL IMAGING

Hyperspectral imaging (HSI), a fusion of spectroscopy and imaging, captures a detailed spectrum for each pixel in an image, creating a three-dimensional dataset often referred to as a "hyperspectral cube". This rich dataset holds a wealth of information about the target's interaction with light across a continuous range of wavelengths, enabling the identification and characterization of materials based on their unique spectral fingerprints [1, 2].

A. Data Acquisition

The process of acquiring hyperspectral images involves a sophisticated interplay of optics, sensors, and scanning mechanisms. A typical HSI system comprises:

1) *Illumination Source*: Provides a stable and consistent light source, ranging from halogen and LED lamps for controlled environments to sunlight for field-based applications.

2) *Spectrometer*: The core of the HSI system, it separates the incident light into its constituent wavelengths [3]. Common spectrometer types include:

This work was supported in part by the Basic Science (Natural Science) Research Project of Colleges and Universities in Jiangsu Province under Grant 24KJA540001, and in part by the Natural Science Foundation of Jiangsu Province under Grant BK20231226, and in part by the Natural Science Foundation of Nantong Municipality and the Science and Technology Program for Social Livelihoods under Grant MSZ2023149, MS2023013, JC2023012, and in part by the Jiangsu College of Engineering and Technology Natural Science Research Fund Project under Grant GYKY/2024/7, and in part by the Qing Lan Project of Universities in Jiangsu Province of China.

a) *Prism Spectrometers*: Utilize a prism to refract light based on wavelength.

b) *Grating Spectrometers*: Employ a diffraction grating to disperse light into different wavelengths.

c) *Interferometers (Fourier Transform Spectrometers)*: Use interference patterns to obtain spectral information.

The process of acquiring hyperspectral images involves a sophisticated interplay of optics, sensors, and scanning mechanisms. Figure 1 provides a schematic diagram illustrating this process, highlighting the key components of a typical HSI system.




Figure 1. Schematic diagram of hyperspectral data acquisition

Compared to conventional RGB images, HSI captures a wealth of spectral information, as illustrated in Figure 2, where the hyperspectral image reveals subtle variations within the target that are not visible in the RGB representation. The choice of spectrometer depends on the desired spectral range, resolution, and application requirements.




Figure 2. Hyperspectral image data

3) *Detector*: Records the intensity of light at each wavelength after it passes through the spectrometer. Commonly used detectors include:

a) *Charged Coupled Devices (CCDs)*: Silicon-based detectors offering high sensitivity and resolution, converting light into electrical signals.

b) *Complementary Metal-Oxide Semiconductors (CMOS)*: Similar to CCDs, but with lower power consumption and faster readout speeds.

Detector sensitivity, spectral response, and spatial resolution directly impact the quality and information content of the hyperspectral image.

4) *Scanning/Imaging System*: Enables the acquisition of spectral data over a spatial area [4]. Two primary methods are employed:

a) *Whiskbroom (Point) Scanning*: Acquires spectral information for one spatial point at a time by scanning a narrow slit across the scene.

b) *Pushbroom (Line) Scanning*: Acquires spectral information for an entire line of pixels simultaneously, offering faster acquisition speeds compared to whiskbroom scanning.

Other emerging techniques include snapshot hyperspectral imaging, which captures the entire hyperspectral cube in a single exposure, eliminating the need for scanning.

B. Data Preprocessing

Raw hyperspectral data often contains unwanted noise and distortions that can obscure valuable information. Preprocessing steps are crucial to enhance data quality and prepare it for analysis. Common preprocessing techniques include [5]:

1) *Radiometric Calibration*: Accounts for variations in sensor response and illumination conditions to ensure accurate spectral measurements. This involves converting the raw digital numbers recorded by the detector into physically meaningful units, such as radiance or reflectance.

2) *Atmospheric Correction*: Compensates for the scattering and absorption of light by atmospheric constituents like water vapor, ozone, and aerosols, particularly important for remote sensing applications.

3) *Geometric Correction*: Corrects for geometric distortions in the image caused by factors like sensor tilt, terrain relief, and platform movement. This ensures accurate spatial representation within the hyperspectral image.

4) *Noise Reduction*: Addresses random noise arising from various sources, including sensor limitations, electronic interference, and environmental factors. Common noise reduction techniques include:

a) *Spatial Filtering*: Applies smoothing filters to adjacent pixels to reduce high-frequency noise while preserving spectral features.

b) *Spectral Filtering*: Utilizes techniques like Savitzky-Golay filtering to smooth spectral curves and remove noise while preserving spectral peaks and valleys.

C. Data Analysis

The preprocessed hyperspectral data, now a rich source of spectral information, is ready for analysis. Various techniques are employed to extract meaningful insights [6, 7]:

1) *Spectral Feature Extraction*: This step involves identifying specific wavelengths or spectral patterns (spectral signatures) that are characteristic of the materials or properties of interest. Common approaches include:

a) *Band Ratios*: Calculating ratios between reflectance values at different wavelengths to highlight specific features.

b) **Vegetation Indices:** Utilizing combinations of spectral bands to assess vegetation health and properties.

c) **Absorption Feature Analysis:** Identifying and analyzing specific absorption features in the spectrum to determine the presence and abundance of specific materials.

2) **Classification Algorithms:** These algorithms group pixels with similar spectral signatures into predefined classes, enabling the mapping of different materials or conditions within the scene. Popular classification methods include:

a) **Supervised Classification:** Requires training data with known classes to develop a model that can then classify unknown pixels.

b) **Unsupervised Classification:** Groups pixels based on their spectral similarity without prior knowledge of the classes.

3) **Regression Analysis:** Regression analysis establishes a relationship between spectral data and continuous variables, allowing for the prediction of properties like moisture content, nutrient levels, or yield potential.

The choice of data analysis techniques depends on the specific application, research question, and the nature of the hyperspectral data.

In conclusion, hyperspectral imaging involves a complex but powerful chain of processes, from acquiring raw spectral data to extracting meaningful information through sophisticated analysis techniques. By understanding these principles, researchers and practitioners can effectively harness the power of HSI to address a wide range of challenges and advance our understanding of the agricultural landscape.

III. APPLICATIONS IN AGRICULTURE

The integration of hyperspectral imaging technology in agriculture has revolutionized various practices, particularly in precision agriculture. This technology offers a robust means of assessing plant health, monitoring soil properties, and detecting pest infestations, significantly enhancing crop management strategies.

A. Crop Health Monitoring

Hyperspectral imaging plays a crucial role in monitoring crop health. It enables the estimation of biochemical characteristics, such as chlorophyll content and water levels, which are essential indicators of plant vitality. Recent studies have highlighted its effectiveness in identifying disease threats and nutrient deficiencies early, allowing farmers to respond with targeted interventions [8, 9]. For instance, researchers have utilized hyperspectral imaging to assess the health of

potato crops by detecting the pathogen *Phytophthora infestans*, enabling timely management of the disease [10].

B. Soil and Nutrient Assessment

Beyond plant health, hyperspectral imaging is invaluable in evaluating soil properties and nutrient content. This technology aids in mapping soil moisture levels and nutrient variability, which are critical for optimizing crop management practices. Studies employing laboratory-based hyperspectral imaging techniques have successfully predicted macro and microelements in soils, thereby facilitating better fertilization strategies [11-13]. Furthermore, hyperspectral imagery has been instrumental in estimating soil organic carbon, a key parameter influencing agricultural productivity.

C. Water Content Analysis

In the context of rising climate challenges, assessing the water content in plants has become increasingly important. Hyperspectral imaging has proven reliable for monitoring moisture levels in various crops, including maize and wheat, particularly in regions susceptible to drought [14, 15]. This capability allows for more informed irrigation practices, promoting efficient water use and enhancing crop resilience to climate variability.

D. Pest and Disease Detection

The ability to detect biotic stressors, such as pests and diseases, is another significant application of hyperspectral imaging. By analyzing the spectral data, farmers can identify infestations at an early stage, which is crucial for mitigating yield losses. For example, HSI can be used to detect early signs of fungal infections in strawberries or identify specific pests based on their unique spectral signatures. This technology enables a precision approach to pest management, reducing reliance on chemical interventions and promoting sustainable agricultural practices [16].

E. Pesticide Residue Detection

Hyperspectral imaging has also emerged as a powerful tool for detecting pesticide residues on agricultural products. Recent advancements have integrated spectral analysis with machine learning methods to enhance the accuracy and speed of pesticide detection on crops such as lettuce. This approach simplifies the modeling process and allows for real-time monitoring, thereby improving food safety and consumer health.

The preceding sections have highlighted the diverse applications of HSI in agriculture. Table I provides a comparative overview of these applications, showcasing their respective strengths, limitations, and illustrative examples.

TABLE I. COMPARISON OF DIFFERENT APPLICATIONS OF HYPERSPECTRAL IMAGING TECHNOLOGY IN AGRICULTURE

Application Area	Advantages	Limitations	Example
Crop Health Monitoring	Rapid, non-destructive detection of pests, diseases, and nutrient deficiencies; Monitoring plant growth status; Yield improvement	Relatively high cost; Complex data processing	Identification of diseased grape leaves [17]
Soil and Nutrient Assessment	Rapid mapping of soil nutrient distribution; Optimization of fertilization schemes; Reduction of fertilizer waste	Need for ground truth data; Limited soil depth penetration	Prediction of nitrogen, phosphorus, and potassium content in soil [18]

Application Area	Advantages	Limitations	Example
Water Content Analysis	Real-time monitoring of crop water stress; Optimization of irrigation strategies; Water conservation	Susceptibility to environmental factors; Requires specific band selection	Monitoring canopy water content in wheat [19]
Pest and Disease Detection	Early identification of pests and diseases; Reduction of pesticide use; Yield improvement	Requires large training datasets; Recognition accuracy affected by environmental factors	Identification of aphid infestation on cotton [20]
Pesticide Residue	Rapid detection of pesticide residues; Ensuring food safety; Reduction of trade disputes	Need to establish reliable models; Limited by detection limits	Detection of pesticide residues on grape surfaces [21]

IV. RECENT ADVANCEMENTS

A. Development of In-House Detection Devices

Recent studies have highlighted the creation of an in-house detection and acquisition device tailored for collecting and detecting pesticide residue images. This device integrates a filter and light source with characteristic wavelengths, offering a more targeted and cost-effective alternative to conventional spectral image detection devices [22]. By addressing the overwhelming workload typically associated with complex image processing methods, this new device incorporates an automated program that streamlines processes such as image preprocessing, characteristic information extraction, and training modeling.

B. Implementation of Deep Learning Techniques

Deep learning has emerged as a pivotal technique in enhancing the detection of pesticide residues. In particular, the use of a 1D Convolutional Neural Network (CNN) with a multi-branch structure has demonstrated significant improvements in the extraction of spectral depth features across various levels and scales. This method allows for efficient processing of spectral data without the need for prior feature band screening [23]. The advantages of deep learning include its capacity for rapid feature learning and the ability to handle high-dimensional data, which is critical for hyperspectral imaging applications. Figure 3 depicts a simplified representation of how deep learning, particularly convolutional neural networks (CNNs), can be employed for feature extraction and classification of hyperspectral images, enabling more accurate and efficient analysis.




Figure 3. Application of deep learning in hyperspectral image processing

C. Attention Mechanisms in Data Processing

The introduction of attention mechanisms within deep learning models has further optimized the detection process. By highlighting important information within the spectral data, these mechanisms enhance the model's efficiency and computational effectiveness. This is accomplished by focusing on the correlations between elements within the input data, enabling the model to prioritize significant features while suppressing less relevant information [24].

D. Integration of Hyperspectral Imaging in Agriculture

Ground-based hyperspectral imaging sensors are becoming increasingly prominent for agricultural applications, capable of acquiring super-high-spatial-resolution imagery. These sensors allow for detailed analysis of plant biophysical and biochemical processes, thereby facilitating the early detection of crop stress, diseases, and weeds. With deployments on various platforms, including UAVs and satellite systems, hyperspectral imaging is revolutionizing the approach to agricultural monitoring and pesticide residue detection.

V. FUTURE PROSPECTS

The future of hyperspectral imaging (HSI) technology in detecting pesticide residues and enhancing agricultural practices holds significant promise. As global demands for food production increase amidst challenges like climate change and resource depletion, advancements in HSI, coupled with artificial intelligence (AI), are poised to transform agriculture.

A. Enhanced AI Integration

The integration of AI models with hyperspectral imagery allows for advanced data processing and analysis. This synergy enhances feature extraction and disease detection capabilities, enabling farmers to make more informed decisions regarding crop management and pest control. The potential for AI-driven remote sensing extends beyond immediate agricultural needs, contributing to broader goals such as food security, climate change mitigation, and biodiversity conservation. By harnessing vast amounts of hyperspectral data, researchers can develop strategies that optimize resource utilization and minimize environmental impacts, ultimately improving ecosystem health [25].

B. Sensor Technology Innovations

Future developments in HSI systems are focused on making hyperspectral sensors more compact, efficient, and affordable. Innovations in hardware, including advanced materials and sensor designs, are expected to lead to the proliferation of user-friendly HSI systems that can be adopted across various agricultural settings. Enhanced sensor technologies, such as InGaAs and HgCdTe detectors, will allow for better spectral sensitivity and resolution, facilitating more accurate detection of pesticide residues and other contaminants in agricultural products. [26]

C. Collaborative Efforts and Open Data

Collaboration among researchers, industries, and governments will play a crucial role in the advancement of HSI technology. Initiatives aimed at data sharing and the establishment of open access platforms will foster a collective effort to create comprehensive databases, enabling the development of robust AI models tailored to specific agricultural challenges and regions. Such collaborative frameworks will enhance the adaptability and effectiveness of HSI solutions, making them accessible to a broader range of users, including smallholder farmers.

D. Addressing Challenges in Adoption

Despite the promising future of HSI technology, challenges remain in its adoption due to the complexity and costs associated with current systems. By addressing these barriers, such as through educational initiatives and support for startups, the agricultural sector can more effectively integrate HSI into routine practices for pesticide detection and overall crop health monitoring. As technology continues to evolve, precision agriculture that leverages HSI and AI will likely become standard practice, ensuring a sustainable and resilient food production system for the future.

VI. CONCLUSIONS

Hyperspectral imaging (HSI) offers a powerful and versatile approach for revolutionizing agricultural practices, particularly in pesticide residue detection. Its ability to rapidly capture detailed spectral information enables non-destructive and cost-effective identification of contaminants, overcoming limitations of traditional methods. The integration of HSI with deep learning and attention mechanisms is proving particularly transformative, enhancing both the accuracy and efficiency of detection. Furthermore, the development of more affordable and user-friendly HSI devices is crucial for wider adoption across diverse agricultural sectors.

Looking ahead, HSI, empowered by artificial intelligence, holds immense potential to transform agriculture into a more precise, efficient, and sustainable system. Realizing this potential requires collaborative efforts to address remaining challenges, such as data sharing, standardization, and affordability. As HSI technology continues to advance, its widespread adoption promises to ensure food safety, optimize crop management, and mitigate the environmental impacts of agriculture, ushering in a new era of sustainable food production.

ACKNOWLEDGMENT

The authors acknowledge all anonymous reviewers for their valuable and detailed comments.

REFERENCES

- [1] L. Wan, H. Li, C. Li, A. Wang, Y. Yang and P. Wang, "Hyperspectral sensing of plant diseases: Principle and methods," *Agronomy*, vol. 12, no. 6, pp. 1451, 2022.
- [2] C. Chang, "Advances in Hyperspectral Image Processing Techniques," John Wiley & Sons, 2022.
- [3] J. Stergar, R. Hren and M. Milanič, "Design and Validation of a Custom-Made Laboratory Hyperspectral Imaging System for Biomedical Applications Using a Broadband LED Light Source," *Sensors* (Basel, Switzerland), vol. 22, no. 16, pp. 6274, 2022, doi: 10.3390/s22166274.
- [4] A. Khan, A.D. Vibhute, S. Mali and C.H. Patil, "A systematic review on hyperspectral imaging technology with a machine and deep learning methodology for agricultural applications," *Ecol. Inform.*, vol. 69, pp. 101678, 2022.
- [5] D. Cozzolino, P.J. Williams and L.C. Hoffman, "An overview of pre-processing methods available for hyperspectral imaging applications," *Microchem. J.*, vol. 193, pp. 109129, 2023, doi: 10.1016/j.microc.2023.109129.
- [6] F. Ali, et al., "Spectral Intelligence: AI-Driven Hyperspectral Imaging for Agricultural and Ecosystem Applications," *Agronomy-Basel*, vol. 14, no. 10, pp. 2260, 2024, doi: 10.3390/agronomy14102260.
- [7] M. Liang, Z. Wang, Y. Lin, C. Li, L. Zhang and Y. Liu, "Study on detection of pesticide residues in tobacco based on hyperspectral imaging technology," *Front. Plant Sci.*, vol. 15, pp. 1459886, 2024, doi: 10.3389/fpls.2024.1459886.
- [8] M.M. Antony, C.S. Sandeep, M.M. Bijeesh and M.V. Matham, "A fast analysis approach for crop health monitoring in hydroponic farms using hyperspectral imaging," *Proc. Photonic Technologies in Plant and Agricultural Science, SPIE*, 2024, pp. 108-114.
- [9] J. Qin, et al., "A hyperspectral plant health monitoring system for space crop production," *Front. Plant Sci.*, vol. 14, pp. 1133505, 2023.
- [10] Y. Shi, L. Han, A. Kleerekoper, S. Chang and T. Hu, "Novel cropdocnet model for automated potato late blight disease detection from unmanned aerial vehicle-based hyperspectral imagery," *Remote Sens.*, vol. 14, no. 02, pp. 396, 2022.
- [11] A. Gasmí, C. Gomez, A. Chehbouni, D. Dhiba and M. El Gharous, "Using PRISMA Hyperspectral Satellite Imagery and GIS Approaches for Soil Fertility Mapping (FertiMap) in Northern Morocco," *Remote sensing* (Basel, Switzerland), vol. 14, no. 16, pp. 4080, 2022, doi: 10.3390/rs14164080.
- [12] X. Jiao, H. Liu, W. Wang, J. Zhu and H. Wang, "Estimation of Surface Soil Nutrient Content in Mountainous Citrus Orchards Based on Hyperspectral Data," *Agriculture-Basel*, vol. 14, no. 6, pp. 873, 2024, doi: 10.3390/agriculture14060873.
- [13] A. Raju and R. Subramoniam, "Assessing Soil Nutrient Content and Mapping in Tropical Tamil Nadu, India, through Precursors IperSpettrale Della Mission Applicative Hyperspectral Spectroscopy," *Applied Sciences*, vol. 14, no. 1, pp. 186, 2023.
- [14] C. Zhang, et al., "Leaf water content determination of oilseed rape using near-infrared hyperspectral imaging with deep learning regression methods," *Infrared Phys. Technol.*, vol. 134, pp. 104921, 2023.
- [15] Y. Zhang, J. Wu and A. Wang, "Comparison of various approaches for estimating leaf water content and stomatal conductance in different plant species using hyperspectral data," *Ecol. Indic.*, vol. 142, pp. 109278, 2022.
- [16] Y.E. García-Vera, A. Polochè-Arango, C.A. Mendivelso-Fajardo and F.J. Gutiérrez-Bernal, "Hyperspectral image analysis and machine learning techniques for crop disease detection and identification: A review," *Sustainability*, vol. 16, no. 14, pp. 6064, 2024.
- [17] Z. Yang, J. Tian, Z. Wang and K. Feng, "Monitoring the photosynthetic performance of grape leaves using a hyperspectral-based machine learning model," *Eur. J. Agron.*, vol. 140, pp. 126589, 2022.

- [18] S. Wan, J. Hou, J. Zhao, N. Clarke, C. Kempenaar and X. Chen, "Predicting Soil Organic Matter, Available Nitrogen, Available Phosphorus and Available Potassium in a Black Soil Using a Nearby Hyperspectral Sensor System," *Sensors*, vol. 24, no. 9, pp. 2784, 2024.
- [19] Q. LiM. Gao and Z. Li, "Ground hyper-spectral remote-sensing monitoring of wheat water stress during different growing stages," *Agronomy*, vol. 12, no. 10, pp. 2267, 2022.
- [20] X. Hu, H. Qiao, B. Chen and H. Si, "A novel approach to grade cotton aphid damage severity with hyperspectral index reconstruction," *Applied Sciences*, vol. 12, no. 17, pp. 8760, 2022.
- [21] W. Ye, et al., "Detection of pesticide residue level in grape using hyperspectral imaging with machine learning," *Foods*, vol. 11, no. 11, pp. 1609, 2022.
- [22] H. HuangL. Liu and M.O. Ngadi, "Recent Developments in Hyperspectral Imaging for Assessment of Food Quality and Safety," *Sensors*, vol. 14, no. 4, pp. 7248-7276, 2014.
- [23] Y. Hu, B. Ma, H. Wang, Y. Zhang, Y. Li and G. Yu, "Detecting different pesticide residues on Hami melon surface using hyperspectral imaging combined with 1D-CNN and information fusion," *Front. Plant Sci.*, vol. 14, pp. 1105601, 2023, doi: 10.3389/fpls.2023.1105601.
- [24] Y. Cui, W. Li, L. Chen, L. Wang, J. Jiang and S. Gao, "Feature fusion network model based on dual attention mechanism for hyperspectral image classification," *Ieee Trans. Geosci. Remote Sensing*, 2023.
- [25] S.N. Khonina, N.L. Kazanskiy, I.V. Oseledets, A.V. Nikonorov and M.A. Butt, "Synergy between Artificial Intelligence and Hyperspectral Imagining—A Review," *Technologies*, vol. 12, no. 9, pp. 163, 2024.
- [26] M. Liang, Z. Wang, Y. Lin, C. Li, L. Zhang and Y. Liu, "Study on detection of pesticide residues in tobacco based on hyperspectral imaging technology," *Front. Plant Sci.*, vol. 15, pp. 1459886, 2024.