

Date: 05/03/2026
Name: Dhanya S

I am Dhanya S from Kakumie Software working as an Intern. Today I had my 28 session it was an interesting session.
Today I created a web page using Reactjs, Bootstrap and External CSS named shopZone - it is a shopping website that can be used for shopping purposes.

main.jsx

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import './index.css'
import App from './App.jsx'

createRoot(document.getElementById('root')).render(
  <StrictMode>
    <App />
  </StrictMode>,
)
```

App.jsx

```
import React from 'react'
import { BrowserRouter, Routes, Route } from "react-router-dom";
import Navbar from './components/Navbar';
import Home from './components/Home';
import Kids from './components/Kids';
import Men from './components/Men';
import Women from './components/Women';
import Login from './components/Login';
import Feedback from './components/Feedback';
import ThemeProvider from './context/ThemeContext';
import './App.css';

const App = () => {
  return (
    <ThemeProvider>
      <BrowserRouter>
        <Navbar/>
```

```

    <Routes>
      <Route path="/" element={<Home/>}/>
      <Route path="/kids" element={<Kids/>}/>
      <Route path="/men" element={<Men/>}/>
      <Route path="/women" element={<Women/>}/>
      <Route path="/login" element={<Login/>}/>
      <Route path="/feedback" element={<Feedback/>}/>
    </Routes>
  </BrowserRouter>
</ThemeProvider>
)
}

```

```
export default App
```

App.css

```

body{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  background-color: gainsboro;
  font-family: Arial, Helvetica, sans-serif;
}

```

Feedback.jsx

```

import React, { useContext, useEffect, useState, useRef } from 'react'
import { ThemeContext } from '../context/ThemeContext';
import "../styles/feedback.css"
const Feedback = () => {
  const [name, setName] = useState("");

```

```
const [message, setMessage] = useState("");
const [submitted, setSubmitted] = useState(false);
const inputRef = useRef(null);
const { theme } = useContext(ThemeContext);
```

```
useEffect(() => {
  inputRef.current.focus();
}, []);
```

```
const handleSubmit = (e) => {
  e.preventDefault();
  setSubmitted(true);
};
```

```
return (
  <div className={`feedback ${theme}`}>
    <h2>Feedback Form</h2>
    {!submitted ? (
      <form onSubmit={handleSubmit}>
        <input
          type="text"
          ref={inputRef}
          placeholder="Enter your name"
          value={name}
          onChange={(e) => setName(e.target.value)} />

        <textarea
          placeholder="Enter your feedback"
          value={message}
          onChange={(e) => setMessage(e.target.value)} />
```

```

    <p>Characters: {message.length}</p>
    <button type="submit">Submit</button>
  </form>
) : (
  <h3>Thank you {name} for your feedback</h3>
)}
</div>

);
};
export default Feedback;

```

Feedback.css

```

.feedback {
  padding: 40px;
  text-align: center;
}

.feedback form {
  display: flex;
  flex-direction: column;
  width: 300px;
  margin: auto;
}

.feedback input,
.feedback textarea {
  margin: 10px 0;
  padding: 10px;
  border: 1px solid #ccc;
  border-radius: 5px;
}

.feedback button {

```

```
padding: 10px;
background-color: #4caf50;
color: white;
border: none;
border-radius: 5px;
cursor: pointer;
}
.feedback button:hover {
  background-color: #45a049;
}
.light {
  background-color: white;
  color: black;
}
.dark {
  background-color: #121212;
  color: white;
}
```

Home.jsx

```
import React, {useEffect} from 'react'
import "../styles/Home.css"
```

```
const Home = () => {
  useEffect(()=>{
    console.log("hello")
  },[])

  return (
    <div className='home'>
```

```
<div className='home-text'>
  <h1>New Fashion Collection</h1>
  <p>Explore the latest trends for Men, Women and Kids.</p>
  <button className="shop-btn">Shop Now</button>
</div>
</div>
)
```

```
export default Home
```

Home.css

```
.home {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  padding: 40px 20px;
  text-align: center;
  height: 500px;
  background-image: url("https://images.unsplash.com/photo-1523381210434-271e8be1f52b");
  background-size: cover;
  background-position: center;
  display: flex;
  justify-content: center;
  align-items: center;
}

.home-text {
  text-align: center;
  color: white;
```

```

    background:rgba(0,0,0,0.5);
    padding:30px;
    border-radius:10px;
    transition: transform 2s, background 0.3s, color 0.3s;
}
.home-text:hover{
    transform: rotate(10deg);
    color: black;
    background: rgb(243, 209, 209);
}
.shop-btn{
    margin-top:10px;
    padding:10px 20px;
    border:none;
    background:orange;
    color: black;
    font-size:16px;
    cursor:pointer;
    border-radius:5px;
    transition:0.3s;
}
.shop-btn:hover{
    background: rgb(13, 192, 215);
}

```

Kids.jsx

```

import React from 'react'
import "../styles/Kids.css";

const Kids = () => {

```


return (

<div className="kids-section">

<h2>Kids Collection</h2>

<div className="kids-products">

<div className="kids-card">

<p>Kids T-shirt</p>

<p>₹399</p>

</div>

<div className="kids-card">

<p>Kids Jacket</p>

<p>₹799</p>

</div>

<div className="kids-card">

<p>Kids Toys</p>

<p>₹250</p>

</div>

<div className="kids-card">

<p>Gown</p>

<p>₹2500</p>

</div>

```
        <div className="kids-card">

            

            <p>Kids Shoes</p>

            <p>₹1599</p>

        </div>

    </div>

</div>

)

}
```

export default Kids

Kids.css

```
.kids-section{
    padding:40px;
    text-align:center;
}

.kids-products{
    display:flex;
    justify-content:center;
    gap:30px;
}

.kids-card{
    border:1px solid #ddd;
    padding:15px;
    transition:0.3s;
    background: rgb(200, 235, 240);
}
```

```
.kids-card:hover{
  transform:scale(1.1);
  background-color: rgb(244, 206, 213);
}
```

Login.jsx

```
import React, { useContext, useEffect, useState, useRef } from 'react'
import { ThemeContext } from '../context/ThemeContext';
import "../styles/Login.css"
```

```
const Login = () => {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [submitted, setSubmitted] = useState(false);
  const inputRef = useRef(null);
  const { theme } = useContext(ThemeContext);
```

```
  useEffect(() => {
    inputRef.current.focus();
  }, []);
```

```
  const handleSubmit = (e) => {
    e.preventDefault();
    setSubmitted(true);
  };
```

```
  return (
    <div className={`login ${theme}`}>
      <h2>Login</h2>
      {!submitted ? (
```

```

<form onSubmit={handleSubmit}>
  <input type="text" ref={inputRef}
    placeholder="Enter your name" value={name}
    onChange={(e) => setName(e.target.value)}/>

  <input type="email" placeholder="Enter your email"
    value={email} onChange={(e) => setEmail(e.target.value)}/>
  <button type="submit">Submit</button>
</form>

  ) : (
    <h3>Welcome {name}</h3>
  )}
</div>

);
};

```

```
export default Login;
```

Login.css

```

.login {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  padding: 40px;
  text-align: center;
}

.login form {
  display: flex;
  flex-direction: column;

```

```
width: 300px;
}
.login input {
margin: 10px 0;
padding: 10px;
border: 1px solid #ccc;
border-radius: 5px;
}
.login button {
margin-top: 10px;
padding: 10px;
border: none;
border-radius: 5px;
background-color: orange;
color: black;
cursor: pointer;
}
.login button:hover {
background-color: rgb(13, 192, 215);
}
.light {
background-color: white;
color: black;
}
.dark {
background-color: #121212;
color: white;
}
```

Men.jsx

```

import React from 'react'
import "../styles/Men.css";

const Men = () => {
  return (
    <div className="men-section">
      <h2>Men Collection</h2>
      <div className="men-products">
        <div className="men-card">
          
          <p>Shirt</p>
          <p>₹499</p>
        </div>

        <div className="men-card">
          
          <p>Shoes</p>
          <p>₹1500</p>
        </div>

        <div className="men-card">
          
          <p>Jacket</p>
          <p>₹899</p>
        </div>
      </div>
    </div>
  )
}

```

```

    <div className="men-card">

      

      <p>Men Kurta</p>

      <p>₹1599</p>

    </div>

    <div className="men-card">

      

      <p>Slipper</p>

      <p>₹490</p>

    </div>

  </div>

</div>
)
}

```

```
export default Men
```

Men.css

```

.men-section{
  padding:40px;
  text-align:center;
}

.men-products{
  display:flex;
  justify-content:center;
  gap:30px;
}

```

```
.men-card{
  border:1px solid #ddd;
  padding:15px;
  transition:0.3s;
  background: rgb(200, 235, 240);
}
.men-card:hover{
  transform:scale(1.1);
  background-color: rgb(244, 206, 213);
}
```

Navbar.jsx

```
import React from "react";
import { Link } from "react-router-dom";
import { useContext } from 'react'
import { ThemeContext } from "../context/ThemeContext"
import "../styles/Navbar.css";
```

```
const Navbar = () => {
  const {toggleTheme}=useContext(ThemeContext)
  return (
    <nav className="navbar">
      <h2>🛒 ShopZone</h2>
      <div>
        <Link to="/">Home</Link>
        <Link to="/men">Men</Link>
        <Link to="/women">Women</Link>
        <Link to="/kids">Kids</Link>
        <Link to="/login">Login</Link>
        <Link to="/feedback">Feedback</Link>
```



```
        <button onClick={toggleTheme}>Toggle Theme</button>
      </div>
    </nav>
  )
}
```

```
export default Navbar;
```

Navbar.css

```
.navbar {
  background-color: black;
  color: white;
  padding: 15px 40px;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.navbar h2 {
  margin: 0;
  font-size: 25px;
}

.navbar div {
  display: flex;
  align-items: center;
}

.navbar a {
  color: white;
  margin-right: 20px;
  text-decoration: none;
  font-size: 18px;
}
```

```
}
```

```
.navbar a:hover {  
  color: rgb(13, 192, 215);  
}
```

```
.navbar button {  
  padding: 7px 14px;  
  border: none;  
  border-radius: 5px;  
  cursor: pointer;  
  background-color: orange;  
  color: black;  
  font-size: 14px;  
}
```

```
.navbar button:hover {  
  background-color: rgb(13, 192, 215);  
}
```

Women.jsx

```
import React from 'react'
```

```
import "../styles/Women.css";
```

```
const women = () => {  
  return (  
    <div className="women-section">  
      <h2>Women Collection</h2>  
      <div className="women-products">  
        <div className="women-card">  
            
          <p>Dress</p>  
          <p>₹569</p>  
        </div>  
      </div>  
    </div>  
  )  
}
```

</div>

<div className="women-card">

<p>Handbag</p>

<p>₹1500</p>

</div>

<div className="women-card">

<p>Slipper</p>

<p>₹499</p>

</div>

<div className="women-card">

<p>Saree</p>

<p>₹2799</p>

</div>

<div className="women-card">

<p>Heels</p>

<p>₹999</p>

</div>

</div>

```
</div>
```

```
)
```

```
}
```

```
export default women
```

Women.css

```
.women-section{
```

```
  padding:40px;
```

```
  text-align:center;
```

```
}
```

```
.women-products{
```

```
  display:flex;
```

```
  justify-content:center;
```

```
  gap:30px;
```

```
}
```

```
.women-card{
```

```
  border:1px solid #ddd;
```

```
  padding:15px;
```

```
  transition:0.3s;
```

```
  background: rgb(200, 235, 240);
```

```
}
```

```
.women-card:hover{
```

```
  transform:scale(1.1);
```

```
  background-color: rgb(244, 206, 213);
```

```
}
```

ThemeContext.jsx

```
import { createContext,useState } from "react";
```

```
import React from 'react'
```

```
export const ThemeContext = createContext();

function ThemeProvider({children}){
  const [theme,setTheme]=useState("light");

  const toggleTheme=()=>{
    setTheme(theme==="light"? "dark":"light")
  }
  return (
    <ThemeContext.Provider value={{theme,toggleTheme}}>
      {children}
    </ThemeContext.Provider>
  )
}

export default ThemeProvider;
```

New Fashion Collection

Explore the latest trends for Men, Women and Kids.

[Shop Now](#)

New Fashion Collection

Explore the latest trends for Men, Women and Kids.

[Shop Now](#)

Men Collection



Shirt
₹499



Shoes
₹1500



Jacket
₹899



Men Kurta
₹1599



Slipper
₹490

Women Collection



Dress
₹569



Handbag
₹1500



Slipper
₹499



Saree
₹2799



Heels
₹999

Kids Collection



Kids T-shirt
₹399



Kids Jacket
₹799



Kids Toys
₹250



Gown
₹2500



Kids Shoes
₹1599

Login

Login

Welcome Dhanya

Feedback Form

Characters: 10

Feedback Form

Thank you Dhanya for your feedback