

Date: 05/03/2026
Name: Dhanya S

I am Dhanya S from Kakunje Software working as an Intern. Today I had my 28 session it was an interesting session.
Today I created a web page using ReactJs, Bootstrap and External CSS named ShopZone - it is a shopping website that can be used for shopping purposes.

main.jsx

```
import { StrictMode } from 'react'
import { createRoot } from 'react-dom/client'
import './index.css'
import App from './App.jsx'

createRoot(document.getElementById('root')).render(
  <StrictMode>
    <App />
  </StrictMode>,
)
```

App.jsx

```
import React from 'react'
import { BrowserRouter, Routes, Route } from "react-router-dom";
import Navbar from './components/Navbar';
import Home from './components/Home';
import Kids from './components/Kids';
import Men from './components/Men';
import Women from './components/Women';
import Login from './components/Login';
import Feedback from './components/Feedback';
import ThemeProvider from './context/ThemeContext';
import './App.css';

const App = () => {
  return (
    <ThemeProvider>
      <BrowserRouter>
        <Navbar/>
```

```

    <Routes>
      <Route path="/" element={<Home/>}/>
      <Route path="/kids" element={<Kids/>}/>
      <Route path="/men" element={<Men/>}/>
      <Route path="/women" element={<Women/>}/>
      <Route path="/login" element={<Login/>}/>
      <Route path="/feedback" element={<Feedback/>}/>
    </Routes>
  </BrowserRouter>
</ThemeProvider>
)
}

```

```
export default App
```

App.css

```

body{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  background-color: gainsboro;
  font-family: Arial, Helvetica, sans-serif;
}

```

Feedback.jsx

```

import React, { useContext, useEffect, useState, useRef } from 'react'
import { ThemeContext } from '../context/ThemeContext';
import "../styles/feedback.css"
const Feedback = () => {
  const [name, setName] = useState("");

```

```
const [email, setEmail] = useState("");
const [message, setMessage] = useState("");
const [submitted, setSubmitted] = useState(false);
const inputRef = useRef(null);
const { theme } = useContext(ThemeContext);
```

```
useEffect(() => {
  inputRef.current.focus();
}, []);
```

```
const handleSubmit = (e) => {
  e.preventDefault();
  setSubmitted(true);
};
```

```
return (
  <div className={`feedback ${theme}`}>
    <h2>Feedback Form</h2>
    {!submitted ? (
      <form onSubmit={handleSubmit}>
        <input
          type="text"
          ref={inputRef}
          placeholder="Enter your name"
          value={name}
          onChange={(e) => setName(e.target.value)} />

        <input type="email" placeholder="Enter your email" required
          value={email} onChange={(e) => setEmail(e.target.value)} />
      </form>
    ) : (
      <div>
        <p>Feedback submitted successfully</p>
        <p>Thank you for your feedback</p>
      </div>
    )}
  </div>
);
```

```

        <textarea
        placeholder="Enter your feedback"
        value={message}
        onChange={(e) => setMessage(e.target.value)} />
        <p>Characters: {message.length}</p>
        <button type="submit">Submit</button>
    </form>
  ) : (
    <h3>Thank you {name} for your feedback 🎉 <br/>Shop more on 🛒 ShopZone</h3>
  )}
</div>

);
};

export default Feedback;

```

Feedback.css

```

.feedback {
  padding: 40px;
  text-align: center;
  font-size: 25px;
}

.feedback form {
  display: flex;
  flex-direction: column;
  width: 300px;
  margin: auto;
}

.feedback input,
.feedback textarea {
  margin: 10px 0;
}

```

```
padding: 10px;
border: 1px solid #ccc;
border-radius: 5px;
}
.feedback button {
padding: 10px;
background-color: #4caf50;
color: white;
border: none;
border-radius: 5px;
cursor: pointer;
}
.feedback button:hover {
background-color: #45a049;
}
.light {
background-color: white;
color: black;
}
.dark {
background-color: #9b8a8a;
color: white;
height: 500px;
}
```

Home.jsx

```
import React, {useEffect} from 'react'
import "../styles/Home.css"

const Home = () => {
```

```
useEffect(()=>{
  console.log("hello")
},[])

return (
  <div className='home'>
    <div className='home-text'>
      <h1>New Fashion Collection</h1>
      <p>Explore the latest trends for Men, Women and Kids.</p>
      <button className="shop-btn">Shop Now</button>
    </div>
  </div>
)
}

export default Home
```

Home.css

```
.home {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  padding: 40px 20px;
  text-align: center;
  height:500px;
  background-
image:url("https://png.pngtree.com/thumb_back/fw800/background/20231003/pngtree-3d-
rendering-of-a-modern-online-ecommerce-shopping-interface-image_13572263.png");
  background-size:cover;
  background-position:center;
```

```
display:flex;
justify-content:center;
align-items:center;
}
.home-text{
  text-align:center;
  color:white;
  background:rgba(0, 0, 0, 0.5);
  padding:30px;
  border-radius:10px;
  transition: transform 2s, background 0.3s, color 0.3s;
}
.home-text:hover{
  transform: rotate(10deg);
  color: black;
  background:rgba(245, 227, 227, 0.5);
}
.shop-btn{
  margin-top:10px;
  padding:10px 20px;
  border:none;
  background:orange;
  color: black;
  font-size:16px;
  cursor:pointer;
  border-radius:5px;
  transition:0.3s;
}
.shop-btn:hover{
  background: rgb(13, 192, 215);
```



```
}
```

Kids.jsx

```
import React from 'react'
```

```
import "../styles/Kids.css";
```

```
const Kids = () => {
```

```
  return (
```

```
    <div className="kids-section">
```

```
      <h2>Kids Collection</h2>
```

```
      <div className="kids-products">
```

```
        <div className="kids-card">
```

```
          
```

```
          <p>Kids T-shirt</p>
```

```
          <p>₹399</p>
```

```
        <button>Add to Cart</button>
```

```
      </div>
```

```
      <div className="kids-card">
```

```
        
```

```
        <p>Kids Jacket</p>
```

```
        <p>₹799</p>
```

```
      <button>Add to Cart</button>
```

```
    </div>
```

```
    <div className="kids-card">
```

```
      
```

```

        <p>Kids Toys</p>

        <p>₹250</p>
<button>Add to Cart</button>

</div>

<div className="kids-card">

    

    <p>Gown</p>

    <p>₹2500</p>
<button>Add to Cart</button>

</div>

<div className="kids-card">

    

    <p>Kids Shoes</p>

    <p>₹1599</p>
<button>Add to Cart</button>

</div>

</div>

</div>

)
}

```

```
export default Kids
```

Kids.css

```

.kids-section{
    display: flex;

```

```
flex-direction: column;
justify-content: center;
align-items: center;
padding: 40px 20px;
text-align: center;
height: 500px;
background-
image: url("https://png.pngtree.com/thumb_back/fw800/background/20231003/pngtree-3d-
rendering-of-a-modern-online-ecommerce-shopping-interface-image_13572263.png");
background-size: cover;
background-position: center;
display: flex;
justify-content: center;
align-items: center;
}
.kids-section h2 {
margin-top: 0;
padding: 20px;
text-align: center;
color: white;
font-size: 35px;
}
.kids-products {
display: flex;
justify-content: center;
gap: 30px;
}
.kids-card {
border: 1px solid #ddd;
padding: 15px;
transition: 0.3s;
```

```

    background: rgb(121, 179, 188);
  }
  .kids-card:hover{
    transform:scale(1.1);
    background:rgba(0, 0, 0, 0.5);
    color:white;
  }
  .kids-card button{
    font-size: 15px;
    color:black;
    background-color: white;
    cursor: pointer;
    border:none;
    border-radius: 5px;
  }

```

Login.jsx

```

import React, { useContext, useEffect, useState, useRef } from 'react'
import { ThemeContext } from '../context/ThemeContext';
import "../styles/Login.css"

const Login = () => {
  const [name, setName] = useState("");
  const [email, setEmail] = useState("");
  const [password, setPassword] = useState("");
  const [submitted, setSubmitted] = useState(false);
  const inputRef = useRef(null);
  const { theme } = useContext(ThemeContext);

  useEffect(() => {

```

```
inputRef.current.focus();  
}, []);
```

```
const handleSubmit = (e) => {  
  e.preventDefault();  
  setSubmitted(true);  
};
```

```
return (  
  <div className={`login ${theme}`} >  
    <h2>Login</h2>  
    {!submitted ? (  
      <form onSubmit={handleSubmit}>  
        <input type="text" ref={inputRef}  
          placeholder="Enter your name" value={name}  
          onChange={(e) => setName(e.target.value)} />  
  
        <input type="email" placeholder="Enter your email"  
          value={email} onChange={(e) => setEmail(e.target.value)} />  
  
        <input type="password" ref={inputRef}  
          placeholder="Enter password" required value={password}  
          onChange={(e) => setPassword(e.target.value)} />  
  
        <button type="submit">Submit</button>  
      </form>  
    ) : (  
      <h3>Welcome {name} for  ShopZOne</h3>  
    )}  
  </div>
```

```
);  
};
```

```
export default Login;
```

Login.css

```
.login {  
  display: flex;  
  flex-direction: column;  
  justify-content: center;  
  align-items: center;  
  padding: 40px;  
  text-align: center;  
  font-size: 25px;  
}  
  
.login form {  
  display: flex;  
  flex-direction: column;  
  width: 300px;  
}  
  
.login input {  
  margin: 10px 0;  
  padding: 10px;  
  border: 1px solid #ccc;  
  border-radius: 5px;  
}  
  
.login button {  
  margin-top: 10px;  
  padding: 10px;  
  border: none;
```

```
border-radius: 5px;
background-color: orange;
color: black;
cursor: pointer;
}
.login button:hover {
background-color: rgb(13, 192, 215);
}
.light {
background-color: white;
color: black;
}
.dark {
background-color: #9b8a8a;
color: white;
height: 500px;
}
```

Men.jsx

```
import React from 'react'
import "../styles/Men.css";

const Men = () => {
  return (
    <div className="men-section">
      <h2>Men Collection</h2>
      <div className="men-products">
        <div className="men-card">
          

<p>Shirt</p>

<p>₹499</p>

<button>Add to Cart</button>

</div>

<div className="men-card">



<p>Shoes</p>

<p>₹1500</p>

<button>Add to Cart</button>

</div>

<div className="men-card">



<p>Jacket</p>

<p>₹899</p>

<button>Add to Cart</button>

</div>

<div className="men-card">



<p>Men Kurta</p>

<p>₹1599</p>

<button>Add to Cart</button>

</div>



```

 <div className="men-card">

 <p>Slipper</p>
 <p>₹490</p>
 <button>Add to Cart</button>
 </div>
</div>
</div>
)
}

```

export default Men

### Men.css

```

.men-section{
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
 padding: 40px 20px;
 text-align: center;
 height:500px;
 background-
image:url("https://png.pngtree.com/thumb_back/fw800/background/20231003/pngtree-3d-
rendering-of-a-modern-online-ecommerce-shopping-interface-image_13572263.png");
 background-size:cover;
 background-position:center;
 display:flex;
 justify-content:center;

```

```
 align-items:center;
}

.men-section h2{
 margin-top: 0;
 padding:20px;
 text-align:center;
 color: white;
 font-size: 35px;
}

.men-products{
 display:flex;
 justify-content:center;
 gap:30px;
}

.men-card{
 border:1px solid #ddd;
 padding:15px;
 transition:0.3s;
 background: rgb(121, 179, 188);
}

.men-card:hover{
 transform:scale(1.1);
 background:rgba(0, 0, 0, 0.5);
 color:white;
}

.men-card button{
 font-size: 15px;
 color:black;
 background-color: white;
 cursor: pointer;
```

```
border:none;

border-radius: 5px;

}
```

### **Navbar.jsx**

```
import React from "react";
import { Link } from "react-router-dom";
import { useContext } from 'react'
import {ThemeContext} from "../context/ThemeContext"
import "../styles/Navbar.css";

const Navbar = () => {
 const {toggleTheme}=useContext(ThemeContext)
 return (
 <nav className="navbar">
 <h2>🛒 ShopZone</h2>
 <div>
 <Link to="/">Home</Link>
 <Link to="/men">Men</Link>
 <Link to="/women">Women</Link>
 <Link to="/kids">Kids</Link>
 <Link to="/login">Login</Link>
 <Link to="/feedback">Feedback</Link>
 <button onClick={toggleTheme}>Toggle Theme</button>
 </div>
 </nav>
)
}

export default Navbar;
```

## Navbar.css

```
.navbar {
 background-color: black;
 color: white;
 padding: 15px 40px;
 display: flex;
 justify-content: space-between;
 align-items: center;
}

.navbar h2 {
 margin: 0;
 font-size: 25px;
}

.navbar div {
 display: flex;
 align-items: center;
}

.navbar a {
 color: white;
 margin-right: 20px;
 text-decoration: none;
 font-size: 18px;
}

.navbar a:hover {
 color: rgb(13, 192, 215);
}

.navbar button {
 padding: 7px 14px;
```

```

border: none;
border-radius: 5px;
cursor: pointer;
background-color: orange;
color: black;
font-size: 14px;
}
.navbar button:hover {
 background-color: rgb(13, 192, 215);
}

```

### **Women.jsx**

```

import React from 'react'
import "../styles/Women.css";

const women = () => {
 return (
 <div className="women-section">
 <h2>Women Collection</h2>
 <div className="women-products">
 <div className="women-card">

 <p>Dress</p>
 <p>₹569</p>
 <button>Add to Cart</button>
 </div>

 <div className="women-card">


```

<p>Handbag</p>

<p>₹1500</p>

<button>Add to Cart</button>

</div>

<div className="women-card">



<p>Slipper</p>

<p>₹499</p>

<button>Add to Cart</button>

</div>

<div className="women-card">



<p>Saree</p>

<p>₹2799</p>

<button>Add to Cart</button>

</div>

<div className="women-card">



<p>Heels</p>

<p>₹999</p>

<button>Add to Cart</button>

</div>

</div>

</div>

)

```
}
```

```
export default women
```

### **Women.css**

```
.women-section{
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
 padding: 40px 20px;
 text-align: center;
 height:500px;
 background-
image:url("https://png.pngtree.com/thumb_back/fw800/background/20231003/pngtree-3d-
rendering-of-a-modern-online-ecommerce-shopping-interface-image_13572263.png");
 background-size:cover;
 background-position:center;
 display:flex;
 justify-content:center;
 align-items:center;
}
.women-section h2{
 margin-top: 0;
 padding:20px;
 text-align:center;
 color: white;
 font-size: 35px;
}
.women-products{
 display:flex;
```

```

 justify-content:center;
 gap:30px;
}
.women-card{
 border:1px solid #ddd;
 padding:15px;
 transition:0.3s;
 background: rgb(121, 179, 188);
}
.women-card:hover{
 transform:scale(1.1);
 background:rgba(0, 0, 0, 0.5);
 color:white;
}
.women-card button{
 font-size: 15px;
 color:black;
 background-color: white;
 cursor: pointer;
 border:none;
 border-radius: 5px;
}

```

### **ThemeContext.jsx**

```

import { createContext,useState } from "react";
import React from 'react'

export const ThemeContext = createContext();

function ThemeProvider({children}){
 const [theme,setTheme]=useState("light");

```



```
const toggleTheme=()=>{
 setTheme(theme==="light"? "dark":"light")
}
return (
 <ThemeContext.Provider value={{theme,toggleTheme}}>
 {children}
 </ThemeContext.Provider>
)
}

export default ThemeProvider;
```

## New Fashion Collection

Explore the latest trends for Men, Women and Kids.

[Shop Now](#)



## Men Collection



Shirt

₹499

[Add to Cart](#)



Shoes

₹1500

[Add to Cart](#)



Jacket

₹899

[Add to Cart](#)



Men Kurta

₹1599

[Add to Cart](#)



Slipper

₹490

[Add to Cart](#)

## Women Collection



Dress

₹569

[Add to Cart](#)



Handbag

₹1500

[Add to Cart](#)



Slipper

₹499

[Add to Cart](#)



Saree

₹2799

[Add to Cart](#)



Heels

₹999

[Add to Cart](#)

## Kids Collection



Kids T-shirt

₹399

[Add to Cart](#)



Kids Jacket

₹799

[Add to Cart](#)



Kids Toys

₹250

[Add to Cart](#)



Gown

₹2500

[Add to Cart](#)



Kids Shoes

₹1599

[Add to Cart](#)

# Login

!

Please fill out this field.

[Submit](#)

## Login

Welcome Dhanya for  ShopZOne



## Feedback

Characters: 12

## Feedback

Thank you dhanya for your feedback   
Shop more on  ShopZone