

Date: 12/02/2026
Name: Dhanya S

I am Dhanya S from Kakunje software working as an intern. Today i had my 10 session it was a interesting session and mam had thought us about JavaScript programming language. Today i learned the basic tags in JavaScript like inline js, internal js, external js, how to use the <script> tag, different output tags like mostly we use document.getElementById() and console.log(), JavaScript variables like var, let and const, lexical scope, hoisting in JS, different types of operators and datatypes that is primitive and non-primitive datatypes.

1task.html > html > body

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <p id="text">Hello World</p>
10  <button type="button" onclick="document.getElementById('text').innerHTML='Hello JavaScript'">Click</button>
11 </body>
12 </html>
```

Hello World

Click

Hello JavaScript

Click

2task.html > html > body > button

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7  </head>
8  <body>
9    <h2 id="heading">Welcome</h2>
10   <button type="button" onclick="document.getElementById('heading').style.color='blue'">Click</button>
11 </body>
12 </html>
```

Welcome

Click

Welcome

Click

3task.html > html

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <div id="box">This is a box</div>
10  <button type="button" onclick="document.getElementById('box').style.backgroundColor='yellow'">Click</button>
11 </body>
12 </html>
```


This is a box

Click

This is a box

Click

<> 4task.html >  html

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7  </head>
8  <body>
9      
10     <button onclick="document.getElementById('myImg').src='ff.jpeg'">Click</button>
11 </body>
12 </html>
```



Click



Click

5task.html > html > body > button

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4    <meta charset="UTF-8">
5    <meta name="viewport" content="width=device-width, initial-scale=1.0">
6    <title>Document</title>
7  </head>
8  <body>
9    <p id="para">Text here</p>
10   <button type="button" onclick="document.getElementById('para').style.fontSize='30px'">Click</button>
11 </body>
12 </html>
```

Text here

Click

Text here

Click

6task.html > html > body

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7  </head>
8  <body>
9      <p id="hideText">Hide me</p>
10     <button type="button" onclick="document.getElementById('hideText').style.display='none'">Click</button>
11 </body>
12 </html>
```

Hide me

Click

Click

7task.html > html > body > button

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <p id="hiddentext" style="display: none;">this text is hidden</p>
10  <button onclick="document.getElementById('hiddentext').style.display='block'">Click</button>
11 </body>
12 </html>
```

Click

this text is hidden

Click

<> 8task.html > html > body > script

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7  </head>
8  <body>
9      <script>
10     console.log(10 == "10");
11
12     console.log(10 === "10");
13
14     console.log(null == undefined);
15
16     console.log(null === undefined);
17
18     let x = 5;
19     console.log(x++);
20
21     let y = 5;
22     console.log(++y);
23
24     console.log(5 >= "5");
25
26     console.log(typeof(10 == "10"));
27
28     console.log("10" * "2");
29
30     console.log("5" - 2);
31
32     let age = 18;
33     console.log(age >= 18 && age < 60);
34
35     console.log(true || false);
36
```

```
28 console.log("10" * "2");
29
30 console.log("5" - 2);
31
32 let age = 18;
33 console.log(age >= 18 && age < 60);
34
35 console.log(true || false);
36
37 console.log(!true);
38 </script>
39 </body>
40 </html>
```


		 Elements	 Console	 Sources								
		top ▼	 Filter	Default levels ▼ ▼				No Issues				
true												8task.html:10
false												8task.html:12
true												8task.html:14
false												8task.html:16
5												8task.html:19
6												8task.html:22
true												8task.html:24
boolean												8task.html:26
20												8task.html:28
3												8task.html:30
true												8task.html:33
true												8task.html:35
false												8task.html:37