

Date: 14/03/2026
Name: Dhanya S

I am Dhanya S from Kakunje Software working as an Intern. Today I had my 36 session it was an interesting session and mam had taught us about Nodejs. Today I learned about request object - req.params, req.query, req.body, req.headers, response methods like res.send(), res.json(), res.status(), error handling in nodejs, error handling using global middleware, CRUD operation in nodejs.

JS crud.js > ...

```
1  import express from "express";
2  const app = express();
3  app.use(express.json());
4  let products = [
5    { id: 1, name: "Laptop", price: 50000 },
6    { id: 2, name: "Mobile", price: 20000 }
7  ];
8
9  app.get("/products", (req, res) => {
10    res.json(products);
11  });
12
13  app.post("/products", (req, res) => {
14    const newProduct = {
15      id: products.length+1,
16      name: req.body.name,
17      price: req.body.price
18    };
19    products.push(newProduct);
20    res.status(201).json(newProduct);
21  });
22
23  app.put("/products/:id", (req, res) => {
24    const id = parseInt(req.params.id);
25    const product = products.find(p => p.id === id);
26    if (!product) {
27      return res.status(404).send("Product not found");
28    }
29    product.name = req.body.name;
30    product.price = req.body.price;
31    res.json(product);
32  });
33
34  app.delete("/products/:id", (req, res) => {
35    const id = parseInt(req.params.id);
36    products = products.filter(p => p.id !== id);
37    res.send("Product deleted");
```

```
33
34 app.delete("/products/:id", (req, res) => {
35     const id = parseInt(req.params.id);
36     products = products.filter(p => p.id !== id);
37     res.send("Product deleted");
38 });
39
40 app.listen(3000, () => {
41     console.log("Server is running");
42 });
43
```



http://localhost:3000/products

GET



http://localhost:3000/products

Params

Authorization

Headers (7)

Body

Scripts

Settings

Query Params

Key

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON ▾



```
1  [
2    {
3      "id": 1,
4      "name": "Laptop",
5      "price": 50000
6    },
7    {
8      "id": 2,
9      "name": "Mobile",
10     "price": 20000
11   }
12 ]
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

POSTMAN CONSOLE

```
PS C:\Users\Dhanya\OneDrive\Desktop\nodejs>
PS C:\Users\Dhanya\OneDrive\Desktop\nodejs> node crud.js
Server is running
```





http://localhost:3000/products

POST



http://localhost:3000/products

Params

Authorization

Headers (9)

Body ●

Scripts

Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▾

```
1 [{"name": "Tablet", "price": 15000}]
```

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON ▾



```
1 {
2   "id": 3,
3   "name": "Tablet",
4   "price": 15000
5 }
```



http://localhost:3000/products

GET



http://localhost:3000/products

Params

Authorization

Headers (7)

Body

Scripts

Settings



none



form-data



x-www-form-urlencoded



raw



binary



GraphQL

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON



```
1  [
2      {
3          "id": 1,
4          "name": "Laptop",
5          "price": 50000
6      },
7      {
8          "id": 2,
9          "name": "Mobile",
10         "price": 20000
11     },
12     {
13         "id": 3,
14         "name": "Tablet",
15         "price": 15000
16     }
17 ]
```



http://localhost:3000/products/1

PUT



http://localhost:3000/products/1

Params

Authorization

Headers (9)

Body ●

Scripts

Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL JSON ▼

```
1 [{"id":1,"name":"Lap","price":45000}]
```

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON ▼



```
1 {
2   "id": 1,
3   "name": "Lap",
4   "price": 45000
5 }
```



http://localhost:3000/products

GET



http://localhost:3000/products

Params

Authorization

Headers (7)

Body

Scripts

Settings



none



form-data



x-www-form-urlencoded



raw



binary



GraphQL

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON ▾



```
1  [
2    {
3      "id": 1,
4      "name": "Lap",
5      "price": 45000
6    },
7    {
8      "id": 2,
9      "name": "Mobile",
10     "price": 20000
11   },
12   {
13     "id": 3,
14     "name": "Tablet",
15     "price": 15000
16   }
17 ]
```



http://localhost:3000/products/1

DELETE



http://localhost:3000/products/1

Params

Authorization

Headers (7)

Body

Scripts

Settings



none



form-data



x-www-form-urlencoded



raw



binary



GraphQL

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

HTML



1 Product deleted



http://localhost:3000/products

GET



http://localhost:3000/products

Params

Authorization

Headers (7)

Body

Scripts

Settings

☒ none ☐ form-data ☐ x-www-form-urlencoded ☐ raw ☐ binary ☐ GraphQL

Body

Cookies

Headers (7)

Test Results

Pretty

Raw

Preview

JSON



```
1  [
2    {
3      "id": 2,
4      "name": "Mobile",
5      "price": 20000
6    },
7    {
8      "id": 3,
9      "name": "Tablet",
10     "price": 15000
11   }
12 ]
```