



# GET



Postman interface showing a GET request to `localhost:8080/api/service-bookings`. The response is a JSON array of two booking objects, displayed in the Pretty view.

```
1 {
2   {
3     "id": 1,
4     "date": "2024-01-20",
5     "bike": {
6       "id": 1,
7       "model": "Mountain Bike",
8       "year": 2024
9     },
10    "user": {
11      "id": 1,
12      "username": "dhanya",
13      "password": "password1"
14    }
15  },
16  {
17    "id": 2,
18    "date": "2024-01-21",
19    "bike": {
20      "id": 2,
21      "model": "Honda",
22      "year": 2023
23    },
24    "user": {
25      "id": 2,
26      "username": "varshini",
27      "password": "password2"
28    }
29  }
30 }
```

Postman interface showing a GET request to `localhost:8080/api/service-bookings`. The response is a JSON array of two booking objects, displayed in the Pretty view.

```
1 {
2   {
3     "id": 1,
4     "date": "2024-01-20",
5     "bike": {
6       "id": 1,
7       "model": "Mountain Bike",
8       "year": 2024
9     },
10    "user": {
11      "id": 1,
12      "username": "dhanya",
13      "password": "password1"
14    }
15  },
16  {
17    "id": 2,
18    "date": "2024-01-21",
19    "bike": {
20      "id": 2,
21      "model": "Honda",
22      "year": 2023
23    },
24    "user": {
25      "id": 2,
26      "username": "varshini",
27      "password": "password2"
28    }
29  }
30 }
```

OverviewGetting startedRunnerGET localhost:8080/api/ser+No Environment

localhost:8080/api/service-bookingsSaveSend



GETlocalhost:8080/api/service-bookings

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettingsCookies

BodyCookiesHeaders (5)Test ResultsStatus: 200 OKTime: 42 msSize: 570 BSave as example

PrettyRawPreviewVisualizeJSON

```
18      "date": "2024-01-21",
19      "bike": {
20        "id": 2,
21        "model": "Honda",
22        "year": 2023
23      },
24      "user": {
25        "id": 2,
26        "username": "vazshini",
27        "password": "password2"
28      }
29    },
30    {
31      "id": 3,
32      "date": "2024-01-22",
33      "bike": {
34        "id": 3,
35        "model": "Hero",
36        "year": 2022
37      },
38      "user": {
39        "id": 3,
40        "username": "mythri",
41        "password": "password3"
42      }
43    }
44  ]
```



# POST

localhost:8080/api/bikes

POSTlocalhost:8080/api/bikes

Send

ParamsAuthorizationHeaders (8)BodyPre-request ScriptTestsSettings

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

```
1 {
2   "model": "yamaha Bike",
3   "year": 2022
4 }
```

BodyCookiesHeaders (5)Test Results

Status: 200 OKTime: 264 msSize: 206 BSave as example

PrettyRawPreviewVisualizeJSON

```
1 {
2   "id": 4,
3   "model": "yamaha Bike",
4   "year": 2022
5 }
```

Limit to 1000 rows

16id INT PRIMARY KEY AUTO\_INCREMENT,
17model VARCHAR(255),
18year INT
19);
20• INSERT INTO bike (model, year) VALUES
21('Mountain Bike', 2024),
22('Honda', 2023),
23('Hero', 2022);
24• select \* from bike;
25
26• CREATE TABLE service\_booking (
27id INT PRIMARY KEY AUTO INCREMENT,

Result GridFilter Rows:

idmodelyear
1Mountain Bike2024
2Honda2023
3Hero2022
4yamaha Bike2022
•NULLNULLNULL