

Cucumber Report

18 Dec 2023, 22:51:53

Start : Dec 18, 10:51:03.961 pm

End : Dec 18, 10:51:52.386 pm

Duration : 48.425 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 2
SKIPPED - 15




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login Test Feature</u>	25.302 s	1	0	1	0	4	1	1	2
<u>User Test Feature</u>	23.063 s	1	0	1	0	15	1	1	13

#	Feature Name	Scenario Name
1	<u>Login Test Feature</u>	<u>User should login successfully</u>
2	<u>User Test Feature</u>	<u>Admin should add user successFully().</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	2	0	2	0	2	0	2	0
@regression	2	0	2	0	2	0	2	0
@sanity	2	0	2	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	Login Test Feature	1	0	1	0	25.302 s
2	User Test Feature	1	0	1	0	23.063 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Test Feature	User should login successfully	4	1	1	2	25.293 s
2	User Test Feature	Admin should add user successFully().	15	1	1	13	23.062 s


Login Test Feature

FAILED	DURATION - 25.302 s	Scenarios		Steps	
/ 10:51:03.961 pm // 10:51:29.263 pm /		Total - 1		Total - 4	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	



User should login successfully

<div>FAILED</div> <div>DURATION - 25.293 s</div>			<div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 10:51:03.970 pm // 10:51:29.263 pm /				
Login Test Feature				
@smoke @regression @sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.002 s
2	When I login to the application	FAILED	20.128 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6c1e10f75b03bcfb28980a99935414b7, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\dhara\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61580}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61580/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 6c1e10f75b03bcfb28980a99935414b7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.orangehrmlive.demo.utility.Utility.sendTextToElement(Utility.java:74) at com.orangehrmlive.demo.pages.LoginPage.loginSuccessfully(LoginPage.java:56) at com.orangehrmlive.demo.steps.AddUserSteps.iLoginToTheApplication(AddUserSteps.java:20) at ?.I login to the application(file:///C:/Users/dhara/IdeaProjects/orange-hrm/src/test/resources/features/logintest.feature:12) * Not displayable characters are replaced by '?'. </pre>		
3	And I navigate to the Home page	SKIPPED	0.001 s
4	Then I get a message "Dashboard"	SKIPPED	0.000 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.772 s
	User should login successfully		
			

User Test Feature

<div>FAILED</div> <div>DURATION - 23.063 s</div>		<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 15</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 13</div>	<div></div>
/ 10:51:29.323 pm // 10:51:52.386 pm /					

Admin should add user successfully().

<div>FAILED</div>	<div>DURATION - 23.062 s</div>		<div>Steps</div> <div>Total - 15</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 13</div>	
<div>/ 10:51:29.324 pm // 10:51:52.386 pm /</div>				
<div>User Test Feature</div>				
<div>@smoke @regression @sanity</div>				

#	Step / Hook Details	Status	Duration
1	Given I am on login page	PASSED	0.000 s
2	When I login to the application	FAILED	20.081 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"*[name='username']"} (Session info: chrome=120.0.6099.109) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1a6939cbd8649666590fea178bcb032d, findElement {using=name, value=username}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.109, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\dhara\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:61610}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:61610/devtoo..., se:cdpVersion: 120.0.6099.109, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1a6939cbd8649666590fea178bcb032d</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.sendKeys(Unknown Source) at com.orangehrmlive.demo.utility.Utility.sendTextToElement(Utility.java:74) at com.orangehrmlive.demo.pages.LoginPage.loginSuccessfully(LoginPage.java:56) at com.orangehrmlive.demo.steps.AddUserSteps.iLoginToTheApplication(AddUserSteps.java:20) at ?.I login to the application(file:///C:/Users/dhara/IdeaProjects/orange-hrm/src/test/resources/features/usertest.feature:9) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
3	And I navigate to the Home page	SKIPPED	0.000 s
4	And I click on Admin	SKIPPED	0.000 s
5	And I get a user text "System Users"	SKIPPED	0.000 s
6	And I click on add button	SKIPPED	0.000 s
7	And I get a add user text "Add User"	SKIPPED	0.000 s
8	And I select a role admin	SKIPPED	0.000 s
9	And I enter employee name "Ananya Dash"	SKIPPED	0.001 s
10	And I enter user name "ananya12"	SKIPPED	0.000 s
11	And I select status disable	SKIPPED	0.000 s
12	And I enter password "a123456"	SKIPPED	0.000 s
13	And I enter confirm password "a123456"	SKIPPED	0.000 s
14	And I click on save button	SKIPPED	0.000 s
15	Then I get a successfully save message "Successfully Saved"	SKIPPED	0.001 s
	AFTER - com.orangehrmlive.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.535 s
	Admin should add user successfully().		
	