Experiment 9

Name:M.N.Dharaan **Roll number:240701117**

AIM:

The aim is to design a registration form with email and password validation and display appropriate error messages using HTML, CSS, and JavaScript.

PROCEDURE:

Step 1:

Step 1: Creating the HTML Form

Create a registration form that includes input fields for:

- Email
- Password
- Confirm Password

Step 2: Styling the Form using CSS

Apply basic styling to:

- Align the form at the center of the page
- Add spacing, borders, and background color
- Style error messages in red color for visibility

Step 3: Adding JavaScript Validation

Use JavaScript to:

- Validate email format (check for "@" and ".")
- Compare password and confirm password fields
- Display error messages dynamically when input is invalid
- Prevent form submission if any error exist

OUTPUT:

For valid inputs:

- Form submits successfully without any error



For invalid email:

- Displays message: **"Invalid Email!"**

For password mismatch:

- Displays message: **"Passwords do not match!"**



Setting Up the HTML Form Start by creating an HTML form with input fields for the email and phone number.

```
<!DOCTYPE html>
<html>
<head>
  <title>Calculator</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<div class="calculator">
  <input type="text" id="display" disabled>
```

```
  <div class="buttons">
    <button onclick="addValue('7')">7</button>
    <button onclick="addValue('8')">8</button>
    <button onclick="addValue('9')">9</button>
    <button onclick="addValue('/')">/</button>

    <button onclick="addValue('4')">4</button>
    <button onclick="addValue('5')">5</button>
    <button onclick="addValue('6')">6</button>
    <button onclick="addValue('*')">*</button>

    <button onclick="addValue('1')">1</button>
    <button onclick="addValue('2')">2</button>
    <button onclick="addValue('3')">3</button>
    <button  onclick="addValue('-')">-</button>

    <button onclick="addValue('0')">0</button>
    <button onclick="clearDisplay()">C</button>
    <button onclick="calculate()">=</button>
    <button onclick="addValue('+')">+</button>
  </div>
</div>

<script src="script.js"></script>
```

```
</body>
<html>
```

Styling the Form with CSS Next, add some basic styling to make the form look nice.

```
body {
  font-family:
  Arial;
  display:
  flex;
  justify-
  content:
  center; margin-
  top: 100px;
}

.calculator
  { width:
  220px;
  background:
  #eee;
  padding:
  15px; border-
  radius: 10px;
}

#display {
  width:
  100%;
  height:
  40px;
  margin-bottom:
  10px; text-
  align: right;
  padding: 5px;
}

button {
  width:
  45px;
  height:
  40px;
  margin:
```

```
  2px;
}
```

Adding JavaScript for Validation Finally, add JavaScript to validate the input fields using Validator.js and display error messages

```
function addValue(val) {
```

```
  document.getElementById("display").value += val;
}

function clearDisplay() {
  document.getElementById("display").value =
  "";
}

function calculate() {
  let exp = document.getElementById("display").value;
  document.getElementById("display").value = eval(exp);
}
```