

Controller

```
using Microsoft.AspNetCore.Mvc;
using DogApi.Data;
using DogApi.Models;
using System.Collections.Generic;
using System.Linq;

namespace DogApi.Controllers
{
    [ApiController]
    [Route("api/[controller]")]
    public class DogsController : ControllerBase
    {
        private readonly DogContext _context;

        public DogsController(DogContext context)
        {
            _context = context;
        }

        [HttpGet]
        public ActionResult<IEnumerable<Dog>> GetDogs()
        {
            return _context.Dogs.ToList();
        }

        [HttpPost]
        public ActionResult<Dog> CreateDog([FromBody] Dog dog)
        {
            if (dog == null || string.IsNullOrEmpty(dog.Breed) ||
                string.IsNullOrEmpty(dog.Size))
            {
                return BadRequest("Breed and Size are required.");
            }

            _context.Dogs.Add(dog);
            _context.SaveChanges();
        }
    }
}
```

```

        return CreatedAtAction(nameof(GetDogs), new { id = dog.Id },
dog);
    }
}
}

```

Context

```

using Microsoft.EntityFrameworkCore;
using DogApi.Models;

namespace DogApi.Data
{
    public class DogContext : DbContext
    {
        public DogContext(DbContextOptions<DogContext> options)
            : base(options)
        {
        }

        public DbSet<Dog> Dogs { get; set; }
    }
}

```

Model

```

namespace DogApi.Models
{
    public class Dog
    {
        public int Id { get; set; }
        public required string Breed { get; set; }
        public required string Size { get; set; }
    }
}

```

Program.cs

```
using DogApi.Data;
using DogApi.Models;
using Microsoft.EntityFrameworkCore;
using Microsoft.OpenApi.Models;

var builder = WebApplication.CreateBuilder(args);

// Add services to the container.
// Learn more about configuring OpenAPI at https://aka.ms/aspnet/openapi
builder.Services.AddOpenApi();
builder.Services.AddDbContext<DogContext>(options =>

options.UseSqlServer(builder.Configuration.GetConnectionString("DogDb")));

builder.Services.AddControllers();
builder.Services.AddEndpointsApiExplorer();
builder.Services.AddSwaggerGen();
var app = builder.Build();

// Configure the HTTP request pipeline.
if (app.Environment.IsDevelopment())
{
    app.UseSwagger();
    app.UseSwaggerUI();
}

app.UseHttpsRedirection();
app.UseAuthorization();
app.MapControllers();

var summaries = new[]
{
    "Freezing", "Bracing", "Chilly", "Cool", "Mild", "Warm", "Balmy",
    "Hot", "Sweltering", "Scorching"
};

app.MapGet("/weatherforecast", () =>
{
```

```

var forecast = Enumerable.Range(1, 5).Select(index =>
    new WeatherForecast
    (
        DateOnly.FromDateTime(DateTime.Now.AddDays(index)),
        Random.Shared.Next(-20, 55),
        summaries[Random.Shared.Next(summaries.Length)]
    ))
    .ToArray();
return forecast;
}))
.WithName("GetWeatherForecast");

using (var scope = app.Services.CreateScope())
{
    var context = scope.ServiceProvider.GetRequiredService<DogContext>();
    if (!context.Dogs.Any())
    {
        context.Dogs.AddRange(
            new Dog { Breed = "Labrador Retriever", Size = "Large" },
            new Dog { Breed = "Beagle", Size = "Medium" },
            new Dog { Breed = "Chihuahua", Size = "Small" }
        );
        context.SaveChanges();
    }
}

app.Run();

record WeatherForecast(DateOnly Date, int TemperatureC, string? Summary)
{
    public int TemperatureF => 32 + (int)(TemperatureC / 0.5556);
}

```

Output

Curl

```
curl -X 'POST' \
  'http://localhost:5153/api/Dogs' \
  -H 'accept: text/plain' \
  -H 'Content-Type: application/json' \
  -d '{
    "id": 0,
    "breed": "Beagle",
    "size": "Medium"
  }'
```

Request URL

http://localhost:5153/api/Dogs

Server response

Code	Details
------	---------

201

Undocumented

Response body

```
{
  "id": 5,
  "breed": "Beagle",
  "size": "Medium"
}
```



Download

Response headers

http://localhost:5153/api/Dogs

Server response

Code	Details
------	---------

200

Response body

```
[
  {
    "id": 1,
    "breed": "Labrador Retriever",
    "size": "Large"
  },
  {
    "id": 2,
    "breed": "Beagle",
    "size": "Medium"
  },
  {
    "id": 3,
    "breed": "Chihuahua",
    "size": "Small"
  },
  {
    "id": 4,
    "breed": "Golden Retriever",
    "size": "Large"
  },
  {
    "id": 5,
    "breed": "Beagle",
    "size": "Medium"
  }
]
```



Download

Response headers