

Employee Model :

```
namespace Day5Web.Models
{
    public class Food
    {
        public int Id { get; set; }
        public string Name { get; set; }
        public string Price { get; set; }
        public string Category { get; set; }
        public string Description { get; set; }
    }
}
```

Db Context :

```
using Day5Web.Models;
using Microsoft.EntityFrameworkCore;

namespace Day5Web.Context
{
    public class AddDbContext : DbContext
    {
        public AddDbContext(DbContextOptions<AddDbContext> options ): base(options)
        {
        }

        public DbSet<Food> foodDetails { get; set; }
    }
}
```

Controller :

```
using Day5Web.Context;
using Day5Web.Models;
using Microsoft.AspNetCore.Mvc;
using Microsoft.EntityFrameworkCore;
using System.Diagnostics;

namespace Day5Web.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;
```

```

private AddDbContext AddDbContext { get; set; }
public HomeController(ILogger<HomeController> logger, AddDbContext addDbContext)
{
    _logger = logger;
    AddDbContext = addDbContext;
}

    public IActionResult CreateFood()
    {
        return View();
    }

    public IActionResult ViewAllFood()
    {
        var allFood = AddDbContext.foodDetails.ToList();
        return View("ViewAllFood", allFood);
    }

    public IActionResult AddFood(Food food)
    {
        AddDbContext.foodDetails.Add(food);
        AddDbContext.SaveChanges();
        return RedirectToAction("ViewAllFood");
    }

    public IActionResult Index()
    {
        return View();
    }

    public IActionResult Privacy()
    {
        return View();
    }

    [ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore =
true)]
    public IActionResult Error()
    {
        return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
    }
}

```

Create Food:

```
@{
    ViewData["Title"] = "Create Food";
}
```

```
@model Day5Web.Models.Food
```

```
<div class="text-center">
    <h1 class="display-4">Create Food</h1>
</div>
```

```
<form asp-action="AddFood">
    <label class="mt-2">Name</label>
    <input type="text" name="name" required class="form-control" asp-for="Name"
        placeholder="Enter the name" />

    <label class="mt-2">Price</label>
    <input type="text" name="price" required class="form-control" asp-for="Price"
        placeholder="Enter the price" />

    <label class="mt-2">Category</label>
    <input type="text" name="category" class="form-control" asp-for="Category"
        placeholder="Enter the category" />

    <label class="mt-2">Description</label>
    <input type="text" name="description" required class="form-control" asp-for="Description"
        placeholder="Enter the description" />

    <button class="btn btn-success mt-4" type="submit">Submit</button>
</form>
```

Submit

@{

}

<div class="text-center">

|
 Name | Category |

<tbody>

```
foreach (var food in Model)
```

{

 @food.Id | @food.Name | @food.Price | @food.Category |

```

        <td>@food.Description</td>
      </tr>
    }
  }
</tbody>
</table>
</div>

```

All Food Are Showed

Id	Name	Price	Category	Description
1	Sushi	200	Japanese	Must try !
2	Margherita Pizza	249	Italian	Classic pizza with mozzarella, basil & tomato sauce.
3	Chicken Biryani	299	Indian	Fragrant rice with marinated chicken & spices.
4	Veg Manchurian	199	Chinese	Fried veggie balls tossed in spicy soy-based sauce.
5	Cheeseburger	229	American	Beef patty with cheddar, lettuce, tomato & sauce.