

Program.cs

```
using Microsoft.EntityFrameworkCore;

var builder = WebApplication.CreateBuilder(args);

// Add services to the container.
builder.Services.AddControllersWithViews();

const string connectionString =
    "Data Source=PTPLL512;" + "TrustServerCertificate=True;" +
    "Integrated Security=True;" + "Initial Catalog=training;";

builder.Services.AddDbContext<Day6DbFirst.Data.TrainingContext>
    (x => x.UseSqlServer(connectionString));

var app = builder.Build();

// Configure the HTTP request pipeline.
if (!app.Environment.IsDevelopment())
{
    app.UseExceptionHandler("/Home/Error");
    // The default HSTS value is 30 days. You may want to change this for production scenarios,
    see https://aka.ms/aspnetcore-hsts.
    app.UseHsts();
}

app.UseHttpsRedirection();
app.UseStaticFiles();

app.UseRouting();

app.UseAuthorization();

app.MapControllerRoute(
    name: "default",
    pattern: "{controller=Home}/{action=Index}/{id?}");

app.Run();
```

TrainingContext.cs

```
using System;
using System.Collections.Generic;
```

```

using Day6DbFirst.Models;
using Microsoft.EntityFrameworkCore;

namespace Day6DbFirst.Data;

public partial class TrainingContext : DbContext
{
    public TrainingContext()
    {
    }

    public TrainingContext(DbContextOptions<TrainingContext> options)
        : base(options)
    {
    }

    public virtual DbSet<EmployeeDetail> EmployeeDetails { get; set; }

    public virtual DbSet<FoodDetail> FoodDetails { get; set; }

    public virtual DbSet<Store> Stores { get; set; }

    public virtual DbSet<Store1> Stores1 { get; set; }

    public virtual DbSet<Tree> Trees { get; set; }

    protected override void OnModelCreating(ModelBuilder modelBuilder)
    {
        modelBuilder.Entity<EmployeeDetail>(entity =>
        {
            entity.ToTable("employeeDetails");
        });

        modelBuilder.Entity<FoodDetail>(entity =>
        {
            entity.ToTable("foodDetails");
        });

        modelBuilder.Entity<Store>(entity =>
        {
            entity
                .HasNoKey()
                .ToTable("store");
        });
    }
}

```

```

        entity.Property(e => e.Id).HasColumnName("id");
        entity.Property(e => e.Name)
            .HasMaxLength(50)
            .IsUnicode(false)
            .HasColumnName("name");
    });

    modelBuilder.Entity<Store1>(entity =>
    {
        entity.ToTable("Stores");

        entity.Property(e => e.NumberOfEmployee).HasColumnName("Number_of_employee");
    });

    modelBuilder.Entity<Tree>(entity =>
    {
        entity.ToTable("trees");

        entity.Property(e => e.Description).HasMaxLength(100);
        entity.Property(e => e.Name).HasMaxLength(25);
        entity.Property(e => e.NoOfTrees).HasColumnName("No_of_Trees");
    });

    OnModelCreatingPartial(modelBuilder);
}

partial void OnModelCreatingPartial(ModelBuilder modelBuilder);
}

```

[HomeController.cs](#)

```

using Day6DbFirst.Data;
using Day6DbFirst.Models;
using Microsoft.AspNetCore.Mvc;
using System.Diagnostics;

namespace Day6DbFirst.Controllers
{
    public class HomeController : Controller
    {
        private readonly ILogger<HomeController> _logger;
        private TrainingContext AddDbContext { get; set; }
        public HomeController(ILogger<HomeController> logger, TrainingContext addDbContext)
        {

```

```

        _logger = logger;
        AddDbContext = addDbContext;
    }

    public IActionResult Index()
    {
        var allTrees = AddDbContext.Trees.ToList();
        return View(allTrees);
    }

    public IActionResult Privacy()
    {
        return View();
    }

    [ResponseCache(Duration = 0, Location = ResponseCacheLocation.None, NoStore =
true)]
    public IActionResult Error()
    {
        return View(new ErrorViewModel { RequestId = Activity.Current?.Id ??
HttpContext.TraceIdentifier });
    }
}

```

Index.cshtml

```

@{
    ViewData["Title"] = "all Trees";
}

@model List<Day6DbFirst.Models.Tree>

<div class="text-center">
    <h1 class="display-4">My Tree</h1>
</div>

<table class="table border-2">
    <tr>
        <th>Id</th>
        <th>Name</th>
        <th>Description</th>
        <th>Count</th>
        <th>Actions</th>
    </tr>

```

```

</tr>
@foreach (var tree in Model)
{
    <tr>
        <td>@tree.Id</td>
        <td>@tree.Name</td>
        <td>@tree.Description</td>
        <td>@tree.NoOfTrees</td>
        <td class="btn btn-primary">@Html.ActionLink("More Details", "Details", new { id =
tree.Id })</td>
    </tr>
}

</table>

```

[Tree.cs](#)

```

using System;
using System.Collections.Generic;

namespace Day6DbFirst.Models;

public partial class Tree
{
    public int Id { get; set; }

    public string Name { get; set; } = null!;

    public string Description { get; set; } = null!;

    public int NoOfTrees { get; set; }
}

```

Output :

My Tree				
Id	Name	Description	Count	Actions
1	Banayan Tree	Largest Tree	12	More Details
2	Coconut Tree	Tallest Tree	10	More Details
3	Oak	A large deciduous tree	50	More Details
4	Pine	An evergreen coniferous tree	100	More Details
5	Maple	Known for its autumn colors	75	More Details
6	Birch	White bark tree often in cold climates	30	More Details
7	Cedar	Fragrant evergreen tree	40	More Details
8	Redwood	Tallest trees on earth	20	More Details
9	Palm	Tropical tree with long leaves	60	More Details
10	Willow	Graceful tree with drooping branches	25	More Details
11	Baobab	Tree with a thick trunk	15	More Details
12	Cherry Blossom	Famous for spring blossoms	45	More Details