

Terminal

```
karanesh.r.@dockervm01:~/Documents/Api/sampleDogs$ sudo docker compose u
-] Running 1/1
  Container samplewithsql Recreated
Attaching to samplewithsql, sqlserver2022
sqlserver2022 | SQL Server 2022 will run as non-root by default.
sqlserver2022 | This container is running as user mssql.
sqlserver2022 | Your master database file is owned by mssql.[lnkid=20992
samplewithsql | info: Microsoft.Hosting.Lifetime[14]
samplewithsql | Now listening on: http://[::]:808
samplewithsql | info: Microsoft.Hosting.Lifetime[0]
samplewithsql | Application started. Press Ctrl+C to shut down.
samplewithsql | info: Microsoft.Hosting.Lifetime[0]
samplewithsql | Application started. Development
samplewithsql | info: Microsoft.Hosting.Lifetime[0]
samplewithsql | Hosting environment: Development
samplewithsql | info: Microsoft.Hosting.Lifetime[0]
samplewithsql | Content root path: /app
samplewithsql | info: Microsoft.Hosting.Lifetime[0]
samplewithsql | Content root path::= Development
2025-09-02 | 2025-09-02 11:46:12.04 Server Setup step is FORCE copying
'replicatedmaster'.mdf' to %
```

Swagger

		Authorize 
default		^
GET	/ Root	▼
GET	/name/{name}/age/{age} Getname	▼
GET	/upload Upload	▼
GET	/html Html	▼
GET	/sample Sample	▼
POST	/AddStudent Post Student	▼
GET	/GetAllStudent Getstudents	▼
GET	/GetStudentByName Getstudentbyname	▼
GET	/protected Protected Route	 ▼

docker-compose.yaml:

```
services:
  web_api
  :
    build:
      context: .
      dockerfile: Dockerfile
    image: sample
    container_name: samplewithsql
    ports:
      - "8059:8012"
    depends_on:
      - db
    environment:
      - ASPNETCORE_ENVIRONMENT=Development
      -
      ConnectionStrings_DefaultConnection=Server=db;Database=SampleDogDB;User
      Id=sa;Password=Payoda#18;

  db:
    image: mcr.microsoft.com/mssql/server:2022-latest
    container_name: sqlserver2022
    ports:
      - "1434:1433"
    environment:
      - ACCEPT_EULA=Y
      - MSSQL_SA_PASSWORD=Payoda#18
    volumes:
      - sql_data:/var/opt/mssql
```

```
volumes:
  sql_data:
```

DockerFile:

```
FROM mcr.microsoft.com/dotnet/aspnet:8.0 AS base
WORKDIR /app
EXPOSE 8080
EXPOSE 8081

FROM mcr.microsoft.com/dotnet/sdk:8.0 AS build
WORKDIR /src

COPY *.sln .
COPY ["sampleDog/sample.csproj", "sample/"]
RUN dotnet restore "sample/sample.csproj"

COPY . .
WORKDIR "/src/sample"
RUN dotnet build "sample.csproj" -c Release -o /app/build

FROM build AS publish
RUN dotnet publish "sample.csproj" -c Release -o /app/publish
/p:UseAppHost=false

FROM base AS final
WORKDIR /app
COPY --from=publish /app/publish .
ENTRYPOINT ["dotnet", "sample.dll"]
```