# **NEXUS INTERN PROJECT -1**

**Domain:** Web Development

**Project Name:** Login and Signup Page (Front-end Only)

## **GitHub Repository Link:**

https://github.com/Dharani-webdev/project1-nexus..git

Website link:

https://dharani-webdev.github.io/project1-nexus./

Submitted by: Durga Dharani Teja Battula

Submitted to: Nexus Software

## **TABLE OF CONTENTS**

- 1. INTRODUCTION
- 2. LOGIN PAGE
- 3. SIGN UP PAGE
- 4. TECHNOLOGIES USED
- 5. SAMPLE CODE
- 6. OUTPUT SCREENS
- 7. CONCLUSION

#### 1. INTRODUCTION

This project aims to create a user-friendly system for a web application. The login and signup pages are crucial components, allowing users to access personalized content and features. The purpose of this documentation is to provide a comprehensive guide on the design, functionality, and security considerations for the login and signup pages of a web application.

#### **PROJECT OBJECTIVES:**

- 1. **Login Page:** Provide a seamless and intuitive login experience for existing users to access their accounts.
- 2. **Sign Up Page:** Create a user-friendly signup process for new users to register and create their accounts.

#### **PROJECT STRUCTURE:**

The project is structured into two main parts: the login page and the signup page. Each page has its HTML, CSS, and JavaScript files to ensure modularity and maintainability.

### **Login Page:**

- HTML Structure: Contains form elements for username and password input.
- CSS Styling: Provides a visually appealing and responsive design for the login page.
- JavaScript Interactivity: Handles form submission and potential authentication logic.

### Sign up Page:

- HTML Structure: Includes form elements for new username and password input.
- CSS Styling: Tailored styles for the signup page to maintain a consistent look.
- JavaScript Interactivity: Manages form submission and handles user registration logic.


#### 2.LOGIN PAGE

### **Login Page:**

#### • User-Interface

The login page should include the following elements:

- Username/Email input field
- Password input field
- "Forgot Password" link
- "Login" button
- Sign in with Social Platforms
- Sign up Button



#### 3.SIGNUP PAGE

## Sign up Page:


#### • User Interface

The signup page should include the following elements:

- Username input field
- Email input field
- Password input field
- "Signup" button
- Sign up with Social Platforms
- Already have an account "Login"

### • Functionality

- Validating and accepting user inputs for registration.
- Creating a new user account.



### **4.TECHNOLOGIES USED**

## **Frontend Technologies:**

- HTML5
- CSS3
- JavaScript

# **Design Principles:**

- Responsive Design for various screen sizes
- User-friendly and intuitive interface

# **Project Requirements:**

- Attractive Design
- Responsiveness
- CSS Decorations
- Form Validation

#### 5.SAMPLE CODE

### **Index.html:**

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
     src="https://kit.fontawesome.com/64d58efce2.js"
     crossorigin="anonymous"
   ></script>
   <link rel="stylesheet" href="style.css" />
    <title>Login & Sign up Form</title>
 </head>
 <body>
   <div class="container">
     <div class="forms-container">
       <div class="signin-signup">
         <form action="#" class="sign-in-form">
           <h2 class="title">Login</h2>
           <div class="input-field">
             <i class="fas fa-user"></i></i>
             <input type="email" placeholder="Email" required />
           <div class="input-field">
             <i class="fas fa-lock"></i>
 <input type="password" placeholder="Password" aria-required="true" required>
   </div>
             <div class="forgot">
               <a href="#" style="color: white;">Forgot Password</a>
             </div>
              <br>
           <input type="submit" value="Login" class="btn solid" />
           Or Sign in with social platforms
           <div class="social-media">
             <a href="#" class="social-icon">
               <i class="fab fa-facebook-f"></i></i>
             </a>
             <a href="#" class="social-icon">
               <i class="fab fa-twitter"></i></i>
```

```
</a>
             <a href="#" class="social-icon">
              <i class="fab fa-google"></i></i>
             <a href="#" class="social-icon">
              <i class="fab fa-linkedin-in"></i></i>
             </a>
           </div>
         </form>
         <form action="#" class="sign-up-form">
           <h2 class="title">Sign Up</h2>
           <div class="input-field">
             <i class="fas fa-user"></i></i>
             <input type="text" aria-required="true" placeholder="Username"</pre>
required/>
           </div>
           <div class="input-field">
             <i class="fas fa-envelope"></i></i>
             <input type="email" aria-required="true" placeholder="Email"</pre>
required />
           </div>
           <div class="input-field">
             <i class="fas fa-lock"></i></i>
             <input type="password" id="psw" name="psw"</pre>
pattern="(?=.*\d)(?=.*[a-z])(?=.*[A-Z]).\{8,\}" required placeholder="Password">
           </div>
           <div id="message">
     <h3>Password must contain the following:</h3>
     A <b>lowercase</b>letter
     A <b>capital (uppercase)</b> letter
     A <b>number</b>
     Minimum <b>8 characters</b>
   </div>
           <input type="submit" class="btn" value="Sign up" />
           or Sign up with social platforms
           <div class="social-media">
             <a href="#" class="social-icon">
              <i class="fab fa-facebook-f"></i></i>
            </a>
             <a href="#" class="social-icon">
              <i class="fab fa-twitter"></i></i>
             </a>
             <a href="#" class="social-icon">
              <i class="fab fa-google"></i></i>
```

```
</a>
              <a href="#" class="social-icon">
               <i class="fab fa-linkedin-in"></i></i>
           </div>
         </form>
       </div>
     </div>
     <div class="panels-container">
       <div class="panel left-panel">
         <div class="content">
           <h3>Hello, Welcome Back</h3>
            We're super excited to have you back and are eager to fill you in
on all the exciting developments.
  <br>>New here, sign up now
            <button class="btn transparent" id="sign-up-btn">
              Sign up
           </button>
         </div>
          <img src="img/Mobile login-amico.svg" class="image" alt="" />
       </div>
       <div class="panel right-panel">
          <div class="content">
           <h3>New here</h3>
              I'm so glad that you decided to try out our site.
           Already have an account
           <button class="btn transparent" id="sign-in-btn">
             Sign in
           </button>
          </div>
          <img src="img/Chat bot-amico.png" class="image" alt="" />
       </div>
     </div>
    </div>
    <script src="app.js"></script>
  </body>
</html>
```

## style.css:

```
@import
url("https://fonts.googleapis.com/css2?family=Poppins:wght@200;300;400;500;600;70
0;800&display=swap");
 margin: 0;
  padding: 0;
 box-sizing: border-box;
body,
input {
  font-family: "Poppins", sans-serif;
.container {
  position: relative;
 width: 100%;
  background-color: #115d5d;
 min-height: 100vh;
  overflow: hidden;
 forms-container {
 position: absolute;
  width: 100%;
 height: 100%;
 top: 0;
  left: 0;
.signin-signup {
  position: absolute;
 top: 50%;
  transform: translate(-50%, -50%);
  left: 75%;
 width: 50%;
  transition: 1s 0.7s ease-in-out;
  display: grid;
  grid-template-columns: 1fr;
  z-index: 5;
```

```
form {
  display: flex;
  align-items: center;
  justify-content: center;
 flex-direction: column;
  padding: 0rem 5rem;
  transition: all 0.2s 0.7s;
  overflow: hidden;
 grid-column: 1 / 2;
  grid-row: 1 / 2;
form.sign-up-form {
 opacity: 0;
  z-index: 1;
form.sign-in-form {
  z-index: 2;
.title {
  font-size: 2.7rem;
  color: #e9eeed;
 margin-bottom: 12px;
.input-field {
 max-width: 420px;
 width: 100%;
  background-color: #fff;
  margin: 10px 0;
 height: 55px;
  border-radius: 55px;
  display: grid;
  grid-template-columns: 15% 85%;
  padding: 0 0.4rem;
 position: relative;
.input-field i {
 text-align: center;
```

```
line-height: 55px;
  color: #041e1f;
  transition: 0.5s;
  font-size: 1.1rem;
.input-field input {
  background: none;
  outline: none;
 border: none;
  line-height: 1;
  font-weight: 600;
  font-size: 1.1rem;
  color: #083841;
.input-field input::placeholder {
  color: #0e5953;
  font-weight: 400;
/* The message box is shown when the user clicks on the password field */
#message {
  display:none;
 background: #f1f1f1;
  color: #000;
  position: relative;
  padding: 20px;
 margin-top: 10px;
#message p {
 padding: 10px 25px;
  font-size: 11px;
/* Add a green text color and a checkmark when the requirements are right */
.valid {
  color: green;
.valid:before {
 position: relative;
```

```
left: -35px;
/* Add a red text color and an "x" icon when the requirements are wrong */
.invalid {
 color: rgb(189, 27, 27);
.invalid:before {
 position: relative;
 left: -35px;
.forgot a{
 text-decoration: none;
 text-align: right;
.social-text {
 padding: 0.7rem 0;
 font-size: 1rem;
 color: #fff;
.social-media {
 display: flex;
 justify-content: center;
.social-icon {
 height: 40px;
 width: 40px;
 display: flex;
 justify-content: center;
 align-items: center;
 margin: 0 0.45rem;
 color: #031311;
 border-radius: 50%;
 border: 2px solid #04191b;
 text-decoration: none;
 font-size: 1.3rem;
 transition: 0.5s;
.social-icon:hover {
```

```
color: #bcdbdb;
 border-color: #dee6e6;
 box-sizing: border-box;
 box-shadow: 0 0 3px #051d1d,
 0 0 25px #abc8c8,0 0 50px #aecaca,
 0 0 100px #aec6c6, 0 0 150px #d5e4e4;
btn {
 width: 150px;
 background-color: #072a2a;
 border: none;
 outline: none;
 height: 49px;
 border-radius: 49px;
 color: #e5f7f7;
 text-transform: uppercase;
 font-weight: 600;
 margin: 10px 0;
 cursor: pointer;
 transition: 0.5s;
.btn:hover {
 background-color: #040a0a;
 color:#d9ecec;
 box-shadow: 0 0 5px #051d1d,
 0 0 25px #abc8c8,0 0 50px #aecaca,
 0 0 100px #aec6c6, 0 0 200px #d5e4e4;
panels-container {
 position: absolute;
 height: 100%;
 width: 100%;
 top: 0;
 left: 0;
 display: grid;
 grid-template-columns: repeat(2, 1fr);
container:before {
 content: "";
 position: absolute;
 height: 2000px;
 width: 2000px;
```

```
top: -10%;
 right: 48%;
 transform: translateY(-50%);
 background-image: linear-gradient(-45deg, #050808 0%, #0c2b29 100%);
 transition: 1.8s ease-in-out;
 border-radius: 50%;
 z-index: 6;
.image {
 image-orientation:flip;
 width: 90%;
 height: 70%;
 transition: transform 1.2s ease-in-out;
 transition-delay: 0.5s;
.panel {
 display: flex;
 flex-direction: column;
 align-items: flex-end;
 justify-content: space-around;
 text-align: center;
 z-index: 7;
.left-panel {
 pointer-events: all;
 padding: 6rem 19% 3rem 15%;
.right-panel {
 pointer-events: none;
 padding: 6rem 17% 4rem 15%;
panel .content {
 color: #fff;
 transition: transform 0.9s ease-in-out;
 transition-delay: 0.6s;
.panel h3 {
 font-weight: 600;
 line-height: 1;
```

```
font-size: 2.5rem;
  color: #fcffff;
.panel p {
 font-size: 0.95rem;
 padding: 0.8rem 0%;
 color: #fff;
.btn.transparent {
 margin: 0;
 background: none;
 border: 4px solid #d2dee0;
 width: 130px;
 height: 41px;
 font-weight: 600;
 font-size: 0.8rem;
.right-panel .image,
.right-panel .content {
 transform: translateX(800px);
/* ANIMATION */
.container.sign-up-mode:before {
 transform: translate(100%, -50%);
  right: 52%;
.container.sign-up-mode .left-panel .image,
.container.sign-up-mode .left-panel .content {
 transform: translateX(-800px);
.container.sign-up-mode .signin-signup {
 left: 25%;
.container.sign-up-mode form.sign-up-form {
 opacity: 1;
 z-index: 2;
```

```
.container.sign-up-mode form.sign-in-form {
  opacity: 0;
  z-index: 1;
 container.sign-up-mode .right-panel .image,
.container.sign-up-mode .right-panel .content {
  transform: translateX(0%);
.container.sign-up-mode .left-panel {
  pointer-events: none;
.container.sign-up-mode .right-panel {
  pointer-events: all;
@media (max-width: 870px) {
  .container {
   min-height: 800px;
   height: 100vh;
  .signin-signup {
   width: 100%;
   top: 95%;
   transform: translate(-50%, -100%);
    transition: 1s 0.8s ease-in-out;
  .signin-signup,
  .container.sign-up-mode .signin-signup {
    left: 50%;
  .panels-container {
   grid-template-columns: 1fr;
    grid-template-rows: 1fr 2fr 1fr;
  .panel {
    flex-direction: row;
    justify-content: space-around;
    align-items: center;
    padding: 2.5rem 8%;
```

```
grid-column: 1 / 2;
.right-panel {
 grid-row: 3 / 4;
.left-panel {
 grid-row: 1 / 2;
.image {
 width: 200px;
 transition: transform 0.9s ease-in-out;
 transition-delay: 0.6s;
.panel .content {
 padding-right: 15%;
 transition: transform 0.9s ease-in-out;
 transition-delay: 0.8s;
.panel h3 {
 font-size: 1.2rem;
.panel p {
 font-size: 0.7rem;
 padding: 0.5rem 0;
.btn.transparent {
 width: 110px;
 height: 35px;
 font-size: 0.7rem;
.container:before {
 width: 1500px;
 height: 1500px;
 transform: translateX(-50%);
 left: 30%;
 bottom: 68%;
 right: initial;
```

```
top: initial;
   transition: 2s ease-in-out;
  .container.sign-up-mode:before {
   transform: translate(-50%, 100%);
   bottom: 32%;
   right: initial;
  .container.sign-up-mode .left-panel .image,
  .container.sign-up-mode .left-panel .content {
   transform: translateY(-300px);
  .container.sign-up-mode .right-panel .image,
  .container.sign-up-mode .right-panel .content {
   transform: translateY(0px);
  .right-panel .image,
  .right-panel .content {
   transform: translateY(300px);
  .container.sign-up-mode .signin-signup {
   top: 5%;
   transform: translate(-50%, 0);
@media (max-width: 570px) {
 form {
   padding: 0 1.5rem;
  .image {
   display: none;
  .panel .content {
   padding: 0.5rem 1rem;
  .container {
   padding: 1.5rem;
```

```
.container:before {
  bottom: 72%;
  left: 50%;
}


.container.sign-up-mode:before {
  bottom: 28%;
  left: 50%;
}
```


### app.js:

```
const sign in btn = document.querySelector("#sign-in-btn");
const sign_up_btn = document.querySelector("#sign-up-btn");
const container = document.querySelector(".container");
sign up btn.addEventListener("click", () => {
  container.classList.add("sign-up-mode");
});
sign_in_btn.addEventListener("click", () => {
 container.classList.remove("sign-up-mode");
});
var myInput = document.getElementById("psw");
var letter = document.getElementById("letter");
var capital = document.getElementById("capital");
var number = document.getElementById("number");
var length = document.getElementById("length");
myInput.onfocus = function() {
  document.getElementById("message").style.display = "block";
myInput.onblur = function() {
  document.getElementById("message").style.display = "none";
```


```
// When the user starts to type something inside the password field
myInput.onkeyup = function() {
  // Validate lowercase letters
  var lowerCaseLetters = /[a-z]/g;
  if(myInput.value.match(lowerCaseLetters)) {
    letter.classList.remove("invalid");
    letter.classList.add("valid");
  } else {
    letter.classList.remove("valid");
    letter.classList.add("invalid");
  // Validate capital letters
  var upperCaseLetters = /[A-Z]/g;
  if(myInput.value.match(upperCaseLetters)) {
    capital.classList.remove("invalid");
    capital.classList.add("valid");
  } else {
    capital.classList.remove("valid");
    capital.classList.add("invalid");
  // Validate numbers
  var numbers = /[0-9]/g;
  if(myInput.value.match(numbers)) {
    number.classList.remove("invalid");
    number.classList.add("valid");
  } else {
    number.classList.remove("valid");
    number.classList.add("invalid");
  // Validate length
  if(myInput.value.length >= 8) {
    length.classList.remove("invalid");
    length.classList.add("valid");
  } else {
    length.classList.remove("valid");
    length.classList.add("invalid");
```


### **6.OUTPUT SCREENS**














#### 7.CONCLUSION

In conclusion, the development of the Frontend Login and Signup Form project has laid the groundwork for a user-friendly and visually appealing experience. This project focused on creating a seamless interface for users to log in and sign up while maintaining a high standard of design and interactivity. The Frontend Login and Signup Form project serves as a foundation for creating a positive user experience during the authentication process. With a focus on design, responsiveness, and interactivity, the forms are well-positioned for further refinement and integration into a complete web application.