

Cucumber Report

03-Apr-2025, 8:51:20 pm

Start : Apr 03, 8:50:31.830 pm

End : Apr 03, 8:51:14.721 pm

Duration : 42.891 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 1
FAILED - 1
SKIPPED - 1



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login to hrm application</u>	42.891 s	1	0	1	0	3	1	1	1

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@validcredentials	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	Login to hrm application	1	0	1	0	42.891 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login to hrm application</u>	<u>Login with valid credentials</u>	3	1	1	1	42.881 s

Login to hrm application

FAILED	DURATION - 42.891 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	
/ 8:50:31.830 pm // 8:51:14.721 pm /					

Login with valid credentials

<div>FAILED</div> <div>DURATION - 42.881 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 8:50:31.840 pm // 8:51:14.721 pm /</div>				
<div>Login to hrm application</div>				
<div>@validcredentials</div>				

#	Step / Hook Details	Status	Duration
1	Given user is on hrmlloginpage "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	4.613 s
2	When the user enter username and password <pre> java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy2.sendKeys(Unknown Source) at com.actions.Loginpageactions.setun(Loginpageactions.java:16) at com.actions.Loginpageactions.Login(Loginpageactions.java:36) at com.definitions.Loginpagedefinitions.gotohomepage(Loginpagedefinitions.java:25) at ?.the user enter username and password(file:///C:/Users/ADMIN/git/cucumberextendreport/CucumberpoExtendreport/src/test/resources/Features/Loginpagepage.feature:5) </pre> * Not displayable characters are replaced by '?'.	FAILED	1.189 s
3	Then the user should able to login successfully and new page open	SKIPPED	0.002 s