

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Login to hrm application	2 m 46.444 s	1	0	1	0	3	1	1	1

Tag	Scenario			Feature				
Name	T	P	F	S	T	P	F	S
@validcredentials	1	0	1	0	1	0	1	0


FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	Login to hrm application	1	0	1	0	2 m 46.444 s

SCENARIOS SUMMARY

-- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login to hrm application	Login with valid credentials	3	1	1	1	2 m 46.434 s

DETAILED SECTION -- 6 --

Login to hrm application

FAILED	DURATION - 2 m 46.444 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 8:47:33.377 pm // 8:5	0:19.821 pm /	Pass - 0	1	Pass - 1	3
		Fail - 1		Fail - 1	l 🦶 ŭ 🍠 📗
		Skip - 0		Skip - 1	

Login with valid credentials



#	Step / Hook Details	Status	Duration
1	Given user is on hrmloginpage "https://opensource-demo.orangehrmlive.com/web/index.php/auth/login"	PASSED	30.906 s
2	When the user enter username and password	FAILED	3.764 s
	java.lang.lllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:96) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:51) at jdk.proxy2/jdk.proxy2.\$Proxy27.sendKeys(Unknown Source) at com.actions.Loginpageactions.setun(Loginpageactions.java:16) at com.actions.Loginpageactions.Login(Loginpageactions.java:36) at com.definitions.Loginpagedefinitions.gotohomepage(Loginpagedefinitions.java:25) at ?.the user enter username and password(file:///C://Users/ADMIN/git/cucumberextendreport/CucumberpoExtendreport/src/test/resources/ Features/Loginpagepage.feature:5) * Not displayable characters are replaced by '?'.		
3	Then the user should able to login successfully and new page opem	SKIPPED	0.001 s