CS23336-Introduction to Python Programming

Started on Wednesday, 28 August 2024, 2:24 PM
State Finished
Completed on Wednesday, 28 August 2024, 2:36 PM
Time taken 12 mins 20 secs

Question 1

Complete Marked out of 1.00 Flag question

Question text

def cal(n1): What is n1?

```
Question 1 Answer

a.
Keyword

b.
None of the mentioned

c.
Argument

d.
Parameter
```

Question 2

Complete Marked out of 1.00 Flag question

Question text

What is the output of the following function call?

```
def outer_fun(a, b):
    def inner_fun(c, d):
        return c + d
        return inner_fun(a, b)
    return a
result = outer_fun(5, 10)
print(result)
```

| Question 2 Answer— | | | | | |
|--------------------|--|--|--|--|--|
| | | | | | |
| a. (15,5) | | | | | |
| (15,5) | | | | | |
| b. | | | | | |
| | | | | | |
| Syntax Error | | | | | |
| | | | | | |
| c. | | | | | |
| 5 | | | | | |
| | | | | | |
| | | | | | |
| d. | | | | | |
| 15 | | | | | |
| | | | | | |
| | | | | | |
| Question 3 | | | | | |

Complete Marked out of 1.00 Flag question

Question text

A function may return multiple values using _____.

| 1 | —Question 3 Answer— | | | | | |
|---|---------------------|--|--|--|--|--|
| | Question 5.1 inswer | | | | | |
| | | | | | | |
| | a. | | | | | |
| | Dictionary | | | | | |
| | | | | | | |
| | b. | | | | | |
| | List | | | | | |
| | | | | | | |
| | C. | | | | | |
| | c. Tuple | | | | | |
| | | | | | | |
| | d. | | | | | |
| | String | | | | | |
| | | | | | | |

Question 4

Complete Marked out of 1.00 Flag question

Question text

What is the output of the following function call? def fun1(name, age=20): print(name, age) fun1('Emma', 25) Question 4 Answer a. Emma 25 b. Emma 20 c. name d. age **Question 5** Complete Marked out of 1.00 Flag question **Question text** What will be the output of the following Python code? def test(i,j): *if(i==0):* return j else: return test(i-1,i+j) print(test(4,7))

Question 5 Answer-

a.

13

| b. | |
|---------------|--|
| Infinite loop | |
| c. | |
| 7 | |
| | |
| d. | |
| 17 | |

Complete Marked out of 1.00 Flag question

Question text

Write the output of : print(min(tuple("computer")))



Question 7

Complete Marked out of 1.00 Flag question

Question text

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

| Overtion 7 Angewor | |
|---|--|
| — Question 7 Answer | |
| | |
| a. | |
| C4 F | |
| Syntax Error | |
| | |
| b. | |
| 0. | |
| (8,7) | |
| | |
| | |
| | |
| | |
| c. | |
| 15 | |
| | |
| | |
| d. | |
| | |
| 8 | |
| | |
| Question 8 | |
| Complete | |
| Marked out of 1.00 | |
| Flag question | |
| | |
| Question text | |
| | |
| Functions which do not return any value is called | |
| — Question 8 Answer | |
| | |
| a. | |
| void function | |
| | |
| b. | |
| zero function | |
| | |
| c. | |
| null function | |
| | |
| | |

Complete Marked out of 1.00 Flag question

default function

Question text

Write the output of: print(abs(-45))

| | —Question 0 Answer |
|---|-----------------------|
| | — Question 9 Answer — |
| | |
| | a. |
| | 45.0 |
| | |
| | b. |
| | b. -45 |
| | |
| | c. |
| | c. 45 |
| | |
| | d. |
| | None of the mentioned |
| ı | |

Question 10

Complete

Marked out of 1.00

Flag question

Question text

Which of the following is not the scope of variable?

| ĺ | —Question 10 Answer———————————————————————————————————— |
|---|---|
| | |
| | a. |
| | Outside |
| | |
| | b. |
| | None of the mentioned |
| | |
| | c. |
| | Local |
| | |
| | d. |
| | Global |
| ı | |

Question 11

Complete Marked out of 1.00 Flag question

Question text

Which of the following items are present in the function header?

| Question 11 Answer— | |
|---------------------|--|
| | |
| a. | |
| return value | |
| | |
| b. | |
| A. function name | |
| | |
| c. | |
| Both A and B | |
| | |
| d. | |
| B. parameter list | |
| | |

Complete Marked out of 1.00 Flag question

Question text

Which of the following statement is not true regarding functions?

| | -Question 12 Answer |
|---|---|
| | |
| l | a. |
| l | A function may or may not have parameters. |
| l | |
| l | b. |
| l | A function definition begins with "define" |
| | |
| l | C. |
| l | A function may or may not return value. |
| l | |
| l | d. |
| | Function header always ends with a colon (:). |
| ı | |

Question 13

Complete Marked out of 1.00 Flag question

Question text

What is the output of the following display() function call?

```
def display(**kwargs):
    for i in kwargs:
        print(i)
display(emp="Kelly", salary=9000)
```

| Question 13 Answer | |
|--------------------------------------|--|
| | |
| a. | |
| Kelly 9000 | |
| | |
| b. | |
| ('emp', 'Kelly') ('salary', 9000) | |
| | |
| © C. | |
| emp | |
| salary | |
| | |
| d. | |
| TypeError | |
| | |
| | |
| | |

Question 14

Complete Marked out of 1.00 Flag question

Question text

 $\underline{\hspace{1cm}}$ can be defined as a named group of instructions that accomplish a specific task when it is invoked/called.

a.

| Datatype | | | |
|----------|--|--|--|
| | | | |
| b. | | | |
| Operator | | | |
| | | | |
| c. | | | |
| Token | | | |
| | | | |
| d. | | | |
| Function | | | |
| | | | |

Complete Marked out of 1.00 Flag question

Question text

Which keyword is used to begin the definition of a function?

| Question 15 Answer—— | | |
|----------------------|--|--|
| 0 | | |
| a. | | |
| DEF | | |
| | | |
| b. | | |
| Define | | |
| | | |
| c. | | |
| c. def | | |
| | | |
| d. | | |
| Def | | |
| | | |

Finish review