
```
android > app > src > main > 🔊 AndroidManifest.xml
       <manifest xmlns:android="http://schemas.android.com/apk/res/android">
         <uses-permission android:name="android.permission.CAMERA" />
             android:theme="@style/AppTheme">
                    mara analota.scheme- Mari thidi in rodin biorocor acheme /-
               <!-- Facebook Setup here -->
               android:name=".MainActivity"
               android: label="@string/app_name"
               android:configChanges="keyboard|keyboardHidden|orientation|screenLayout|screenSize|small
               android: launchMode="singleTask"
               android:windowSoftInputMode="adjustResize"
               android:exported="true">
                   <action android:name="android.intent.action.MAIN" />
                   <category android:name="android.intent.category.LAUNCHER" />
               <action android:name="android.intent.action.VIEW" />
                 <category android:name="android.intent.category.DEFAULT" />
                 <category android:name="android.intent.category.BROWSABLE" />
                <<data android:scheme="http"/>
                 <data and roid: scheme="https" />
 56
                 <data android:host="localhost" /> 
             <!-- Facebook Setup here -->
               <meta-data android:name="com.facebook.sdk.ApplicationId" android:value="@string/facebook</pre>
```

```
<manifest xmlns:android="http://schemas.android.com/apk/res/android">
       <uses-permission android:name="android.permission.CAMERA" />
           android:theme="@style/AppTheme">
                  <data android:scheme="@string/fb_login_protocol_scheme" />
             <!-- Facebook Setup here -->
             android:name=".MainActivity"
             android:label="@string/app_name"
             android:configChanges="keyboard|keyboardHidden|orientation|screenLayout|screenSize|small
             android: launchMode="singleTask"
             android:windowSoftInputMode="adjustResize"
             android:exported="true">
                 <action android:name="android.intent.action.MAIN" />
                 <category android:name="android.intent.category.LAUNCHER" />
              <action android:name="android.intent.action.VIEW" />
               <category android:name="android.intent.category.DEFAULT" />
               <category android:name="android.intent.category.BROWSABLE" />
               <data android:scheme="http" />
               <data android:scheme="https" />
               <data android:host="locathost" />
56
               <!-- REPLACE the HOST with app domain like reelzzz.com and Subscribe if you havent Rit
```

android > app > src > main > 🔊 AndroidManifest.xml



```
> OPEN EDITO... 1 unsaved
                         ios > reelzzz app > 😉 AppDelegate.mm
∨ REELZZZ APP
                                #else
                                  recuin [[nobulide mathbunde] onerolnesource.@ math withextension.@ [spunde ],
 > __tests__
                                #endif
 > .bundle
 > .varn
 > android

√ ios

  > build
                                  (BOOL)application: (UIApplication *)application
                                openURL: (NSURL *)url
  > Pods
                                options:(NSDictionary<UIApplicationOpenURLOptionsKey,id> *)options

√ reelzzz app

    > Images.xcassets
                                 return [RCTLinkingManager application:application openURL:url options:options];
   C AppDelegate.h
   ♣ AppDelegate.mm
   {} Contents.ison
                                  (BOOL)application: (UIApplication *)application continueUserActivity: (nonnull NSUse
    ■ Info.plist
                                restorationHandler:(nonnull void (^)(NSArray<id<UIUserActivityRestoring>> * Nullab
   LaunchScreen.st...
   C main.m
                                return [RCTLinkingManager application:application
                                continueUserActivity:userActivity

    □ PrivacyInfo.xcpriv...

                                restorationHandler:restorationHandler];
   > reelzzz_app....
   > reelzzz_app.xcwor...
  > reelzzz_appTests
                                  (BOOL)application:(UIApplication *)application openURL:(NSURL *)url
  .xcode.env
                                sourceApplication:(NSString *)sourceApplication annotation:(id)annotation
  return [RCTLinkingManager application:application openURL:url
  {} link-assets-manife...
                                sourceApplication:sourceApplication annotation:annotation];
  Podfile

≡ Podfile.lock

                           62
 > node_modules
 > src
 eslintrc.js
                                @end
 gitignore
 JS prettierro is
```

```
> OPEN EDITO... 1 unsaved
                        ios > reelzzz app > 😉 AppDelegate.mm
                                #import "AppDelegate.h"
∨ REELZZZ APP
                                #import <AVFoundation/AVFoundation.h>
 > __tests__
                                #import <React/RCTBundleURLProvider.h>
 > .bundle
 > .varn
                                //Add Facebook SDK here
 > android
                                #import <React/RCTLinkingManager.h≥

√ ios

  > build
  > Pods
                                @implementation AppDelegate

√ reelzzz app

    (BOOL)application:(UIApplication *)application didFinishLaunchingWithOptions:(NSD)


    > Images.xcassets
   C AppDelegate.h
                                  self.moduleName = @"reelzzz app":
   AppDelegate.mm
                                  // You can add your custom initial props in the dictionary below.
   {} Contents.ison
                                  [[AVAudioSession sharedInstance] setCategory:AVAudioSessionCategoryPlayback error
                                  // They will be passed down to the ViewController used by React Native.
    ■ Info.plist
                                  self.initialProps = @{};


    ▲ LaunchScreen.st...

   C main.m
                                  return [super application:application didFinishLaunchingWithOptions:launchOptions


    □ PrivacyInfo.xcpriv...

   > reelzzz_app....
                                - (NSURL *)sourceURLForBridge:(RCTBridge *)bridge
   > reelzzz_app.xcwor...
  > reelzzz_appTests
                                  return [self bundleURL];
  .xcode.env
  {} link-assets-manife...
                                - (NSURL *)bundleURL
  Podfile
                                #if DEBUG
  return [[RCTBundleURLProvider sharedSettings] jsBundleURLForBundleRoot:@"index"];
 > node_modules
                                #else
 > src
                                  return [[NSBundle mainBundle] URLForResource:@"main" withExtension:@"jsbundle"];
                                #endif
 eslintrc.js
 gitignore
 JS prettierro is
```





```
import React from 'react':
          import {NavigationContainer} from '@react-navigation/native';
          import MainNavigator from './MainNavigator';
          import {navigationRef} from '../utils/NavigationUtil';
          const config = {
            screens: {
           UserProfileScreen: '/user/:username',
              ReelScrollScreen: '/reel/:id'.
          const linking = {
            prefixes: ['reelzzz://', 'https://reelzzz.com', 'http://localhost:3000'],
            config,
          const Navigation: React.FC = () => {
            return (
              <NavigationContainer linking={linking} ref={navigationRef}>
                <MainNavigator />
              </NavigationContainer>
              TERMINAL
                         DEBUG CONSOLE
                                                                                        ∑ node
   zz://share/reel/66656d9440069e60828b5c9d
  ritikprasad@Ritiks-MacBook-Air reelzzz app % xcrun simctl openurl booted reelz
                                                                                        ∑ zsh
    zz://share/reel/66656d9440069e60828b5c9d
  ritikprasad@Ritiks-MacBook-Air reelzzz app % xcrun simctl openurl booted reelz
    zz://share/reel/66656d9440069e60828b5c9d
  ritikprasad@Ritiks-MacBook-Air reelzzz app % xcrun simctl openurl booted reelz
    zz://share/reel/66656d9440069e60828b5c9d
  ritikprasad@Ritiks-MacBook-Air reelzzz app % xcrun simctl openurl booted reelz
    zz://share/reel/66656d9440069e60828b5c9d
  ritikprasad@Ritiks-MacBook-Air reelzzz app % xcrun simctl openurl booted reelz
    zz://share/user/steve_05
  o ritikprasad@Ritiks-MacBook-Air reelzzz app % []
$\main*+ \cdot \omega 0 \text{ \Delta 0 \omega 0}$
                                             En 8, Col 26 Spaces: 2 UTF-8 LF {} TypeScript JSX \( \sqrt{Prettier} \) Prettier
```



```
App.tsx
               src > utils > @ dateUtils.tsx > [@] extractTypeAndId > [@] reelPattern2
       export const convertDurationToMMSS = (seconds: number) => {
       export const extractTypeAndId = (url: string): {type: string; id: string} => {
        let type: string = '';
        let id: string = '';
        // Regex patterns to match each type of URL
       pconst reelPattern1 = /^http:\/\/localhost:3000\/share\/reel\/([a-f\d]{24})$/;
        const reelPattern2 = /^reelzzz:\/\/share\/reel\/([a-f\d]{24})$/;
 43
        const userPattern1 =
          /^http:\/\/localhost:3000\/share\/user\/([a-zA-Z0-9_]+)$/;
        const userPattern2 = /^reelzzz:\/\_/share\/user\/([a-zA-Z0-9_]+)$/;
        if (reelPattern1.test(url)) {
          type = 'reel';
          id = url.match(reelPattern1)![1];
          else if (reelPattern2.test(url)) {
          type = 'reel';
          id = url.match(reelPattern2)![1];
          else if (userPattern1.test(url)) {
          type = 'user';
          id = url.match(userPattern1)![1];
          else if (userPattern2.test(url)) {
          type = 'user';
          id = url.match(userPattern2)![1];
        } else {
          console.log('URL format not recognized');
        return {type, id};
```

export default {getRelativeTime. convertDurationToMMSS.extractTypeAndId}: